

London, Oxford Street 400sqm dvLED wall using **System Xpert** 



Full Range **Product Catalogue** 

2025 / 2026

### Welcome to the B-Tech Catalogue





In 2022, B-Tech partnered with IT mounting specialist Neomounts to form the Global Mounts Group; an all-encompassing mounting specialist serving both the AV and IT channels. In 2024, the Global Mounts Group acquired Audipack, a renowned manufacturer of highend and custom-made mounting solutions (see page 112 for more details about Audipack products). Together, we offer the industry's most comprehensive portfolio and a global distribution network, establishing ourselves as a true one-stop shop for any mounting solution.







### **B-Tech Online**

For company info, product specs, assembly manuals, configuration tools, PR and media files, please visit: www.btechavmounts.com



### **Connect with B-Tech**





@btechavmounts











Subscribe to our mailing list for the latest news, event details and product launches www.btechavmounts.com/mailing-list











## Welcome to the latest edition of the B-Tech AV Mounts Catalogue

2024 was a very busy year for B-Tech's product development department, and we also saw the addition of a brand new partner joining us in the Global Mounts Group. The result of which is a large number of exciting new additions to the 2025 catalogue, including the release of one of our most important ranges of the past few years - our new stockable dvLED mounting system - System Xpress. Alongside this a major new marketing initiative was introduced, with several new named ranges introduced as part of their respective product launches. These names, along with individual identifiers attached to each product, help to make it easier to identify and select a suitable mounting solution that is just right for your installation, please see below for a brief overview and then head over to the page shown to check them out!

Established in London in 1972, B-Tech AV Mounts is an industry leader in the design and manufacture of professional AV mounting solutions, whose products are recognised globally for their innovation, robustness, reliability, ease of install and design aesthetics. With strategically located offices and distribution centres around the world, B-Tech provides a truly global localised service. B-Tech AV Mounts not only offers one of the most extensive but also the most versatile and adaptable mounting ranges available from any mounting solutions provider.

B-Tech mounting solutions cover all AV requirements ranging from small, single screens to large format displays, projectors, speakers, interactive touchscreens and UC equipment, as well as large, multi-screen LCDS and dvLED video walls and digital signage. Designed to stringent TUV and UL safety standards by B-Tech's in-house team of engineers, our products are available as wall or ceiling mounts, desktop stands or as freestanding, mobile or bolt-down floor stands. Winners of multiple accolades including AV Awards' AV Manufacturer of the Year crown, B-Tech AV Mounts products are found in prestigious hotels, shopping malls, government facilities, corporate offices, sports stadia, restaurants, airports and conference facilities worldwide.

### **New for 2025** Brand New Named Product Ranges

SYSTEM P

Pg.**22** 



The pros choice; feature rich dvLED mounts for the best install experience

SYSTEM Pg.28

PRESS

Quick to order and ship: stockable dvLED mounts for popular configurations

momentum

Our latest range of mobile solutions

vantage

Pg.**55** 

Premium articulated wall mounts with our new UltraGlide technology

elements Pg.55

Offering fundamental features at affordable price points

flex

Pg.70

Pg.**74** 

Our latest range of Full Motion Desk Mounts




Complete Mounting Solutions contain everything you need to mount your AV equipment. These products cover the most common wall, ceiling or floor mounting requirements and include solutions for flat screens, projectors, speakers and specialist digital signage applications such as large scale videowalls, menu boards and dvLED. For these larger installs, combination kits are usually provided, which have multiple parts that make up the solution. These are treated just like any small, simple one-box product - all you need to order is a single part code... we'll make sure everything is included.

### **dvLED Mounting Solutions**



**Menu Board & Videowall Mounting Systems** 



**Digital Signage** 



Flat Screen Wall Mounts



Flat Screen Ceiling Mounts



Flat Screen Desk Mounts



Floor Stands & Mobile Solutions



UC / VC Display Stands



**Media Storage Devices** & Shelves



**Speaker Mounts** 



**UC / VC Video Bar Mounts** 



**Projector Ceiling Mounts** 



**System X Components** 



**System 2 Components** 



**Floor Stand Components** 



**System V Components** 



Component Ranges are modular based systems designed to create custom solutions to suit almost any application. The adaptability of System X, System 2, System V, and our Floor Stand Range allows for an almost endless number of mounting configurations. Our range of components includes freestanding or mobile bases, an extensive selection of wall and ceiling mounts, and various screen interface arms. Screen mounts that feature the collar-compatible icon can be fitted to our System 2 poles and System X columns to create ceiling mounts and floor stands. System X can also be used with System 2 poles for specialist ceiling requirements.









|   | Intro   | Pg. <b>3</b>  |
|---|---|---------------|
|   | Contents  | 4-5           |
|   | About B-Tech AV Mounts                                    | 6-9           |
| F | Commists Marretine Colutions                              | Day 10        |
|   | Complete Mounting Solutions                               | Pg. <b>10</b> |
|   | Quick Ref. Guide: Multi-Screen and Digital Signage Mounts | 10-11         |
|   | Quick Ref. Guide: Trolleys / Floor Stands                 | 12-13         |
|   | Quick Ref. Guide: Flat Screen Wall Mounts                 | 14-15         |
| L | Quick Ref. Guide: Additional Mounting Solutions           | 16-17         |
| П | dvLED Mounting Solutions                                  | Pg. <b>18</b> |
| ı | System Xpert dvLED Mounts & Stands                        | 22-27         |
| ı | System Xpress Mounts & Stands - Pre-Packaged Kits         | 28-29         |
| ı | System Xpress Mounts & Stands - Custom Kits               | 30-31         |
| ı | System All-In-One Mounting Solutions                      | 32-33         |
| f | Menu Board & Videowall Mounts                             | Pa. <b>34</b> |
| ı | Menu Board Mounting Systems                               | 36            |
| ı | Videowall Mounting Systems                                | 37            |
| ı | Videowall Stands  | 38            |
| ı | Curved Videowall Stands                                   | 39            |
| H |   |               |
|   | Modular Videowall Mounts                                  | Pg. <b>42</b> |
|   | Modular Videowall Mounts                                  | 44            |
| L | Full Service Wall Mounts                                  | 45            |
|   | Specialist Mounts & Digital Signage Solutions             | Pg. <b>46</b> |
|   | XXL Specialist Wall Mounts                                | 48            |
|   | Digital Signage Wall Mounts                               | 49            |
|   | Digital Signage Kiosks                                    | 50            |
|   | Digital Signage Stands                                    | 51-53         |
| F | Flat Screen Wall Mounts                                   | Pg. <b>54</b> |
|   | Flat Screen Wall Mounts VESA 100                          | 56-57         |
|   | Flat Screen Wall Mounts VESA 200                          | 58-59         |
|   | Flat Screen Wall Mounts VESA 200                          |               |
|   |   | 60            |
|   | Flat Screen Wall Mounts VESA 600                          | 61 - 63       |
|   | Flat Screen Wall Mounts VESA 800                          | 62            |
|   | Flat Screen Wall Mounts VESA 1000                         | 64            |
| H | VESA Adaptors   | 65            |
|   | Flat Screen Ceiling Mounts                                | Pg. <b>66</b> |
|   | Flat Screen Ceiling Mounts VESA 100 / 200 / 600           | 67            |
|   | Flat Screen Ceiling Mounts VESA 600                       | 68            |
|   | Flat Screen Ceiling Mounts VESA 1000                      | 69            |
|   | Flat Screen Desk Mounts                                   | Pg. <b>70</b> |
| ı | Full Motion Desk Mounts                                   | 71            |
| ı | Premium Desk Mounts                                       | 72            |
|   | Premium Heavy Duty Mounts                                 | 73            |
|   | Floor Stands & Mobile Solutions                           | Pg. <b>74</b> |
|   | Designer Trolleys   | 76            |
|   | Flat Screen Trolleys                                      | 77- 79        |
|   | Interactive Touchscreen Trolleys                          | 78            |
|   | Motorised Height Adjustable Display Trolleys / Stands     | 80            |
|   | Low Level Flat Screen Display Stands                      | 81            |
|   | Flat Screen Floor Stands   Poles                          | 82            |
|   | System X Flat Screen Floor Stands                         | 83            |
|   | Twin Screen Floor Stands                                  | 84            |
|   | Twin Screen VC Trolleys                                   | 85            |
|   | XL Twin Screen VC Floor Stands                            | 86            |
|   | Twin Screen VC Wall Mounts                                | 87            |

| Premium UC/VC Display Stands                                  | Pg. <b>88</b>  |
|---|----------------|
| Mode-AL Single Screen UC Display Stands                       | 90-92          |
| Mode-AL Twin Screen VC Display Stands                         | 93             |
| Mode-AL Mounting Guide  | 94-95          |
| Media Storage Devices & Shelves                               | Pg. <b>96</b>  |
| Flat Screen Mounts with AV Media Storage                      | 98             |
| AV Storage Mounts   | 99             |
| Specialist Mounts & AV Component Shelves                      | 100            |
| AV Component Shelves  | 101            |
| AV Accessory Mounting Arms                                    | 102            |
| Speaker Wall Mounts   | 103            |
| Universal Soundbar Mount                                      | 103            |
| UC/VC Video Bar & Camera Mounts                               | Pg. <b>104</b> |
| Video Bar & Camera Mounts                                     | 106 - 107      |
| Projector Ceiling Mounts                                      | Pg. <b>108</b> |
| Projector Ceiling Mounts                                      | 110            |
| Heavy Duty Projector Ceiling Mounts                           | 111            |
| Audipack Mounting Solutions                                   | Pg. <b>112</b> |
| Component Ranges  | Pg. <b>114</b> |
| System X Components   | Pg. <b>116</b> |
| System X: Mounting Rails & Wall Fixing Kits                   | 126            |
| System X: Support Columns & Mounting Rail Joining Kits        | 127            |
| System X: Bases   | 128            |
| System X: Interface Arms                                      | 129 - 130      |
| System X: Mounting Accessories                                | 131            |
| System 2 Components   | Pg. <b>132</b> |
| System 2: Poles   | 140            |
| System 2: Ceiling Mounts                                      | 141<br>142     |
| System 2: Specialist Pole Mounts  System 2: Accessory Collars | 142            |
| System 2: Accessories   | 144            |
| System 2: Camera & Projector Mounts                           | 145            |
| Floor Stand Components  | Pg. <b>146</b> |
| Floor Stand Bases   | 150            |
| Floor Stand Vertical Supports & Accessories                   | 151            |
| System V Components   | Pg. <b>152</b> |
| System V: Poles & Ceiling Mounts                              | 156            |
| System V: Camera Mounts & Accessories                         | 157            |
| Surveillance & Security Mounting Solutions                    | Pg. <b>158</b> |
| Camera & Screen Ceiling Mounts                                | 160            |
| Flat Screen Ceiling Mounts                                    | 161            |
| Index   | Pg. <b>162</b> |
| •   |                |

### **QR** Codes

All products in the catalogue feature QR codes that you can scan to access the product's dedicated web page. There, you'll find the full product specifications, features, images, assembly manuals, and specification sheets.







### Why Choose B-Tech?

### **Comprehensive Product Range**

Our extensive catalogue features one of the industry's largest selections of mounting solutions. a wide selection of mounting solutions, including wall, ceiling, desk, and floor mounts for display screens, dvLED, projectors, and audio equipment. B-Tech delivers versatility and choice for every setting.

### **Decades of Excellence**

Established in 1972, B-Tech brings over 50 years of industry experience and is a multiple award-winner, including Manufacturer of the Year at the AV Awards, and top honours for our System X and dvLED solutions.

### Rapid, Accurate Quotes

We offer quick, precise quotes for complex set-ups, including dvLED installations, often fulfilling bespoke needs directly from stock.

### **Dedicated Support**

Our technical and sales teams are always available to answer questions and provide expert guidance. Our engineers are available to design tailored installation plans and provide quotes based on your precise requirements.

### **Fast Dispatch**

Many of B-Tech's global locations offer same-day dispatch, ensuring swift delivery for urgent requirements.



**Fully stocked distribution centres** Enables a fast turn around on orders and shipping



Full technical and sales support From the point of enquiry through to installation













### **Limitless Configurations**

With thousands of configurations available through our stocked, modular component systems, we provide versatile options for any project.

### **Modular Design Systems**

Our System X, System 2 ranges feature modular components that enable custom configurations, making installations exceptionally flexible and adaptable. This is especially valuable for complex or large-scale AV set-ups.

### **In-House Design and Rigorous Testing**

Our in-house engineering team ensures every product meets the highest standards of quality and innovation. Each item is tested to TÜV and UL standards, providing users with confidence in its reliability and performance.

### **Installer Friendly**

B-Tech mounts are designed with installation simplicity in mind, many features are included to save the installer on-site time with a streamlined mounting processes, pre-assembly of key components, rails cut to size in-house, complete technical drawings and installation guides provided.

### **Innovative Design and Aesthetics**

Our products merge functionality with style, offering professional-grade mounts that integrate seamlessly into both commercial and home environments without sacrificing visual appeal.

**Sports Stadia** 



**Quick custom solutions.**Columns, rails and poles cut to length in-house



**Pre-assembly**To save valuable on-site installation time









Home & Consumer Corporate & Office

**Broadcast** 



### **Design, Manufacturing and Safety Ethos**

### In-House Design and Manufacturing

B-Tech's global product development department consists of designers and engineers working in unison from our European, Asian and North American offices. This wealth of experience enables B-Tech to produce quality solutions suitable for the international marketplace and provide a quick turnaround time on custom projects using first-hand knowledge of local markets and requirements. Installers are provided with full technical drawings, CAD images, installation guides, pre-assembled frames and rails cut to size for quick and easy on-site install.

### **Custom Solutions**

If you can't find what you're looking for from B-Tech's extensive range of off-theshelf products, our technical support team will suggest using B-Tech component parts to create something new. If that's still not suitable, our product engineers can design a bespoke product based on your requirements to quickly develop and manufacture a custom solution.

### **Design Safety**

In-line with **TUV** and **UL** safety guidelines, B-Tech products are designed, engineered and tested to make sure they function correctly at the maximum stated load and do not fail at 5x the maximum stated load. The highest quality materials are always used according to the requirements. At B-Tech, we design products that are, above all, safe, solid and secure.



Product development department consists of a global group of designers and engineers working in unison



Our testing facilities allow our engineers to validate all designs prior to production

### **B-Tech Facilities Worldwide**

The B-Tech AV Mounts group of companies is unique in the world of AV mounting solution providers.

Originally founded in the UK in 1972, today it is formed of multiple companies strategically located around the world. from which we are able to offer the full service expected of a leading global brand, with a familiar, local feel. Sales, technical support, full ranges of stock and next day shipment are all standard offerings you can expect from your local B-Tech company.



UK. Home of the original B-Tech AV Mounts office. Having been established in 1972, today our head office is located in Daventry, Northamptonshire in the centre of the UK for easy access to all of the UK.



EUROPE. Our European HQ is located in Brussels, Belgium and supplies our satellite operation in Spain as well as other key European markets such as France, Germany, Italy, the Nordics, Central and Eastern Europe.











### **The B-Tech Guarantee**

### Warranty

Setting high standards and meeting customer expectations is our top priority. To support this, we offer our B-Tech guarantee...Most of B-Tech's products are available with a minimum 5-year guarantee as standard, and up to 10-years on many key products in the range. The guarantee is against defects in materials and quality, and we will replace or credit faulty goods. *The guarantee applies to the original owner only and must follow all installation guidelines.* 

### **Suppliers**

At our manufacturing facilities, on-site engineers perform thorough product QC checks during and after production. Stringent quality control checks are carried out upon delivery to our warehouses. B-Tech products are compliant with European Regulations (EU) 2001/95/EC, 2023/988, REACH and RoHS directives and our major part suppliers hold ISO certifications. These manufacturing and production facilities undergo regular quality and ethical audits by B-Tech and third parties, such as SGS and ITS, conforming to international standards, guaranteeing the highest quality products.



As part of our ethical responsibility strategy, B-Tech are committed to operating in an environmentally friendly way. A key element of this is to ship all new products with plastic-free packaging. We are also updating the boxes for all existing products and introducing this new-style packaging when we proceed with new production runs. Our goal is to eliminate plastic from our packaging across our entire range.



All quality control checks are performed by B-Tech engineers - no outsourcing





**NORTH AMERICA.** B-Tech AV Mounts North America is located in **Brea, California** and handles sales, distribution, marketing and product development for the North and South American markets.




**MEAI.** Our principal operation for the MEAI region is headquartered in **Dubai, UAE.** From there, B-Tech works closely with subsidiary partners in **India, South Africa** and **Egypt** to ensure service and supply to all MEAI markets.



**APAC** Multiple B-Tech operations throughout the region include offices in **China, Vietnam, Singapore** and **South Korea**. These offices handle all APAC sales and oversee the manufacturing and supply chain processes for the B-Tech group.

### Multi-Screen & Digital Signage Mounts Quick Reference Guide



10















### **Trolleys / Floor Stands Quick Reference Guide**



12








### **Trolleys / Floor Stands Quick Reference Guide**







Page 86

Page 87

Page 85

### Flat Screen Wall Mounts Quick Reference Guide











### Flat Screen Wall Mounts Quick Reference Guide



Mounting patterns: up to 1000x600mm

Page 64

■ Tilt: +15°

Mounting patterns: up to 800x600mm
Tilt: +15/-3°
Swivel: 130°


Page 64

■ Mounting patterns: up to 1000x600mm

Page 64

• Max load: 200kg

### **Additional Mounting Solutions Quick Reference Guide**












### **Additional Mounting Solutions Quick Reference Guide**



Page 103

■ Swivel: 360°

Dimensions: 235x120mm

Page 100

Dimensions: 300x300mm


Dimensions: 500x380mm

Page 101

Lateral adjustable: 112mm

Page 103

## dvLED Videowall **Mounting Solutions**



### Discover the Ultimate dvLED Mounting Solutions by B-Tech AV Mounts

Over the past decade B-Tech AV Mounts has continuously expanded and refined one of the most comprehensive and versatile dvLED mounting systems on the market. Our award-winning solutions are trusted globally across a wide range of projects, from compact installations to large-scale, high-profile AV setups. Whatever the size or scope, we have the perfect solution for you.

New for 2025, we're excited to introduce three specialised ranges tailored to meet diverse requirements, offering unparalleled flexibility and convenience.










### New for 2025

3-ways to create your ideal dvLED solutions!






System Xpert, the installers choice, is a premium range of dvLED mounting solutions trusted for its quality, ease of use, adjustability and fast installation. It meets every need, from simple small format wall mounts to extra-large, curved, odd shaped or even ceiling setups. Configurations can be generated using our online configuration tool. For more ambitious projects, our expert engineers can assist with bespoke specifications via email at technical@btechavmounts.com. The range includes detailed documentation, pre-assembled components and precision engineered Interface components for your specific application.



System Xpress revolutionises dvLED mounting supply with its innovative, universal design for self-locking cabinets. Featuring Patent Pending Xpress Connectors instead of screen-specific interface arms, this system offers unmatched versatility. The connectors click into your cabinets and lock effortlessly into supplied rails, enabling wall, floor, or ceiling installations with precision. Pre-configured in the most popular 16:9 layouts and stocked for immediate availability, System Xpress eliminates the need for custom fabrication, making it the fastest and easiest way to receive your dvLED mounting solution.



Our System AIO range provides dedicated mounting solutions for the most popular all-in-one dvLED displays on the market. Offering wall-mounted, floor-standing, and mobile options, System AIO supports leading brands such as Absen, LG, and Samsung, ensuring a perfect fit for your display requirements.

### Making dvLED installation simple

To ensure the precise installation of dvLED cabinets, B-Tech provides a range of features in our dvLED solutions, including custom cut-to-size parts for every order. Our System X components are designed with level, depth, height, and angle adjustments, ensuring they meet diverse mounting requirements. These innovations make the installation of dvLED video walls straightforward, efficient, and highly adaptable to any set-up.



Depth and Height **Adjustment Brackets** Precision alignment on uneven surfaces



Floor Base with Level Adjustment Suitable for uneven floors



**Retractable Floor Base** Allows easy access to the front of AV displays Ideal for shop window displays



All dvLED Solutions include Cut to Size parts No on-site cuts required



B-Tech's Service+ offers customers a fully integrated service tailored specifically for our System Xpert dvLED solutions.


### Our team of in-house engineers delivers:

- Bespoke, installation-specific technical drawings.
- Pre-assembly of component parts for added convenience.
- Precision-cut rail lengths customised to your exact specifications - a feature that sets us apart from competitor services.



Pre-assembly of component parts

Best of all, this service is provided free of charge for System Xpert Solutions.



Installation specific techincal drawings with all required dimensions for a straight forward assembly

> dvLED Mounting Solutions available for all major brands, including...

















| Recommended Max<br>configuration size           | Unlimited   | 10x10  | All-in-One   |
|---|---|--|--|
| Production lead time<br>(working days)          | 25 days   | UK / EU: <b>0-2 days</b><br>Rest of the World: <b>4-8 days</b>   | UK/EU: <b>0-2 days</b><br>Rest of the World: <b>4-8 days</b> |
| Universal combitility                           | Designed and manufactured in accordance with the customer's cabinets              | All 'latching' cabinets  | Absen / LG / Samsung<br>All-In-One displays                  |
| Function  | Wall, Floor, Mobile,<br>Bolt-Down, Ceiling Hung,<br>Ceiling Flat, Curved, Bespoke | Wall, Floor, Mobile,<br>Bolt-Down, Ceiling Hung  | Wall, Floor, Mobile,<br>Bolt-Down                            |
| Install time                                    | Fast  | Medium   | Fast   |
| Rear Mount                                      | $\checkmark$  | ✓  | *  |
| Front Mount                                     | $\checkmark$  | ×  | ✓  |
| Micro-adjustment<br>on wall plate               | Height & depth up to +/-10mm*   | Height & depth +/-5mm  | Height & depth +/-10mm                                       |
| Height micro-adjustment<br>on interface         | <b>√</b> 20mm   | ×  | <b>√</b> 20mm  |
| Depth adjustment                                | $\checkmark$  | ✓  | ✓  |
| Rails cut to size                               | $\checkmark$  | ✓  | ✓  |
| Pre-assembly with  BTech  Service +             | ✓   | ×  | *  |
| Technical drawings provided by  BTech Service + | Install specific drawings provided  | General installation guide with clear instructions provided for configurations outside of stocked packages  Provided with stocked packages | Provided with stocked packages                               |
| Indoor / Outdoor use                            | Indoor & Outdoor*   | Indoor   | Indoor   |

\*Depending on application

21

### **dvLED Mounts & Stands**





Configure to your requirements using our online configurator, or contact technical@btechavmounts.com for more advanced set-ups.

Examples of configurations are shown below; all configurations are available.


### ■ BT9340 dvLED Wall Mount

for any configuration





Depth and Height Adjustment Brackets Precision alignment on uneven surfaces



### ■ BT9342 dvLED Ceiling Mount for any configuration





Depth and Height Adjustment Brackets Precision alignment for ceiling mounted solutions




■ BT9344 dvLED Floor-To-Ceiling Mount for any configuration





Depth and Height Adjustment Brackets Precision alignment for ceiling mounted solutions

















See page 26 for more information about our online configurator.

### ■ BT9370

### dvLED Videowall Stand

for any configuration





### BT9371

### dvLED Mobile Stand

for any configuration





### ■ BT9372

### dvLED Bolt-Down Stand

for any configuration



Optional **Adjustable Floor Base** with level adjustment for uneven floors



### ■ BT9377

### dvLED Bolt-Down Stand with Retractable Base

for any configuration





Retractable Floor Bases Ideal for close to window installs



### **dvLED Mounts & Stands**





Configure to your requirements using our online configurator, or contact technical@btechavmounts.com for more advanced set-ups.

Examples of configurations are shown below; all configurations are available.

### ■ BT9343


### dvLED Curved Wall Mount

for any configuration









### ■ BT9373 dvLED Curved Stand

for any configuration





Adjustable Levelling Feet to allow for uneven floor surfaces



### ■ BT9375

### dvLED Curved Bolt-Down Stand

for any configuration





Optional Adjustable Floor Base with level adjustment for uneven floors



dvLED Curved mounts designed for Latching Curved Cabinets

24











C Q www.btechavmounts.com/led-panel-configurator

See page 26 for more information about our online configurator.

### ■ BT9376

### dvLED Curved Wave Bolt-Down Stand


for any configuration







**Bolt Down Floor Bases** with level adjustment for uneven floors




- BT9350
  Internal dvLED Corner Wall Mount
- BT9351

  External dvLED Corner Wall Mount
- BT9352

  Cube dvLED Videowall Mount








**Depth and Height Adjustment Brackets**Precision alignment on uneven surfaces

### ■ BT9378 dvLED Motorised Height Adjustable Mobile Stand






# **Direct View LED Videowall**Online Configuration Tool

### Step 1: Go to www.btechavmounts.com








Configurations can be specified in just a few simple clicks. Start by choosing between wall or floor stand mounted options. Then, enter details about your screen size and the quantity to be installed, the orientation, the type and brand of dvLED panel to be used.

Once complete, fill out your contact details, and we'll get in touch and give you a quote for your requested configuration.












## For Wall, Freestanding, Mobile and Bolt-Down Mounting Solutions

Step 3: Select specifications from drop down boxes





Step 4: Configure your LED Mounting Solution



B-Tech Model: BT9340-3x2


Step 5:

Request a quote for this configuration




Alternatively: Contact B-Tech for Curved, Ceiling or Bespoke Solutions

To configure **curved**, **ceiling** or **bespoke** dvLED mounting solutions contact **technical@ btechavmounts.com** stating your specifications to receive a quote within days.










System Xpress offers a versatile range of universal dvLED mounting kits, ready for express shipment from stock. These kits can be ordered as pre-packaged solutions in configurations such as 4x4, 5x5, 6x6, and 8x8 or for other sizes and shapes, quoted and shipped using off-the-shelf components under a unique Bill of Materials for your specific project

Designed to mount interlocking 27" dvLED cabinets (Min. width 600 - Max.610mm), System Xpress features universal mounting connectors that eliminate the need for custom parts. This allows mounting solutions to be quoted, stocked, and shipped with speed and efficiency.

With same-day lead times for our ready-to-go kits and next day for everything else - that's what we call Xpress service! For custom configurations, cabinets other than 27" and bespoke solutions, see page 30.

### ■ BTXPS27-W Universal 27" dvLED Wall Mount





| BTXPS27-W4X4 | 4x4 | Dimensions*: W. 2400-2440 x H. 1370 x D. 60mm |
|--------------|-----|---|
| BTXPS27-W5X5 | 5x5 | Dimensions*: W. 3000-3050 x H: 1710 x D. 60mm |
| BTXPS27-W6X6 | 6x6 | Dimensions*: W. 3600-3660 x H. 2050 x D. 60mm |
| BTXPS27-W8X8 | 8x8 | Dimensions*: W. 4800-4880 x H. 2740 x D. 60mm |





### ■ BTXPS27-S Universal 27" dvLED Stand



### Available in 4 pre-configured kits

| BTXPS27-S4X4 | 4x4 | Dimensions*: W: 2400-2440 x H: 2500 x D: 950mm |
|--------------|-----|--|
| BTXPS27-S5X5 | 5x5 | Dimensions*: W: 3000-3050 x H: 2500 x D: 950mm |
| BTXPS27-S6X6 | 6x6 | Dimensions*: W: 3600-3660 x H: 2500 x D: 950mm |
| BTXPS27-S8X8 | 8x8 | Dimensions*: W: 4800-4880 x H: 3100 x D: 950mm |















### **System Xpress** Features



'Click & Lock' (patent pending)
Interface Mounting Connector for a
simple and secure installation



Depth Adjustable Rail Mounts



**Bottom Row Spacer** for Level Installation



Designed for use with dvLED **Locking Cabinets** 

## ■ BTXPS27-B Universal 27" dvLED Bolt-Down Stand



### Available in 4 pre-configured kits

| BTXPS27-B4X4 | 4x4 | Dimensions*: W: 2400-2440 x H: 2410 x D: 240mm |
|--------------|-----|--|
| BTXPS27-B5X5 | 5x5 | Dimensions*: W: 3000-3050 x H: 2410 x D: 240mm |
| BTXPS27-B6X6 | 6x6 | Dimensions*: W: 3600-3660 x H: 2410 x D: 240mm |
| BTXPS27-B8X8 | 8x8 | Dimensions*: W: 4800-4880 x H: 3010 x D: 240mm |





## ■ BTXPS27-M Universal 27" dvLED Mobile Stand



### Available in 4 pre-configured kits

| BTXPS27-M4X4 | 4x4 | Dimensions*: W: 2400-2440 x H: 2620 x D: 950mm |
|--------------|-----|--|
| BTXPS27-M5X5 | 5x5 | Dimensions*; W: 3000-3050 x H: 2620 x D: 950mm |
| BTXPS27-M6X6 | 6x6 | Dimensions*: W: 3600-3660 x H: 2620 x D: 950mm |
| BTXPS27-M8X8 | 8x8 | Dimensions*: W: 4800-4880 x H: 3220 x D: 950mm |





<sup>\*</sup>Product dimensions are based on mounting 600-610mm x 342mm cabinets.





For configurations beyond our off-the-shelf options, we offer custom **System Xpress** packages, recommended for up to 10x10 set-ups. For larger or more complex configurations, our System Xpert solutions have you covered.

Designed to support a wide range of interlocking dvLED cabinets of any size, System Xpress features universal mounting connectors that eliminate the need for custom parts. This allows mounting solutions to be quoted, stocked, and shipped with speed and efficiency.

With a production lead time of just two days for custom kits, that's what we call Xpress service!

Examples of configurations are shown below; all configurations up to 10x10 are available under System Xpress.

### ■ BT9240 Universal dvLED Wall Mount for any configuration





### ■ BT9270 Universal dvLED Stand for any configuration



Adjustable Levelling Feet to allow for uneven floor surfaces



### **BT9271**

Universal dvLED Mobile Stand

















### **System Xpress** Features



'Click & Lock' Interface Mounting Connector for a simple and secure installation



Depth Adjustable Rail Mounts



**Bottom Row Spacer** for Level Installation



Designed for use with dvLED **Locking Cabinets** 

### ■ BT9272

### Universal dvLED Bolt-Down Stand

for any configuration





### ■ BT9242

### Universal dvLED Ceiling Mount

for any configuration





### ■ BT9244

### Universal dvLED Floor-to-Ceiling Mount

for any configuration





### **All-In-One dvLED Mounting Solutions**



Mounting solutions available for all major brands of All-in-One displays



Mounting solutions designed specifically for Absens iCon series All-In-One LED Screens, the range consists of wall mounted, freestanding, mobile and bolt-down versions and all feature the same high-end aesthetic, anodised aluminium finish and integrated cable management, which ensures a smart and stylish installation.

Scan the QR code to view our exclusive to Absen Brochure.



### **SAMSUNG**

Designs specifically for Samsung's The Wall IAB 110", IAC 130" and IAB 146" All-In-One LED Screens, the range consists features freestanding and bolt down sdtands and all feature the same high-end aesthetic, anodised aluminium finish and integrated cable management, which ensures a smart and stylish installation. For a mobile stand add BT8380-CASTORS to a freestanding solution.

### Freestanding Solutions

### BT9370-SAM110

Floor Stand for Samsung All-In-One 110" IAB Display

### BT9370-SAM130

Floor Stand for Samsung All-In-One 130" IAC Display

### BT9370-SAM146

Floor Stand for Samsung All-In-One 146" IAB Display

### **Bolt-Down Solutions**

### BT9372-SAM110

Bolt-Down Stand for Samsung All-In-One 110" IAB Display

### BT9372-SAM130

Bolt-Down Floor Stand for Samsung All-In-One 130" IAC Display

### BT9372-SAM146

Bolt-Down Floor Stand for Samsung All-In-One 146" IAB Display


















### **All-In-One dvLED Mounting Solutions**





Designs specifically for LG's LAEC015 136", LAEC018 163" and LAED015 171" All-In-One LED Screens, the range consists of wall mounted, freestanding, mobile and bolt-down versions and all feature the same high-end aesthetic, anodised aluminium finish and integrated cable management, which ensures a smart and stylish installation. See page 42 for wall mounted solutions.









### Freestanding Solutions

### BT83LAEC015-S

Floor Stand for LG LAEC015 136" Display

### BT83LG163-S

Floor Stand for LG LAEC018 163" Display

### BT83LG171-S

Floor Stand for LG LAEC015 171" 21:9 Display





### Mobile Solutions

### BT83LAEC015-M

Mobile Stand for LG LAEC015 136" Display

### BT83LG163-M

Mobile Stand for LG LAEC018 163" Display

### BT83LG171-M

Mobile Stand for LG LAEC015 171" 21:9 Display





### Bolt-Down Solutions

### BT83LAEC015-B

Bolt-Down Stand for LG LAEC015 136" Display

### BT83LG163-B

Bolt-Down Stand for LG LAEC018 163" Display

### BT83LG171-B

Bolt-Down Stand for LG LAEC015 171" 21:9 Display







<sup>\*</sup>Wall mounts also available for the 136" BT83LAEC015 Display - See page 48



## **LCD Menu Board &** Videowall Mounts



### B-Tech is the go-to multi-screen mounting systems provider, favoured by installers worldwide, thanks to a large selection of solutions that cover almost any requirement.

Our modular mounting system for single-rail menu board and multi-rail video wall installations is suitable for screens of any size and can be configured for specific requirements using our System X component range. Mount multiple screens side-byside with wall, ceiling, floor and curved solutions available.

Screens can be mounted in landscape or portrait orientation with interface options that include fixed, tilt, or pop-out arms with micro-adjustment, allowing for a precise alignment and a 'hassle-free' installation; perfect for fast food restaurants, transport hubs, entertainment venues, etc.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.



### **Alternative Configurations**

There are thousands of System X mounting configurations available. Visit our online configuration tool to specify set-ups with options such as screen size, orientation and leg height available (See page 40 for more information).

Try now at www.btechavmounts.com/systemx-configurator













### **Key Features**


- Configurable solution available to order to your requirements from stock products
- Choice of fixed, tilt, micro-adjustment or pop-out interface arms
- Multiple rail and pole lengths available can be cut or joined to any length
- Micro-adjustment arms allow tool-less adjustments for seamless display alignment
- Full-service options available Pop-Out arms for easy service access or recess mounting
- Suitable for landscape or portrait mounting
- Lateral adjustment available for postinstallation screen alignment
- Curved options available
- Safety screws help prevent unauthorised removal of screens
- Simple installation with all mounting hardware included

B-Tech's Menu Boards and Videowall solutions are ideal for Restaurants, Offices, Sports Arenas, Transport Hubs, Shop Fronts and many more...









info@btechavmounts.com

BTech



Single rail, multi-screen installations. Customise number of screens required (configuration shown in images for reference only).

### **Choice Of Interface Arms**



Choice Of Fixed (F), Tilt (T) or Micro-Adjustment (M) Interface Arms Available

### **Rail Extension**



Rails can be extended to any length. Customise rails to match the number of screens mounted

### BT8330 Menu Board **Mounting System**



### ■ BT8331 Pop-Out Menu Board **Mounting System**



■ BT8332 **Ceiling Mounted** Menu Board Mounting System



### ■ BT8333 **Ceiling Mounted Curved Menu Board Mounting System**







| Menu Board Mounting Systems |                  |                            |                                      |                      |                     |                                 |                                  |                                |                                  |                    |                         |
|-----------------------------|------------------|----------------------------|--------------------------------------|----------------------|---------------------|---------------------------------|----------------------------------|--------------------------------|----------------------------------|--------------------|-------------------------|
| Model<br>Iumber             | Mount<br>Type    | Recommended<br>Screen Size | Max<br><b>Weight</b><br>(Per Screen) | Max<br><b>VESA</b> * | <b>Tilt</b><br>Arms | Micro-<br>Adjustment<br>(Depth) | Micro-<br>Adjustment<br>(Height) | Angle<br>Adjustment<br>(Curve) | Distance<br>From Wall**          | Ceiling<br>Drop*** | Colour<br>Options       |
| BT8330                      | Wall             | 32"-75"                    | 50kg                                 | 900                  | +20°                | +/-10mm                         | +/-20mm                          | N/A                            | (F) 48mm (T) 58.4mm<br>(M) 86mm  | N/A                |                         |
| BT8331                      | Wall,<br>Pop-Out | 39"-75"                    | 50kg                                 | 900                  | N/A                 | +/-10mm                         | +/-20mm                          | N/A                            | (Closed) 105.4mm<br>(Open) 332mm | N/A                | $\square$               |
| BT8332                      | Ceiling          | 32"-75"                    | 50kg                                 | 900                  | +20°                | +/-10mm                         | +/-20mm                          | N/A                            | N/A                              | 0.5m up<br>to 3m   | $\overline{\checkmark}$ |
| BT8333                      | Ceiling          | 32"-75"                    | 50kg                                 | 900                  | N/A                 | +/-10mm                         | +/-20mm                          | +45°                           | N/A                              | 0.5m up<br>to 3m   |                         |

<sup>\*</sup>Refers to maximum vertical fixing dimension. Correctly sized interface arms and adaptors will be supplied as necessary to suit the mounting pattern you require.











Multi screen, multi-rail installations (configuration in images for reference only). Available as wall, floor or ceiling mounts.

### Pop-Out Arms for Service Access




Pop-out interface arms available for full service access included as standard with **BT8331** and **BT8341** 

#### Choice of Ceiling Drops



■ BT8340 Videowall Mounting System





■ BT8341
Pop-Out Videowall
Mounting System

| Recommended | Max                | Max  |  |
|-------------|--------------------|------|--|
| Max Screen  | Load               | VESA |  |
| 75" ×       | 50kg<br>per screen | 900  |  |

BT8342Ceiling MountedVideowall Mounting System




BT8343
 Ceiling Mounted Curved
 Videowall Mounting System









|                 | Videowall Mounting Systems |                            |                                      |                      |                |                                 |                                  |                                |                                   |                    |                   |
|-----------------|----------------------------|----------------------------|--------------------------------------|----------------------|----------------|---------------------------------|----------------------------------|--------------------------------|-----------------------------------|--------------------|-------------------|
| Model<br>Number | Mount<br>Type              | Recommended<br>Screen Size | Max<br><b>Weight</b><br>(Per Screen) | Max<br><b>VESA</b> * | Tilt<br>Arms** | Micro-<br>Adjustment<br>(Depth) | Micro-<br>Adjustment<br>(Height) | Angle<br>Adjustment<br>(Curve) | Distance<br>From Wall             | Ceiling<br>Drop*** | Colour<br>Options |
| BT8340          | Wall                       | 32"-75"                    | 50kg                                 | 900                  | +20°           | +/-10mm                         | +/-20mm                          | N/A                            | (F) 48mm / (T) 58.4mm<br>(M) 86mm | N/A                | $\checkmark$      |
| BT8341          | Wall,<br>Pop-Out           | 39"-75"                    | 50kg                                 | 900                  | N/A            | +/-10mm                         | +/-20mm                          | N/A                            | (Closed) 105.4mm<br>(Open) 332mm  | N/A                |                   |
| BT8342          | Ceiling                    | 32"-75"                    | 50kg                                 | 900                  | +20°           | +/-10mm                         | +/-20mm                          | N/A                            | N/A                               | 0.5m up<br>to 3m   | $\checkmark$      |
| BT8343          | Ceiling                    | 32"-75"                    | 50kg                                 | 900                  | N/A            | +/-10mm                         | +/-20mm                          | +45                            | N/A                               | 0.5m up            | $\checkmark$      |

<sup>\*\*</sup> Choice of Fixed (F), Tilt (T), or Micro-adjustment (M) interface arms, dependent on the type of installation required.

<sup>\*\*\*</sup>Rails and poles can be cut and joined to create any length required.



Multi-screen installations available as floor, wall or ceiling mounts from stock and ready to customise (configuration shown in images for reference only)

#### **Custom Set-Ups**



configuration to specify your requirements

#### **AV Accessory Component Shelves**



Fit AV Accessories such as shelves directly to columns

#### ■ BT8370 Videowall Stand







■ BT8372 **Bolt-Down Videowall Stand** 




■ BT8377 **Bolt-Down Retractable Base** Videowall Stand















|                 | Videowall Stands |                            |                                      |                      |                     |  |                                  |                                |                      |                         |
|-----------------|------------------|----------------------------|--------------------------------------|----------------------|---------------------|--|----------------------------------|--------------------------------|----------------------|-------------------------|
| Model<br>Number | Mount<br>Type    | Recommended<br>Screen Size | Max<br><b>Weight</b><br>(Per Screen) | Max<br><b>VESA</b> * | <b>Tilt</b><br>Arms | Micro-<br>Adjustment<br><b>(Depth)</b> | Micro-<br>Adjustment<br>(Height) | Angle<br>Adjustment<br>(Curve) | Max<br><b>Height</b> | Colour<br>Options       |
| BT8370          | Freestanding     | 32"-75"                    | 50kg                                 | 900                  | +20°                | +/-10mm                                | +/-20mm                          | N/A                            | 4.2m                 | $\checkmark$            |
| BT8371          | Mobile           | 32"-75"                    | 50kg                                 | 900                  | +20°                | +/-10mm                                | +/-20mm                          | N/A                            | 3.6m                 | $\overline{\checkmark}$ |
| BT8372          | Bolt-Down        | 32"-75"                    | 50kg                                 | 900                  | +20°                | +/-10mm                                | +/-20mm                          | N/A                            | 4.2m                 | $\overline{\checkmark}$ |
| BT8377          | Bolt-Down        | 32"-75"                    | 50kg                                 | 900                  | +20°                | +/-10mm                                | +/-20mm                          | N/A                            | 2.4m                 | $\overline{\checkmark}$ |

\*Refers to max. vertical fixing dimension for a typical configuration. Correctly sized interface arms and adaptors will be supplied as necessary to suit the mounting pattern you require.













Multi-screen curved installations. Available as floor, wall or ceiling mounts. Customise or choose off-the-shelf kits

# Adjustable Angle for Curved Displays




Integrated angle connector creates curved stands up to +/-45°

#### **Cable Management**



Integrated cable management featured for a tidy installation. Included on all System X stands

#### ■ BT8373 Curved Videowall Stand



BT8374
Mobile Curved
Videowall Stand

|   | Recommended<br>Max Screen | Max<br>Load        | Max<br>VESA | 回線集画 |
|---|---------------------------|--------------------|-------------|------|
| L | 75" 7<br>190cm            | 50kg<br>per screen | 900         |      |




Bolt-Down Curved Videowall Stand



■ BT8376
Freestanding Curved
Videowall Stand









|                 | Curved Videowall Stands |                            |                                      |                      |                     |                                 |                                  |                                |                      |                   |
|-----------------|-------------------------|----------------------------|--------------------------------------|----------------------|---------------------|---------------------------------|----------------------------------|--------------------------------|----------------------|-------------------|
| Model<br>Number | Mount<br>Type           | Recommended<br>Screen Size | Max<br><b>Weight</b><br>(Per Screen) | Max<br><b>VESA</b> * | <b>Tilt</b><br>Arms | Micro-<br>Adjustment<br>(Depth) | Micro-<br>Adjustment<br>(Height) | Angle<br>Adjustment<br>(Curve) | Max<br><b>Height</b> | Colour<br>Options |
| BT8373          | Freestanding            | 32"-75"                    | 50kg                                 | 900                  | N/A                 | +/-10mm                         | +/-20mm                          | +45°                           | 4.2m                 |                   |
| BT8374          | Mobile                  | 32"-75"                    | 50kg                                 | 900                  | N/A                 | +/-10mm                         | +/-20mm                          | +45°                           | 3.6m                 | $\checkmark$      |
| BT8375          | Bolt-Down               | 32"-75"                    | 50kg                                 | 900                  | N/A                 | +/-10mm                         | +/-20mm                          | +45°                           | 4.2m                 | $\checkmark$      |
| BT8376          | Freestanding            | 32"-75"                    | 50kg                                 | 900                  | N/A                 | +/-10mm                         | +/-20mm                          | +45°                           | 2.4m                 |                   |




# **Menu Board & Videowall** Online Configuration Tool

#### Step 1: Go to www.btechavmounts.com




Step 2: Select Wall, Ceiling or Floor Mounted




Configurations can be specified in just a few simple clicks. Start by choosing between wall or pole mounted options. Then, enter details about your screen size and the quantity to be installed, the orientation, the type of interface arm function such as tilt, fixed or micro-adjustment and pole length if required.

Once complete, fill out your contact details, and we'll get in touch and give you a quote for your requested configuration.



Step 3: Select specifications from drop down boxes














# For Wall, Ceiling & Floor Mounting Solutions


Step 4: Select Additional Options: Curved installation




Step 5: Select desired orientation (Landscape, Portrait)



Step 6: Configure your mounting solution



# Modular **Videowall Mounts**



Designed to make videowall installations as quick and simple as possible, our range of modular mounting solutions can be used to create unlimited configurations in both landscape and portrait formats.

Push-in, pop-out opening enables access to the rear of the mounted screen for servicing and maintenance and the low profile designs are ideal for multi-screen installations and mounting into walls with a shallow recess. Microadjustment knobs make screen alignment quick and easy.

For complete product specifications, including technical drawings, scan the QR code for each product to view the online page.

#### **Key Features**

- Modular mounts allow videowall assembly in an unlimited number of configurations
- Suitable for landscape or portrait screen mounting
- Pop-out systems provide easy service access
- Tool-less micro-adjustment for seamless display alignment
- Depth, height and lateral adjustments of the screen
- Slim designs ideal for low-profile installs on walls or mounting in shallow recesses
- Keyhole mounting for quick and easy installation
- Suitable for pole mounting using System 2 collars
- Integrated locking mechanism prevents accidental pop-out of mount
- Safety screws help prevent unauthorised removal of screens
- Screen-specific spacer kits are available for the BT8312 to speed up installation times















#### One mount per screen

Quick and easy to install, simple to configure and tailored specifically for videowall applications.



#### **Unlimited Configurations**

Our modular mounting system allows videowall assembly in unlimited landscape or portrait configurations, from simple 2x2 videowalls to complex mosaic patterns.



#### **Pop-Out Recess Mounting**

Easy pop-out, pop-in function for fullservice access, ideal for mounting into a recess for a flush fit to the wall.



**B**Tech



#### **BT8312 Features**



8 Points of micro-adjustment for depth, height and lateral screen adjustment



Tool-less micro-adjustment of +/-7.5mm at each corner for seamless display alignment



Slimline design mounts screen only 62mm from the wall and features unique soft opening providing a quick and easy service access



Keyhole mounting for an easy installation

#### ■ BT8312

Slimline Soft-Open **Full Service Videowall Mount** with 8-Point Micro-Adjustment




Recommended Max Screen 400

Patent Nos: GB2604327 | 17/588,521

Designed to make videowall installations as quick and simple as possible, this modular video wall mount can be used to create unlimited video wall configurations in both landscape and portrait formats. The BT8312 low-profile design is ideal for mounting into walls with a shallow recess or when space in front of the wall is minimal. 8 points of micro-adjustment make accurate screen alignment quick and easy and the soft opening features a patent pending controlled release, enabling access to the rear of the mounted screen for servicing and maintenance. Wall plate spacer kits are also available for the BT8312 to speed up the installation process.

#### **Example Setup:**






428 screen installation

# ALSO AVAILABLE...

#### Wall Plate Spacer Kits to aid quick installation

| Screen Size | Screen<br>Dimensions | Spacer<br>Required |
|-------------|----------------------|--------------------|
| 46"         | 1022 x 576mm         | BT8312-SP461       |
| 46"         | 1025 x 579mm         | BT8312-SP462       |
| 47"         | 1047 x 592mm         | BT8312-SP471       |
| 49"         | 1078 x 608mm         | BT8312-SP491       |
| 55"         | 1211 x 682mm         | BT8312-SP552       |
| 55"         | 1215 x 686mm         | BT8312-SP551       |
| 70"         | 1544 x 870mm         | BT8312-SP701       |









# Unlimited Configurations



Suitable for mosaic displays. Align and level screens using the built in micro-adjustment knobs

#### **Recess Mounting**



Pop-out design for full service access ideal for mounting into a shallow recess

#### **VESA Adaptors**



Interface adaptor arms available to increase VESA fixings up to 900mm (See page 65)

#### BT8309 Pop-Out Wall Mount with Micro-Adjustment



■ BT8301
Full Service Pop-Out
Wall Mount with Micro-Adjustment



| Recommended | Max  | Max             |  |
|-------------|------|-----------------|--|
| Max Screen  | Load | VESA            |  |
| 70" Z       | 35kg | 600<br>×<br>400 |  |

■ BT8310XL

Heavy-Duty Pop-Out

Wall Mount with Micro-Adjustment





|                 | Modular Full Service Videowall Mounts |                      |                    |                      |                                 |                                  |                                   |                    |                         |                         |                   |
|-----------------|---------------------------------------|----------------------|--------------------|----------------------|---------------------------------|----------------------------------|-----------------------------------|--------------------|-------------------------|-------------------------|-------------------|
| Model<br>Number | Recommended<br>Screen Size            | Max<br><b>Weight</b> | Max<br><b>VESA</b> | Universal<br>Fixings | Micro-<br>Adjustment<br>(Depth) | Micro-<br>Adjustment<br>(Height) | Micro-<br>Adjustment<br>(Lateral) | Depth<br>From Wall | Keyhole<br>Fixings      | Spacer<br>Kit           | Colour<br>Options |
| ВТ8309          | 22"- 42"                              | 25kg                 | 200 x 200          | 200 x<br>100mm       | +/-6mm                          | +12mm                            | $\checkmark$                      | 73- 191mm*         |                         | N/A                     | N/A               |
| BT8301          | 42" - 70"                             | 35kg                 | 600 x 400          | 442 x<br>436mm       | +/-4mm                          | +/-13mm                          | N/A                               | 77.5- 260mm**      | $\overline{\checkmark}$ | N/A                     | N/A               |
| BT8312          | 42" - 75"                             | 50kg                 | 600 x 400          | 400 x<br>400mm       | +/-7.5mm                        | +15mm                            | $\checkmark$                      | 69.5-<br>222.5mm** |                         |                         | N/A               |
| BT8310XL        | 42" - 120"                            | 125kg                | 600 x 400          | 400 x<br>400mm       | +/-7mm                          | +15mm                            | $\checkmark$                      | 101- 293mm**       | $\overline{\checkmark}$ | $\overline{\checkmark}$ | N/A               |

<sup>&</sup>quot;Using the included interface adaptor arms to mount VESA 200 x 200 screens will increase the total depth of the product by 4mm
"Using the included interface adaptor arms to mount VESA 600 x 400 screens will increase the total depth of the product by 6mm







# Specialist Mounts and Digital Signage Solutions



With more screens featuring in retail environments than ever before, the need for a comprehensive range of specialist mounting solutions is apparent.

In addition to videowalls, single screens (ranging from small to XXL) and specialist signage, such as Samsung's double-sided OMN-D Series or LG's XXL 110" displays, are being installed into retail outlets. Our range of specialist mounting solutions includes various options catering to the applications often required: portrait mounts, pop-out options for recess mounting, rotational mounts for eye-catching displays and screen enclosures can also be customised to meet the installation requirements.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.












#### **Angled Displays**

Rotational mounts are ideal for creating creative, eye-catching installations, such as solutions that require mounting screens at fixed angles.




#### **XXL Signage Mounts**

Ideal for the largest screens on the market such as LG's UHD Signage Displays.



#### **Digital Signage Mounts**

Digital signage has become increasingly popular due to its ability to capture attention, convey information dynamically, and adapt to changing content needs.



### **XXL Specialist Wall Mounts**



Wall mounts designed for XXL displays such as LG's 110UM5J



Pop-out, full service mounts are ideal for recessed walls



Landscape and portrait mounting options for XXL displays

# ALSO AVAILABLE...

**BT8310XL Heavy Duty Pop-Out Flat Screen Wall Mount** 

with Micro-Adjustment



See page 45 for more details

#### BT9920 **Display Wall Mount** for XXL Displays

#### Ideal for LG's 110" 110UM5J-B

| Recommended     | Max   | Max              | 回路路回 |
|-----------------|-------|------------------|------|
| Max Screen      | Load  | VESA             |      |
| 120"<br>305cm ∠ | 200kg | 1600<br>×<br>800 |      |

#### ■ BT9921

Soft-Open Full Service Wall Mount for XXL Displays

#### Ideal for LG's 110" 110UM5J-B

| Recommended | Max  | Max              | 回認為回 |
|-------------|------|------------------|------|
| Max Screen  | Load | VESA             |      |
| 120"        | 80kg | 1600<br>×<br>800 |      |



Soft-Open Full Service Portrait Wall Mount for XXL Displays

#### Ideal for LG's 110" 110UM5J-B

| Recommended     | Max  | Max              | 国際実施 国 |
|-----------------|------|------------------|--------|
| Max Screen      | Load | VESA             |        |
| 120"<br>305cm ∠ | 80kg | 800<br>×<br>1600 |        |

#### ■ BT9922

**Full Service Heavy Duty Wall Mount** for XXL Displays

#### Ideal for LG's 136" LAEC015

| Recommended | Max   | Max               |  |
|-------------|-------|-------------------|--|
| Max Screen  | Load  | VESA              |  |
| 136"        | 200kg | 2400<br>×<br>1200 |  |

#### ■ BT9926

**Full Service Wall Mount** for XXL Displays


Ideal for 21:9 Ultrawide screen displays

| Recommended       | Max   | Max              |  |
|-------------------|-------|------------------|--|
| Max Screen        | Load  | VESA             |  |
| 120" ✓<br>∠ 305cm | 200kg | 1600<br>×<br>800 |  |























#### BT7550 Rotational Flip Mount


for Large Screens

Allows mounted screens to rotate from landscape to portrait orientation or vice-versa



Angle guides help set the desired rotation of your screen

| lecommended<br>Max Screen | Max<br>Load | Max<br>VESA | Tilt | Rotation |
|---------------------------|-------------|-------------|------|----------|
| 65"<br>165cm              | 70kg        | 400         | 4.5° | 900      |



#### **Portrait Wall Mount**



# ■ BT8322 Portrait Digital Signage Wall Mount







for Ultrawide Displays



Ideal for 21:9 Ultrawide screen displays

| Recommended | Max   | Max              |  |
|-------------|-------|------------------|--|
| Max Screen  | Load  | VESA             |  |
| 120"        | 200kg | 600<br>×<br>1500 |  |



### **Digital Signage Kiosks**



Digital signage kiosks are custom built to mount a single or back-to-back displays.









Kiosks designed to be installed indoors, freestanding or bolted to the floor.

■ BT7001 Back-to-Back **Digital Signage Kiosk** 





■ BT7002 **Ultra-Slim Digital Signage Kiosk** 



feature internal storage space.

| Recommended | Max  | Max             | 回身梁回 |
|-------------|------|-----------------|------|
| Max Screen  | Load | VESA            |      |
| 86" Z18cm   | 50kg | 600<br>x<br>400 |      |











BT8326 designed specifically to floor mount: Samsung 55" OMN-D Series double-sided display panels

# ■ BT8326 Floor Mount for SAMSUNG OMN-D Series Double Sided Display Panels





■ BT8325
Ceiling Mount
for \$\( \text{S}\( \text{M}\( \text{S}\( \text{U}\( \text{M}\( \text{S}\( \text{D}\( \text{S}\( \text{D}\( \text{S}\( \text{D}\( \text{S}\( \text{D}\( \text{S}\( \text{D}\( \text{S}\( \text{D}\( \text{S}\( \text{S} \( \text{S}\( \text{S}\(






BT8325 designed specifically to ceiling mount: Samsung 55" OMN-D Series double-sided display panels



■ BT8327
System 2 Adaptor
for use with BT8325





Allows extended ceiling drops using mounting components from the **System 2** range (See page 132 for more information)




### **Digital Signage Stands**





Available in 3 screen sizes










**Bolt-Down Digital Signage Mount** 

with Screen Enclosure

Available in 3 screen sizes



| Recommended   | Max  | Max             | maga:m |
|---------------|------|-----------------|--------|
| Max Screen    | Load | VESA            |        |
| <b>65</b> " ✓ | 50kg | 600<br>×<br>400 |        |





**Bolt-Down Twin Pole Digital Signage Mount** 

with Screen Enclosure






Can be ordered for use with any B-Tech column / pole















52











BT8577
Bolt-Down Pole Mounted
Digital Signage Stand
with Retractable Base





Retractable Floor Base
Allows easy access to
the front of AV displays Ideal for shop window displays






BT8587
 Bolt-Down Column Mounted
 Digital Signage Stand
 with Retractable Base





|                 | Specialist Stands for Digital Signage |                            |                       |                    |      |                         |                         |                         |                                      |                   |  |
|-----------------|---------------------------------------|----------------------------|-----------------------|--------------------|------|-------------------------|-------------------------|-------------------------|--------------------------------------|-------------------|--|
| Model<br>Number | Mount                                 | Recommended<br>Screen Size | Max<br>Screen<br>Load | Max<br><b>VESA</b> | Tilt | Lateral<br>Shift        | Landscape<br>Mounting   | Portrait<br>Mounting    | System 2 &<br>System X<br>Compatible | Colour<br>Options |  |
| BT7000          | Freestanding                          | 27"- 86"                   | 50kg                  | 600x400            | N/A  | $\overline{\checkmark}$ | $\overline{\checkmark}$ |                         | N/A                                  | $\checkmark$      |  |
| BT7001          | Freestanding                          | 27"- 86"                   | 50kg                  | 600x400            | N/A  | $\checkmark$            |                         | $\square$               | N/A                                  | $\checkmark$      |  |
| BT7002          | Freestanding                          | 27"- 86"                   | 50kg                  | 600x400            | N/A  | $\overline{\checkmark}$ | $\overline{\checkmark}$ | $\overline{\checkmark}$ | N/A                                  | $\checkmark$      |  |
| BT8325          | Ceiling                               | 55"                        | 50kg                  | N/A                | N/A  | N/A                     | N/A                     | $\overline{\checkmark}$ | N/A                                  | N/A               |  |
| BT8326          | Bolt-Down                             | 55"                        | 50kg                  | N/A                | N/A  | N/A                     | N/A                     | $\overline{\checkmark}$ | N/A                                  | N/A               |  |
| BT7003          | Freestanding                          | 43"- 65"                   | 50kg                  | 600x400            | N/A  | $\overline{\checkmark}$ |                         | $\overline{\checkmark}$ |                                      | $\checkmark$      |  |
| BT7004          | Bolt-Down                             | 43"- 65"                   | 50kg                  | 600x400            | N/A  | $\overline{\checkmark}$ |                         |                         |                                      | $\checkmark$      |  |
| BT8577          | Bolt-Down                             | 75"                        | 40kg                  | 600x400            | N/A  | $\overline{\checkmark}$ |                         |                         |                                      | N/A               |  |
| BT8587          | Bolt-Down                             | 86"                        | 70kg                  | 600x800            | N/A  | $\overline{\checkmark}$ | $\overline{\checkmark}$ |                         |                                      | $\checkmark$      |  |

# Flat Screen **Wall Mounts**



#### B-Tech's range of professional screen wall mounts is a comprehensive collection with various fixed, tilt and full motion solutions for screens ranging from 10" to 120".

Many features can be found on products throughout the range, including designs for making installation as straightforward as possible. Additionally, many products are compatible with the B-Tech's System 2, System X and System V modular ranges using accessory collars, which allow them to be used for ceiling or other pole-mounted applications.

Please note, max screen sizes are recommendations only and it may be possible to mount other sizes; please refer to the screen's weight and mounting pattern to find the best compatible mount.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.

The VESA® Standard mounting patterns are the distance (in millimetres) between the four mounting holes on the back of a screen and are used by most TV brands.














#### **Key Features**

- Designed for an easy 1-2-3 step installation
- Mounts supplied pre-assembled
- Simple 'hook-on' screen mounting
- All mounting hardware included
- Suitable for landscape or portrait mounting
- Universal mounts feature lateral adjustment of the screen once mounted
- Brackets utilise various security features to prevents easy removal of the screen with safety screws or locking bar included
- Coverplates and cable management are included with swing arm mounts
- Wall brackets feature an 'On Wall Levelling System' (OWLS) or keyhole fixings for a hassle-free installation
- A large selection of mounts are compatible with System 2 and System X ranges suitable for both pole and column mounting

### elements

B-Tech Elements mounts offer the core traits that B-Tech is known for, exceptional build quality, strength, and reliability, without some of the premium features typically reserved for our flagship mounts.



### vantage

B-Tech Vantage mounts are premium articulating mounts with exceptional build quality, combining strength and versatility. Featuring UltraGlide technology allowing users to reposition displays effortlessly.



#### Flat Screen Wall Mounts VESA 100

**Pole Mounting** 

Use accessory collars\* to pole mount compatible screen mounts. See table for

System 2 compatibility

\*Number of collars required dependent on the screen mount

**Space Savers** 

Swing-out arms


fold flat to the wall

#### ■ BT7510 **Ultra-Slim Wall Mount**





BT7511 Wall Mount with Tilt





■ BT7518 Wall Mount with Tilt & Swivel





■ BT7512 Single Arm Wall Mount with Tilt & Swivel





BT7513 **Double Arm Wall Mount** with Tilt & Swivel



|                 | Flat Screen Wall Mounts - Small |                            |                    |             |           |        |          |                       |                  |                                |                         |  |
|-----------------|---------------------------------|----------------------------|--------------------|-------------|-----------|--------|----------|-----------------------|------------------|--------------------------------|-------------------------|--|
| Model<br>Number | Function                        | Recommended<br>Screen Size | Max<br><b>Load</b> | VESA        | Tilt      | Swivel | Rotation | Distance<br>From Wall | Lateral<br>Shift | On Wall<br>Levelling<br>(Owls) | System 2<br>Compatible  |  |
| BT7510          | Fixed                           | 10" - 28"                  | 20kg               | 50, 75, 100 | N/A       | N/A    | N/A      | 15mm                  | N/A              | $\overline{\checkmark}$        | $\overline{\checkmark}$ |  |
| BT7511          | Tilt                            | 10" - 28"                  | 20kg               | 75, 100     | +17°/-10° | N/A    | N/A      | 55mm                  | N/A              | $\overline{\checkmark}$        | $\checkmark$            |  |
| BT7518          | Tilt & Swivel                   | 10" - 28"                  | 20kg               | 75, 100     | +17°/-10° | 50°*   | 360°     | 93mm                  | N/A              | $\overline{\checkmark}$        | $\overline{\checkmark}$ |  |
| BT7512          | Single Arm                      | 10" - 28"                  | 15kg               | 75, 100     | +17°/-10° | 180°   | 360°     | 75 - 280mm            | N/A              | $\overline{\checkmark}$        | $\overline{\checkmark}$ |  |
| BT7513          | Double Arm                      | 10" - 28"                  | 15kg               | 75, 100     | +17°/-10° | 180°   | 360°     | 95 - 467mm            | N/A              | $\overline{\checkmark}$        | $\checkmark$            |  |

\*Swivel increases to 180° when pole mounted













#### **Medical Mounts VESA 100**

Full Motion Articulating Arm Medical Wall Mount for screens from 3kg - 5kg

Recommended Max Load VESA Tilt Swivel

28"
71cm 71cm 1000 1000 1000 3600



Anti-bacterial Powder Coating



Medical mounts manufactured with Interpon® anti-bacterial powder coating

#### BT7593

■ BT7592

Full Motion Articulating Arm Medical Wall Mount

for screens from 5kg - 8kg



Easy Screen Positioning



Full motion, extendible mounts with handle for easy screen positioning



■ BT7594
Full Motion Articulating Arm
Medical Ceiling Mount
for screens from 2kg - 8kg



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | Tilt       | Swivel |  |
|---------------------------|-------------|-------------|------------|--------|--|
| <b>28</b> " ∠             | 8kg         | 100         | 10°<br>40° | 330°   |  |

|                 | Specialist Flat Screen Wall Mounts |                               |                    |         |             |        |                    |           |                  |                      |                                  |
|-----------------|------------------------------------|-------------------------------|--------------------|---------|-------------|--------|--------------------|-----------|------------------|----------------------|----------------------------------|
| Model<br>Number | Mount                              | Recommended<br>Screen<br>Size | Max<br><b>Load</b> | VESA    | Tilt        | Swivel | Screen<br>Rotation | Extension | Lateral<br>Shift | Height<br>Adjustment | Anti-bacterial<br>Powder Coating |
| BT7592          | Wall                               | 10" - 28"                     | 3 - 5kg            | 75, 100 | +100°/-100° | 360°   | N/A                | 1650mm    | N/A              |                      | V                                |
| BT7593          | Wall                               | 10" - 28"                     | 5 - 8kg            | 75, 100 | +100°/-100° | 360°   | N/A                | 1650mm    | N/A              |                      | <b>7</b>                         |
| BT7594          | Ceiling                            | 10" - 28"                     | 2 - 8kg            | 75, 100 | +10°/-40°   | 330°   | N/A                | 1895mm    | N/A              |                      |                                  |

#### Flat Screen Wall Mounts VESA 200

**Low Profile Designs** 

#### ■ BT7532 **Ultra-Slim Fixed Wall Mount**





■ BT8200 **Ultra-Slim Fixed Wall Mount** 



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 间水液间 |
|---------------------------|-------------|-------------|------|
| 47"                       | 0<br>40kg   | 200         |      |

Ultra-Slim mounts for a close to the wall installation

Compatibility with B-Tech **Component Ranges**  ■ BTV500 **Fixed Wall Mount** 



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 回》第回 |
|---------------------------|-------------|-------------|------|
| 47"                       | €<br>40kg   | 200         |      |
| L                         |             |             |      |

BT7523 Wall Mount with Tilt



| Recommended<br>Max Screen | Max<br>Load      | Max<br>VESA | Tilt |  |
|---------------------------|------------------|-------------|------|--|
| <b>47</b> " ∠ 120cm       | <b>€</b><br>40kg | 200         | 15°  |  |

■ BTV502 Wall Mount with Tilt & Swivel Many of the wall mounts



| for pole mounting or can    |  |
|-----------------------------|--|
| be fitted directly onto     |  |
| System X columns. Check     |  |
| the specification table for |  |
| each product for mount      |  |
| compatibility.              |  |
|                             |  |














58

Collar Compatible

featured in this catalogue are compatible with System 2 accessory collars





BT7514 supplied with alternative short arm



at 3 pivot points
(wall, arm and interface)


# ■ BTV503 Single Arm Wall Mount with Tilt & Swivel



# ■ BT7514 Single Arm Wall Mount with Tilt & Swivel







#### BT7515 Double Arm Wall Mount with Tilt & Swivel





|                 |               | Fla                        | t Scre             | een \              | <b>N</b> all I | Mou    | nts - 1  | Medium                |                         |                      |                        |
|-----------------|---------------|----------------------------|--------------------|--------------------|----------------|--------|----------|-----------------------|-------------------------|----------------------|------------------------|
| Model<br>Number | Function      | Recommended<br>Screen Size | Max<br><b>Load</b> | Max<br><b>VESA</b> | Tilt           | Swivel | Rotation | Distance<br>From Wall | Lateral<br>Shift        | On Wall<br>Levelling | System 2<br>Compatible |
| BT7532          | Fixed         | 22" - 47"                  | 40kg               | 200                | N/A            | N/A    | N/A      | 15mm                  | $\overline{\checkmark}$ | N/A                  | N/A                    |
| BT8200          | Fixed         | 22" - 47"                  | 40kg               | 200                | N/A            | N/A    | N/A      | 14mm                  |                         | N/A                  | N/A                    |
| BTV500          | Fixed         | 22" - 47"                  | 40kg               | 200                | N/A            | N/A    | N/A      | 20mm                  | $\overline{\checkmark}$ | N/A                  | N/A                    |
| BT7523          | Tilt          | 22" - 47"                  | 25kg               | 200                | +/-15°         | N/A    | N/A      | 52mm                  | N/A                     |                      |                        |
| BTV502          | Tilt & Swivel | 22" - 47"                  | 25kg               | 200                | +/-15°         | +180°  | 360°     | 95mm                  | N/A                     | N/A                  | N/A                    |
| BTV503          | Single Arm    | 22" - 47"                  | 25kg               | 200                | +/-15°         | + 180° | 360°     | 79 - 240mm            | N/A                     | N/A                  | N/A                    |
| BT7514          | Single Arm    | 22" - 47"                  | 25kg               | 200                | +/-40°         | +180°  | N/A      | 95 - 336mm            | N/A                     |                      |                        |
| BTV504          | Double Arm    | 22" - 47"                  | 25kg               | 200                | +/-15°         | +180°  | 360°     | 79 - 385mm            | N/A                     | N/A                  | N/A                    |
| BT7515          | Double Arm    | 22" - 47"                  | 25kg               | 200                | +/-40°         | +180°  | N/A      | 95 - 525mm            | N/A                     | $\checkmark$         |                        |



#### **Simple Installation**




Keyhole wall fixings for easy installation\*

#### **Post Installation Adjustments**



Interface arms feature height adjustment screws to level the screen once mounted\*



Post installation lateral adjustment for optimal screen positioning on a wall

\*Not included on Elements mounts

#### BTV510 **Fixed Wall Mount**

| Recommended       | Max  | Max  | 同多级同 |
|-------------------|------|------|------|
| Max Screen        | Load | VESA |      |
| 55"<br>140cm<br>∠ | 50kg | 400  |      |

elements • fixed 400

■ BT5441 **Fixed Wall Mount** 

| Recommended | Max  | Max  | 回線線回 |
|-------------|------|------|------|
| Max Screen  | Load | VESA |      |
| 65"         | 50kg | 400  |      |

■ BT8441 **Fixed Wall Mount** 




elements • tilt 400

BT5431 Wall Mount with Tilt

| Recommended<br>Max Screen | Max<br>Load      | Max<br>VESA | Tilt |  |
|---------------------------|------------------|-------------|------|--|
| 65" ✓<br>∠ 165cm          | <b>⊙</b><br>50kg | 400         | 15°  |  |

BT8431 Wall Mount with Tilt



■ BTV513 Ultra-Slim Double Arm Wall Mount with Tilt and Swivel

| Recommended<br>Max Screen | Max<br>Load      | Max<br>VESA | Tilt | Swivel | 同學愛回 |
|---------------------------|------------------|-------------|------|--------|------|
| 55"<br>∠ 140cm            | <b>⊙</b><br>35kg | 400         | 2°   | 180°   |      |





















**Easy Screen Positioning** 

Double arm wall mounts feature 3 pivot points and tool-less tilt adjustment for

optimum screen positioning

#### elements • reach 35

BT5226 Double Arm Wall Mount with Tilt and Swivel





#### vantage • elite

BT8226 Double Arm Wall Mount with Tilt and Swivel





#### vantage • extra

BT8229 Double Arm Wall Mount with Tilt and Swivel

Suitable for mounting to 16" stud walls





#### Flat Screen Wall Mounts - Large Model Recommended Max Max Screen Distance Lateral Keyhole System 2 Tilt **Function** Swivel Number Screen Size Load **VESA** Rotation From Wall Shift **Fixings** Compatible BTV510 32" - 55" $\overline{\mathbf{M}}$ 50kg N/A Fixed 400 N/A N/A N/A 20mm N/A $\overline{\mathbf{M}}$ BT5441 Fixed 32" - 65" 50kg 400 N/A N/A N/A 30mm N/A N/A $\mathbf{\Lambda}$ $\mathbf{\Lambda}$ $\square$ BT8441 N/A Fixed 400 N/A N/A 30mm 32" - 65" 80ka $\overline{\mathbf{M}}$ N/A N/A BT5431 Tilt 32" - 65" 50kg 400 +15° N/A N/A 48mm BT8431 $\square$ $\square$ $\square$ Tilt 32" - 65" 50kg 400 +/-15° N/A N/A 81mm $\square$ 35kg N/A N/A **BTV513** Double Arm 32" - 55" 400 +10°/-2° +180° N/A 40 - 450mm $\overline{\mathbf{M}}$ $\overline{\mathbf{M}}$ $\overline{\mathbf{V}}$ BT5226 Double Arm 32" - 65" 35kg 600 x 400 +12°/-2° +180° N/A 55 - 495mm $\mathbf{\Lambda}$ $\mathbf{\Lambda}$ $\square$ BT8226 Double Arm 32" - 65" 35kg 600 x 400 +14%-39 +1809 N/A 62 - 587mm $\overline{\mathbf{V}}$ $\overline{\mathbf{V}}$ $\sqrt{}$ BT8229 Double Arm 32" - 65" 35kg 600 x 400 +14°/-3° +180° N/A 65 - 590mm

### Flat Screen Wall Mounts VESA 600 / 800



**Safe & Secure** 



Locking holes on screen mounts allow the user to attach a small padlock (not supplied) for additional security\*

\*Not featured on Elements mounts

#### Comprehensive **Fixing Kits**



All wall mounts come complete with all necessary fixings for a hassle free installation



below the screen.

Compatible with: BT8431,

BT8432, BT8441, BT8442,

BT9901 & BT9903 wall mounts

■ BTV520 **Fixed Wall Mount** 





■ BT5442 **Wall Mount** 









#### elements • tilt 600

■ BT5432 Wall Mount with Tilt

| Recommended<br>Max Screen | Max Load<br>Wall | Max<br>VESA     | Tilt | [0]2524·[0] |
|---------------------------|------------------|-----------------|------|-------------|
| 80"<br>203cm              | 70kg             | 600<br>×<br>400 | 15°  |             |

■ BT8432 Wall Mount with Tilt













in

62

**Cable Management** 



Integrated cable management on articulating mounts

#### **Drilling Templates**



For an easy install, heavier Vantage mounts include a drilling template

#### elements • access

■ BT8443



#### elements • reach 45

■ BT5227 **Double Arm Wall Mount** with Tilt and Swivel



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | Tilt   | Swivel | 回線 |
|---------------------------|-------------|-------------|--------|--------|----|
| 75"                       | 0<br>45kg   | 600 °       | 2° 12° | 180°   |    |

#### vantage • plus

■ BT8227 **Double Arm Wall Mount** with Tilt and Swivel



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA     | Tilt | Swivel |
|---------------------------|-------------|-----------------|------|--------|
| <b>75"</b> 190cm ∠        | •<br>50kg   | 600<br>×<br>400 | 3°   | 180°   |

|                 | Flat Screen Wall Mounts - XL Large |                               |                    |                    |          |        |                    |                       |                         |                         |                         |  |
|-----------------|------------------------------------|-------------------------------|--------------------|--------------------|----------|--------|--------------------|-----------------------|-------------------------|-------------------------|-------------------------|--|
| Model<br>Number | Function                           | Recommended<br>Screen<br>Size | Max<br><b>Load</b> | Max<br><b>VESA</b> | Tilt     | Swivel | Screen<br>Rotation | Distance<br>From Wall | Lateral<br>Shift        | Keyhole<br>Fixings      | System 2<br>Compatible  | Single<br>Pole <b>Max</b><br><b>Load</b> |
| BTV520          | Fixed                              | 42" - 65"                     | 70kg               | 800 x 500          | N/A      | N/A    | N/A                | 20mm                  | $\overline{\checkmark}$ | N/A                     | N/A                     | N/A                                      |
| BT5442          | Fixed                              | 42" - 80"                     | 80kg               | 600 x 400          | N/A      | N/A    | N/A                | 30mm                  | $\overline{\checkmark}$ | N/A                     | N/A                     | N/A                                      |
| BT8442          | Fixed                              | 42" - 80"                     | 80kg               | 600 x 400          | N/A      | N/A    | N/A                | 30mm                  | $\overline{\checkmark}$ | $\checkmark$            | $\checkmark$            | 50kg                                     |
| BT5432          | Tilt                               | 42" - 80"                     | 70kg               | 600 x 400          | +/-15°   | N/A    | N/A                | 81mm                  | $\overline{\checkmark}$ | N/A                     | N/A                     | N/A                                      |
| BT8432          | Tilt                               | 42" - 80"                     | 70kg               | 600 x 400          | +/-15°   | N/A    | N/A                | 81mm                  | $\overline{\checkmark}$ | $\overline{\checkmark}$ | $\overline{\checkmark}$ | 50kg                                     |
| BT8443          | Pull-Out                           | 42" - 75"                     | 35kg               | 600 x 400          | +10°/-2° | +28°   | N/A                | 69 - 220mm            | $\overline{\checkmark}$ | N/A                     | N/A                     | N/A                                      |
| BT5227          | Double Arm                         | 42" - 75"                     | 45kg               | 600 x 400          | +12°/-2° | +180°  | N/A                | 62-720mm              | V                       | N/A                     | N/A                     | N/A                                      |
| BT8227          | Double Arm                         | 42" - 75"                     | 50kg               | 600 x 400          | +14°/-3° | +180°  | N/A                | 63-582mm              | $\overline{\checkmark}$ | N/A                     | N/A                     | N/A                                      |



#### **BT9901 Fixed Wall Mount** for XL Screens





#### **Pole Mounting**



A large selection of pole mounting options are available using System 2 components



**Heavy-Duty Fixed Wall Mount** 

BT9910 Wall Mount with Tilt


■ BT9903

for XL Screens





The recommended screen size in the table below encompasses both the minimum and maximum dimensions suitable for each mounting bracket.



vantage • max

■ BT8228

Twin Cantilever Arm Wall Mount with Tilt & Swivel





|                 | Flat Screen Wall Mounts - XXL |                            |                    |                    |          |        |                    |                       |                  |                    |                        |                                  |
|-----------------|-------------------------------|----------------------------|--------------------|--------------------|----------|--------|--------------------|-----------------------|------------------|--------------------|------------------------|----------------------------------|
| Model<br>Number | Function                      | Recommended<br>Screen Size | Max<br><b>Load</b> | Max<br><b>VESA</b> | Tilt     | Swivel | Screen<br>Rotation | Distance<br>From Wall | Lateral<br>Shift | Keyhole<br>Fixings | System 2<br>Compatible | Twin Pole<br>Mounted<br>Max Load |
| BT9901          | Fixed                         | 55"-100"                   | 100kg              | 900 x 600          | N/A      | N/A    | N/A                | 30mm                  |                  | $\checkmark$       |                        | N/A                              |
| ВТ9903          | Fixed                         | 65"-120"                   | 200kg              | 1000 x 600         | N/A      | N/A    | N/A                | 35mm                  | $\checkmark$     | $\checkmark$       |                        | 130kg                            |
| ВТ9910          | Tilt                          | 65"-100"                   | 130kg              | 1000 x 600         | +15°     | N/A    | N/A                | 82mm                  | $\checkmark$     | $\checkmark$       |                        | 80kg                             |
| BT8228          | Double Arm                    | 65"-120"                   | 125kg              | 800 x 600          | +15°/-3° | 130°   | N/A                | 90mm -<br>628mm       | $\checkmark$     | $\checkmark$       |                        | N/A                              |










Use adaptors to increase the VESA fixings on existing screen mounts

VESA adaptors can be added to a range of interfaces to increase their horizontal or vertical mounting patterns









#### ■ BT7542

Interface Adaptor Arms

for VESA200 x 100 & 200 x 200





#### ■ BT7502

Interface Adaptor Plate

for VESA 200 x 100 & 200 x 200





#### ■ BT7540

Interface Adaptor Arms

for VESA 300 x 200 & 400 x 200





#### ■ BT7564

Interface Adaptor Arms

for VESA 600 x 400

| Max<br>VESA | [0]97A*[0] |
|-------------|------------|
| • 600 •     |            |
| . 400       | 回河郊城       |



#### ■ BT7565

Interface Adaptor Arms

for VESA 800 x 400 & 900 x 400






### **VESA Adaptor Arms**

| Model<br>Number | Recommended<br>Screen<br>Size | Max<br><b>Load</b> * | VESA Mounting               | VESA VESA X2<br>Attachment Adaptors |           | Steel<br>Thickness | Overall<br>Depth | System 2<br>Compatible |
|-----------------|-------------------------------|----------------------|-----------------------------|-------------------------------------|-----------|--------------------|------------------|------------------------|
| BT7542          | N/A                           | N/A                  | 200 x 100 / 200 x 200       | 100 / 200 x 100                     | N/A       | 4mm                | 7mm              | N/A                    |
| BT7502          | N/A                           | N/A                  | 200 x 100 / 200 x 200       | 75 / 100                            | 200 x 200 | 4mm                | 8mm              | N/A                    |
| BT7540          | N/A                           | N/A                  | 300 x 200 / 400 x 200       | 100/200                             | 400 x 400 | 4mm                | 7mm              | N/A                    |
| BT <b>7</b> 564 | N/A                           | N/A                  | 600                         | 200 / 400                           | N/A       | 6mm                | 6mm              | N/A                    |
| BT7565          | N/A                           | N/A                  | 500 / 600 / 700 / 800 / 900 | 200 / 400                           | N/A       | 6mm                | 6mm              | N/A                    |

<sup>\*</sup>Max load and screen size dependent on the mount the adaptor is attached to

# Flat Screen **Ceiling Mounts**



#### B-Tech has a wide range of screen ceiling mounting kits available for small to XXL screens.

With options for fixed or tool-less adjustable drops, installations onto flat or angled ceilings, and landscape and portrait mounting, B-Tech offer a vast array of ceiling mounting solutions; additional options are also available by using System 2 parts to create custom solutions. These include joiners to extend pole lengths and specialist mounts for fixing joists, purlins, I-beams, etc.

See page 132 for information about creating custom mounting solutions. For full specifications, scan the QR code to visit the online product page.

#### **Key Features**

- Mounts are available with either a fixed drop or with a tool-less adjustment of the ceiling drop
- Unique 'Torsion-tilt' mechanism for tilt adjustment on a selection of mounts
- Suitable for landscape or portrait mounting
- Lateral adjustment of the screen once mounted
- Arms feature adjustment screws to help level the screen height
- Security screws help prevent unauthorised removal of screens
- Integrated cable management
- Cover plate included for a smart installation
- Simple 'hook-on' installation with all mounting hardware included
- For more custom installations, see our System 2 range of components












Rotation



# ■ BT7553 Ceiling Mount with Tilt & Swivel

Available in 4 pole lengths



Max Screen

28"



#### **Adjustable Drop**



■ BT8420
Adjustable Drop Ceiling Mount
with Tilt



Tool-Less height adjustment in 25mm increments

#### **Fixed Drop**



Fixed drop ceiling mounts mounting kits available with options for different poles lengths

■ BT8424
Ceiling Mount
with Tilt

Available in 4 pole lengths

| BT8424-100 | 1m Pole   |
|------------|-----------|
| BT8424-150 | 1.5m Pole |
| BT8424-200 | 2m Pole   |
| BT8424-300 | 3m Pole   |

| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA     | Tilt |  |
|---------------------------|-------------|-----------------|------|--|
| 65"                       | 50kg        | 600<br>×<br>400 | 15°  |  |



### Flat Screen Ceiling Mounts VESA 600



#### **Ceiling Mount Colour Options**



Fixed drop mounts available with a choice of black, white or chrome poles

#### **Landscape & Portrait Mounting Options**




Supplied 600mm VESA adaptors can mount screens in either landscape or portrait orientation

#### **Cable Management**





Screen cables can pass through the pole and exit via the top or side of the ceiling mount

#### ■ BT8426 **Adjustable Drop Ceiling Mount** with Tilt




#### ■ BT8428 **Back-To-Back Ceiling Mount** with Tilt





#### ■ BT8427 **Adjustable Drop Ceiling Mount** with Tilt









68









# ■ BT8448 XL Display Ceiling Mount

Available in 4 pole lengths

| BT8448-100 | 1m Pole   |
|------------|-----------|
| BT8448-150 | 1.5m Pole |
| BT8448-200 | 2m Pole   |
| BT8448-300 | 3m Pole   |

| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 国名級国 |
|---------------------------|-------------|-------------|------|
| 120"<br>254cm             | 0<br>130kg  | 1000°       |      |
| Z                         |             | • 000       |      |



#### Fixed Ceiling Drop Options



Available with a choice of 4 ceiling drops: 1m, 1.5m, 2m and 3m

# ■ BT8449 XL Display Ceiling Mount with Tilt

#### Available in 4 pole lengths

| BT8449-100 | 1m Pole   |
|------------|-----------|
| BT8449-150 | 1.5m Pole |
| BT8449-200 | 2m Pole   |
| BT8449-300 | 3m Pole   |


| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA      | Tilt | mxxxm |
|---------------------------|-------------|------------------|------|-------|
| 100"<br>∠ 254cm           | 80kg        | 1000<br>×<br>600 | 15°  |       |



| Flat Screen Ceiling Mounts |                            |                    |                    |           |        |                    |                         |                      |                                      |                         |
|----------------------------|----------------------------|--------------------|--------------------|-----------|--------|--------------------|-------------------------|----------------------|--------------------------------------|-------------------------|
| Model<br>Number            | Recommended<br>Screen Size | Max<br><b>Load</b> | Max<br><b>VESA</b> | Tilt      | Swivel | Screen<br>Rotation | Lateral<br>Shift        | Adjustable<br>Height | Ceiling Drop<br>to centre of screen  | Colour<br>Options       |
| BT7553                     | 10" - 32"                  | 23kg               | 100                | +90°/-15° | 360°   | 360°               | N/A                     | N/A                  | 732mm / 1232mm /<br>1732mm / 2232mm  | $\overline{\checkmark}$ |
| BT8420                     | 22" - 47"                  | 25kg               | 200                | +/-40°    | N/A    | N/A                | N/A                     | $\checkmark$         | 600mm - 1000mm                       | N/A                     |
| BT8424                     | 32" - 65"                  | 50kg               | 600 x 400          | +/-15°    | N/A    | N/A                | $\checkmark$            | N/A                  | 1003mm / 1503mm /<br>2003mm / 3003mm | N/A                     |
| BT8426                     | 32" - 65"                  | 50kg               | 600 x 400          | +/-15°    | N/A    | N/A                | $\checkmark$            | $\checkmark$         | 625mm - 950mm                        | N/A                     |
| BT8428                     | 32" - 65"                  | 50kg<br>Per Screen | 600 x 400          | +/-15°    | N/A    | N/A                | $\checkmark$            | N/A                  | 960mm/1460mm/<br>1960mm/2960mm       | N/A                     |
| BT8427                     | 32" - 75"                  | 70kg               | 600 x 400          | +20 °     | N/A    | N/A                | $\checkmark$            | $\checkmark$         | 572mm - 972mm                        | $\checkmark$            |
| BT8448                     | 65" - 120"                 | 130kg              | 1000 x 600         | N/A       | N/A    | N/A                | $\checkmark$            | N/A                  | 980mm / 1480mm /<br>1980mm / 2980mm  | $\checkmark$            |
| BT8449                     | 65" - 100"                 | 80kg               | 1000 x 600         | +15°      | N/A    | N/A                | $\overline{\checkmark}$ | N/A                  | 980mm / 1480mm /<br>1980mm / 2980mm  | $\checkmark$            |

Small Medium Large Extra Large

# Flat Screen **Desk Mounts**



#### Effortless Installation, Seamless Adjustment, and Exceptional User Experience!

A wide selection of desk mounts for monitors are available from B-Tech, including the Flex range of full motion mounts suitable for single, double or triple screen displays. All desk mounts are supplied with both a desk clamp and a grommet plate for versatile mounting options. Bolt down and wall mounted options are also available. All mounts feature designs with simple adjustments of height, swivel, tilt and screen rotation for easy positioning of the display.

Scan the QR codes to visit the online product page for full specifications.

#### **Key Features**

- High-end aesthetic quality with a durable powder-coated finish
- Swivel points at the pole and interface
- Easy height adjustment
- Premium and full motion desk mounts supplied with a desk clamp and grommet
- Simple 'hook-on' installation with all mounting hardware included
- Options for single, twin or triple-screen installations
- Integrated cable management systems



The Flex range is the latest desktop mounting solutions from B-Tech, available as single, twin or triple screen desk mounts



Full Motion Desktop Mounts, provide seamless height adjustment and ensure optimal screen positioning for an enhanced viewing experience.















■ BT7553
Bolt-Down Desk Mount

Available in 4 pole lengths



| ommended<br>x Screen | Max<br>Load | Max<br>VESA | Tilt       | Swivel | Rotation | 回你织匠 |
|----------------------|-------------|-------------|------------|--------|----------|------|
| 32"<br>81cm          | 0<br>23kg   | 100         | 90°<br>15° | 360°   | 360°     |      |





#### **Full Motion Desk Mounts**

flex • solo



■ BT7351

Desk Mount

with Tilt & Swivel



F

flex • duo



■ BT7352

Twin Screen Desk Mount
with Tilt & Swivel



flex • trio



■ BT7353

Triple Screen Desk Mount
with Tilt & Swivel



| Recommended<br>Max Screen | Max<br>Load       | Max<br>VESA | Tilt | Swivel | Rotation | 国系统原国 |
|---------------------------|-------------------|-------------|------|--------|----------|-------|
| <b>32"</b> ∠              | 9kg<br>per screen | 100         | 60°  | 360°   | 360°     |       |



#### BT7371 **Premium Desk Mount** with Swivel





#### ■ BT7372

**Premium Single Arm Desk Mount** with Tilt and Swivel



#### **Desk Clamp & Grommet Mounting**



Desktop mounts supplied with desk clamps and grommet mounting options


#### ■ BT7373

Premium Double Arm Desk Mount with Tilt and Swivel




#### ■ BT7374

**Premium Twin Screen Desk Mount** with Tilt and Swivel



### ■ BT7383

**Premium Full Motion Double Arm Desk Mount** 





or premium full motion desk mount to the wall

















# ■ BT7355 **Heavy Duty**



#### **Full Motion Arm Movement**



Full motion, height, swivel and tilt adjustments

#### ■ BT7356 **Heavy Duty Full Motion Wall Mount**



|   | Recommended<br>Max Screen | Max<br>Load      | Max<br>VESA | Tilt | Swivel | Rotation | 回線凝固  |
|---|---------------------------|------------------|-------------|------|--------|----------|-------|
| L | 55" 140cm                 | <b>⊙</b><br>20kg | 400         | 55°  | 180°   | 360°     |       |
|   |                           |                  |             |      |        |          |       |
|   | Flat                      | Scre             | een [       | Desk | Moun   | ts       |       |
|   | D                         | dod N            | 12V         | May  |        |          | Scree |

|                 |                      | Flat S                     | creen                    | Desk               | Mount     | S      |                    |                    |                  |
|-----------------|----------------------|----------------------------|--------------------------|--------------------|-----------|--------|--------------------|--------------------|------------------|
| Model<br>Number | Mount Option         | Recommended<br>Screen Size | Max<br><b>Load</b>       | Max<br><b>VESA</b> | Tilt      | Swivel | Screen<br>Rotation | Screens<br>Mounted | Arm<br>Extension |
| BT7553          | Bolt-Down            | 10" - 32"                  | 23kg                     | 100                | +15°/-90° | 360°   | 360°               | 1                  | N/A              |
| BT7351          | Grommet / Desk Clamp | 10" - 32"                  | 9kg                      | 100                | +60°/-60° | 360°   | 360°               | 1                  | 538mm            |
| BT7352          | Grommet / Desk Clamp | 10" - 32"                  | <b>9kg</b><br>Per Screen | 100                | +60°/-60° | 360°   | 360°               | 2                  | 538mm            |
| BT7353          | Grommet / Desk Clamp | 10" - 32"                  | 9kg<br>Per Screen        | 100                | +60°/-60° | 360°   | 360°               | 3                  | 705mm            |
| BT7371          | Grommet / Desk Clamp | 10" - 32"                  | 9kg                      | 100                | +65°/-90° | 360°   | 360°               | 1                  | N/A              |
| BT7372          | Grommet / Desk Clamp | 10" - 32"                  | 9kg                      | 100                | +65°/-90° | 360°   | 360°               | 1                  | 255mm            |
| ВТ7373          | Grommet / Desk Clamp | 10" - 32"                  | 9kg                      | 100                | +65°/-90° | 360°   | 360°               | 1                  | 455mm            |
| BT7374          | Grommet / Desk Clamp | 10" - 32"                  | <b>9kg</b><br>Per Screen | 100                | +65°/-90° | 360°   | 360°               | 2                  | 455mm            |
| BT7383          | Grommet / Desk Clamp | 10" - 32"                  | 9kg                      | 100                | +65°/-90° | 360°   | 360°               | 1                  | 586mm            |
| BT7355          | Grommet / Desk Clamp | 10" - 49"                  | 2-20kg                   | 100                | +5°/-55°  | 360°   | 360°               | 1                  | 472mm            |
| BT7356          | Wall Mount           | 10" - 55"                  | 2-20kg                   | 400                | +5°/-55°  | 180°   | 360°               | 1                  | 582mm            |

# Floor Stands & Mobile Solutions



Durable and stylish Trolleys and Floor Stands blend lasting build quality with striking aesthetics, ideal for versatile display positioning in corporate, education, government, and hospitality markets.

B-Tech offer screen solutions for a huge variety of screen sizes, including robust interactive touchscreens. These solutions cater to both landscape and portrait orientations. Accompanying shelving solutions from our AV accessory collection complement this range perfectly with other accessories and media storage devices that can be fitted to most options.

In addition to mobile solutions, our selection includes freestanding floor stands. These stands feature low-profile bases with Ø50mm poles or aluminium columns for an alternative aesthetic; our mounting kits can also be purchased as separate components (see page 146), allowing for precise customisation based on your installation needs. For more robust requirements, explore our heavy-duty floor stands utilising the System X range of components (see page 116), ideal for multi-screen displays.

Access complete product specifications, technical drawings, and colour options by scanning the QR code for each product to access the online page.

#### **Key Features**

- Universal designs suitable for displaying screens in a landscape or portrait orientation
- Non-marking locking / braked castors included with mobile displays trolleys
- Collar compatible accessories such as shelves and video bar adaptors (available separately) can be fitted to the column or pole
- Integrated cable management for a smart installation
- Simple 'hook-on' screen installation with all mounting hardware included



The Momentum range is a collection of the latest mobile mounting solutions available from B-Tech





















# ALSO AVAILABLE... BT7550-SF2 Samsung Flip 2 & Flip Pro Adaptor

Use with **BT8566 / BT7550** for Samsung WMR / WMB flip displays



BT856-FEET are available in packs of 4 and allow the **Designer Trolleys** to be fitted with adjustable levelling feet for a freestanding installation

■ BT8562 **Designer Flat Screen Trolley** 



600 400 .

■ BT8566

**Designer Flat Screen Trolley** with Flip Rotation

Ideal for use with SAMSUNG FIIP



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA     | Tilt | Rotation | 回数数回 |
|---------------------------|-------------|-----------------|------|----------|------|
| 75"                       | 70kg        | 600<br>×<br>400 | 4.5° | 90°      |      |

■ BT8564 **Designer Flat Screen Trolley** for XL Screens





76







Suitable for landscape and portrait mounting. Accessorise trolleys with AV shelves



Use BT7841 Accessory **Collars** (not included) To retro-fit shelves onto existing installations



Non-marking **Braked Castors** included with all trolleys



Adjustable levelling feet included with standard trolleys BT8503, BT8504, BT8506 & BT8540

#### momentum • one

■ BT7504 **Flat Screen Trolley** 




■ BT8503 Flat Screen Trolley / Stand





momentum • two

■ BT8504 Flat Screen Trolley / Stand



#### momentum • grand

**BT8506** 

Flat Screen Trolley / Stand for XL Screens

| Recommended | Max        | Max              | 回域凝固 |
|-------------|------------|------------------|------|
| Max Screen  | Load       | VESA             |      |
| 120"        | 0<br>130kg | 1000<br>×<br>600 |      |









# **Interactive Touchscreen Trolleys**



#### momentum • edge


■ BT8545 Flat Screen Trolley for XL Screens



Ideal for mounting XL interactive and










Simple screen installation with manually adjustable height positions for an optimal display

## momentum • edge XL

■ BT8546 **Flat Screen Trolley** for XL Screens





Ideal for mounting XXL interactive and touchscreen displays

| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 回解凝回  |
|---------------------------|-------------|-------------|-------|
| 110"                      |             | *1000       |       |
| 279cm                     | 125kg       | . 800 .     | 国设计经铁 |





Suitable for extra large displays. Such as LG'S 110UM5J, large touchscreens and interactive displays





| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 回数次回 |
|---------------------------|-------------|-------------|------|
| 120"                      | 0<br>130kg  | 1600 ·      |      |
| 305cm                     | 130kg       | . 8ÔO .     | 回野科  |

■ BT8540 Low Level Flat Screen Trolley



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA     | Tilt |  |
|---------------------------|-------------|-----------------|------|--|
| 65" \( \sum_{165cm} \)    | 70kg        | 600<br>×<br>400 | 90°  |  |

■ BT8541 Low Level Flat Screen Stand



Low level stands feature 5 fixed upward tilt positions: 0°, 22.5°, 45°, 67.5° and 90° for an optimal display



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA     | Tilt | E |
|---------------------------|-------------|-----------------|------|---|
| 65"                       | 70kg        | 600<br>×<br>400 | 90°  | 1 |

# Motorised Height Adjustable Display Trolleys/Stands

BT8568 & BT8569 supplied with optional aesthetic blanking panel



Motorised height adjustment with built in safety features such as automatic stop when resistance is felt



AV shelves can be fitted to rear of the **BT8568** trolley



BT8558 / BT8559 supplied with media storage cradle

## momentum • e-lift

#### **BT8558**

**Motorised Height Adjustable** Flat Screen Trolley



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA     | _  |    | 回線家国 |
|---------------------------|-------------|-----------------|----|----|------|
| 100"<br>254cm             | 100kg       | 900<br>×<br>600 | CE | CA |      |

#### ■ BT8568

**Motorised Height Adjustable Flat Screen Trolley** 



| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA      |    | 1 11/2 | 回避汶田 |
|---------------------------|-------------|------------------|----|--------|------|
| <b>86"</b> ≥ 218cm        | 100kg       | 1000<br>×<br>600 | (€ | CA     |      |

#### momentum • elevate

#### ■ BT8559

Motorised Height Adjustable Floor-To-Wall Flat Screen Stand

















BT8569 Motorised Height Adjustable Floor-To-Wall Flat Screen Stand





|                 |               | S                             | ingle              | Screer             | n Mo  | bile S                  | Stands            | 3   |                         |
|-----------------|---------------|-------------------------------|--------------------|--------------------|-------|-------------------------|-------------------|---|-------------------------|
| Model<br>Number | Function      | Recommended<br>Screen<br>Size | Max<br><b>Load</b> | Max<br><b>VESA</b> | Tilt  | Lateral<br>Shift        | Levelling<br>Feet | Dimensions  | Colour<br>Options       |
| BT8562          | Mobile        | 32" - 75"                     | 70kg               | 600x400            | N/A   | $\overline{\checkmark}$ | BT856-<br>FEET*   | <b>H.</b> 1858mm <b>W.</b> 1029mm<br><b>D.</b> 767mm              |                         |
| BT8566          | Mobile        | 32" - 75"                     | 70kg               | 600x400            | -4.5° | $\checkmark$            | BT856-<br>FEET*   | <b>H.</b> 1932mm <b>W.</b> 1075mm<br><b>D.</b> 863mm              | $\checkmark$            |
| BT8564          | Mobile        | 65" - 120"                    | 130kg              | 1000x600           | N/A   | $\checkmark$            | BT856-<br>FEET*   | <b>H.</b> 1905mm <b>W.</b> 1241mm<br><b>D.</b> 767mm              | $\checkmark$            |
| BT7504          | Mobile        | 22" - 55"                     | 25kg               | 400x400            | N/A   | N/A                     | N/A               | <b>H.</b> 1210mm <b>W.</b> 759mm<br><b>D.</b> 455mm               | N/A                     |
| BT8503          | Mobile        | 39" - 65"                     | 50kg               | 800x600            | N/A   | $\checkmark$            |                   | <b>H.</b> 1940mm <b>W.</b> 1120mm<br><b>D.</b> 782mm              | N/A                     |
| BT8504          | Mobile        | 32" - 75"                     | 70kg               | 600x400            | N/A   | V                       |                   | <b>H.</b> 1854mm <b>W.</b> 1098mm<br>D.740mm                      | N/A                     |
| BT8506          | Mobile        | 65"- 120"                     | 130kg              | 1100x700           | N/A   | $\checkmark$            |                   | <b>H.</b> 1649mm <b>W.</b> 1660mm<br><b>D.</b> 810mm              | N/A                     |
| BT8545          | Mobile        | 55" - 86"                     | 100kg              | 800x600            | N/A   | $\checkmark$            | N/A               | <b>H.</b> 1722 <b>W.</b> 1050mm<br><b>D.</b> 882mm                | N/A                     |
| BT8546          | Mobile        | 65" - 110"                    | 125kg              | 1000x800           | N/A   | $\checkmark$            | N/A               | <b>H.</b> 1778 <b>W.</b> 1245mm<br><b>D.</b> 772mm                | N/A                     |
| BT8590          | Mobile        | 72" - 120"                    | 130kg              | 1600x800           | N/A   | $\checkmark$            | BT856-<br>FEET*   | <b>H.</b> 1905mm <b>W.</b> 1755mm <b>D.</b> 767mm                 | $\overline{\checkmark}$ |
| BT8540          | Mobile        | 39" - 65"                     | 70kg               | 600x400            | -90°  | $\checkmark$            |                   | <b>H.</b> 920mm <b>W.</b> 1096mm <b>D.</b> 738mm                  | N/A                     |
| BT8541          | Freestanding  | 39" - 65"                     | 70kg               | 600x400            | -90°  | $\overline{\checkmark}$ | N/A               | <b>H.</b> 839mm <b>W.</b> 800mm <b>D.</b> 600mm                   | N/A                     |
| BT8558          | Mobile        | 55" - 100"                    | 100kg              | 900x600            | N/A   | V                       | N/A               | <b>H.</b> 1106 - 1751mm<br><b>W.</b> 1086mm <b>D.</b> 833mm       | N/A                     |
| BT8568          | Mobile        | 55" - 86"                     | 100kg              | 1000x600           | N/A   | $\checkmark$            | $\square$         | <b>H.</b> 1360-2010mm<br><b>W.</b> 1255mm <b>D.</b> 740mm         | N/A                     |
| BT8559          | Floor-To-Wall | 55" - 100"                    | 100kg              | 900x600            | N/A   | $\overline{\checkmark}$ | N/A               | <b>H.</b> 1310 - 1960mm <b>W.</b> 1000mm <b>D.</b> 202 - 252mm    | N/A                     |
| BT8569          | Floor-To-Wall | 55" - 86"                     | 100kg              | 1000x600           | N/A   | $\checkmark$            | N/A               | <b>H.</b> 1220 - 1870mm <b>W.</b> 1070mm<br><b>D.</b> 256 - 272mm | N/A                     |
|                 |               |                               |                    |                    |       |                         |                   |   |                         |

\*Available Separately

# Flat Screen Floor Stands | Poles



#### ■ BT8570 Small Flat Screen Single Pole Floor Stand



# ■ BT8571

Medium Flat Screen Single Pole Floor Stand



| Recommended<br>Max Screen | Max<br>Load |
|---------------------------|-------------|
| 47" × 120cm               | 25kg        |
| Max<br>VESA               |             |
| 200                       |             |

#### ■ BT8572


Large Flat Screen Single Pole **Floor Stand** 



| Recommended<br>Max Screen | Max<br>Load      |
|---------------------------|------------------|
| 55"<br>140cm              | <b>0</b><br>40kg |
| Max<br>VESA               | 国:松家国            |
| • 600 •                   |                  |
| 400                       | TELESCO - POW    |

#### ■ BT8573

Large Flat Screen **Twin Pole Floor Stand** 



| Recommended<br>Max Screen | Max<br>Load |
|---------------------------|-------------|
| 75" × 190cm               | 70kg        |
| Max<br>VESA               | 回解約回        |
| 600 ·<br>×<br>400         |             |

# Flat Screen Floor Stands | Columns



#### ■ BT8581

Medium Flat Screen Single Column Floor Stand



| Recommended<br>Max Screen | Max<br>Load      |
|---------------------------|------------------|
| <b>47"</b> ✓ 119cm        | <b>⊙</b><br>35kg |
| Max<br>VESA               | 回路級回             |
| 200                       |                  |

#### ■ BT8582


Large Flat Screen Single Column Floor Stand





#### ■ BT8583

Large Flat Screen **Twin Column** Floor Stand



| Recommended<br>Max Screen | Max<br>Load |
|---------------------------|-------------|
| 75"<br>  190cm            | 70kg        |
| Max<br>VESA               | 回点数回        |
| 600<br>×<br>400           |             |

82









#### ■ BTF840 Flat Screen Floor Stand



# ■ BTF843 Flat Screen Portrait Floor Stand





| Single Screen Floor Stands |                |                           |                    |                  |                         |                         |                  |                  |   |                         |
|----------------------------|----------------|---------------------------|--------------------|------------------|-------------------------|-------------------------|------------------|------------------|---|-------------------------|
| Model<br>Number            | Screen<br>Size | Max<br><b>Load</b>        | Max<br><b>VESA</b> | Lateral<br>Shift | Landscape               | Portrait                | Pole<br>Diameter | Pole /<br>Column | Dimensions  | Colour<br>Options       |
| BT8570                     | 10" - 28"      | 8kg                       | 100x100            | N/A              | V                       | V                       | Ø50mm            | BT4116           | <b>H.</b> 1626mm<br><b>W.</b> 580mm <b>D.</b> 400mm | N/A                     |
| BT8571                     | 22" - 47"      | 25kg                      | 200x200            | N/A              | $\overline{\checkmark}$ | $\overline{\checkmark}$ | Ø50mm            | BT4118           | <b>H.</b> 1867mm<br><b>W.</b> 700mm <b>D.</b> 515mm | N/A                     |
| BT8572                     | 32" - 55"      | 40kg                      | 600x400            |                  | $\overline{\checkmark}$ | $\overline{\checkmark}$ | Ø50mm            | BT4118           | <b>H.</b> 1826mm<br><b>W.</b> 800mm <b>D.</b> 600mm | N/A                     |
| BT8573                     | 32" - 75"      | 70kg                      | 600x400            |                  | $\overline{\checkmark}$ | $\checkmark$            | Ø50mm            | BT4118           | <b>H.</b> 1826mm<br><b>W.</b> 800mm <b>D.</b> 600mm | N/A                     |
| BT8581                     | 22" - 47"      | 25kg                      | 200x200            | N/A              | $\overline{\checkmark}$ | $\overline{\checkmark}$ | N/A              | BT8381           | <b>H.</b> 1844mm<br><b>W.</b> 700mm <b>D.</b> 515mm |                         |
| BT8582                     | 32" - 55"      | 40kg                      | 600x400            |                  | $\overline{\checkmark}$ | $\checkmark$            | N/A              | BT8381           | <b>H.</b> 1844mm<br><b>W.</b> 800mm <b>D.</b> 600mm |                         |
| BT8583                     | 32" - 75"      | 70kg                      | 600x400            |                  | $\overline{\checkmark}$ | $\overline{\checkmark}$ | N/A              | BT8381           | <b>H.</b> 1844mm<br><b>W.</b> 800mm <b>D.</b> 600mm |                         |
| BTF840                     | 32" - 75"      | 70kg                      | 600x400            |                  | $\overline{\checkmark}$ | $\checkmark$            | N/A              | BT8380-180       | <b>H.</b> 1841mm<br><b>W.</b> 890mm <b>D.</b> 604mm |                         |
| BTF843                     | 60" - 85"      | 70kg                      | 600x800            |                  | N/A                     | $\overline{\checkmark}$ | N/A              | BT8380-180       | <b>H.</b> 1841mm<br><b>W.</b> 890mm <b>D.</b> 604mm |                         |
| BTF841                     | 32" - 65"      | <b>35kg</b><br>Per Screen | 600x400            |                  | $\overline{\checkmark}$ | N/A                     | N/A              | BT8380-180       | <b>H.</b> 1841mm<br><b>W.</b> 890mm <b>D.</b> 604mm |                         |
| BTF842                     | 47" - 65"      | 35kg<br>Per Screen        | 600x400            | $\checkmark$     | N/A                     | $\overline{\checkmark}$ | N/A              | BT8380-240       | <b>H.</b> 2441mm<br><b>W.</b> 890mm <b>D.</b> 604mm | $\overline{\checkmark}$ |



#### ■ BTF841

Flat Screen

Dual Stack Floor Stand 1.8m

Ideal for landscape mounting two screens, one above the other.

| lecommended  | Max                | Max             | 回然接回 |
|--------------|--------------------|-----------------|------|
| Max Screen   | Load               | VESA            |      |
| 65"<br>165cm | 35kg<br>per screen | 600<br>X<br>400 |      |



#### ■ BTF842

Flat Screen

**Dual Stack Floor Stand 2.4m** 

Ideal for portrait mounting two screens, one above the other.

| Max<br>Load | Max<br>VESA |                        |
|-------------|-------------|------------------------|
| 35kg        | 600 °       | 經過                     |
|             | Load        | Load VESA • 600 • 35kg |



# **Twin Screen VC Floor Stands**





All twin screen mounts include a VC shelf and adjustable mounting arm which can mount a camera above or below the screens

■ BT8521
Twin Screen VC Stand
for screens up to 46"

| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 回約36回      |
|---------------------------|-------------|-------------|------------|
| 7                         | 0           | •           |            |
| 46"                       | 20kg        | 400         |            |
| V III                     | per screen  |             | ELIPO ENOP |

■ BTF845 Twin Screen VC Stand for screens up to 55"

| Recommended | Max                | Max             | 回战郑国               |
|-------------|--------------------|-----------------|--------------------|
| Max Screen  | Load               | VESA            |                    |
| 55"         | 25kg<br>per screen | 600<br>×<br>400 | 不完成。<br>例如此<br>回题是 |







# ■ BT8511 Twin Screen VC Trolley for screens up to 46"







Accessory mounts for video bars, soundbars and VC cameras available See page 106





Accessory mounts for video bars, soundbars and VC cameras also available



■ BT8514

Twin Screen VC Trolley
for screens up to 46"



| Recommended  | Max                | Max  |  |
|--------------|--------------------|------|--|
| Max Screen   | Load               | VESA |  |
| <b>46"</b> ∠ | 40kg<br>per screen | 400  |  |

■ BT8516

Twin Screen VC Trolley
for screens up to 65"





## **XL Twin Screen VC Floor Stands**





management on all stands for a tidy install

Twin screen stands Options for: Freestanding, Mobile or a Fixed base installation



Adjustable levelling feet suitable for uneven floors



Non-marking Braked Castors included with all trolleys



Bolt-down base with small foot print

#### ■ BT8527

Twin Screen VC Stand for screens up to 75"



#### **BT8517**

Twin Screen VC Trolley for screens up to 75"

| Recommended | Max                 | Max             |  |
|-------------|---------------------|-----------------|--|
| Max Screen  | Load                | VESA            |  |
| 75"         | 100kg<br>per screen | 600<br>×<br>800 |  |

#### ■ BT8537

Twin Screen VC Bolt-Down Stand for screens up to 75"

| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA |      |
|---------------------------|-------------|-------------|------|
| <b>75</b> "               | 100kg       | • 600 •     |      |
| ∠ 190cm                   | per screen  | . 800       | 国际研究 |

#### ■ BT8528

**Twin Screen VC Stand** for screens up to 86"

| Recommended | Max                 | Max               |  |
|-------------|---------------------|-------------------|--|
| Max Screen  | Load                | VESA              |  |
| 86"         | 100kg<br>per screen | *1000<br>*<br>800 |  |

#### **BT8518**

**Twin Screen VC Trolley** for screens up to 86"

| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 回線接回 |
|---------------------------|-------------|-------------|------|
| 96"                       | 0           | • 1000 •    |      |
| 220cm                     | 100kg       | 800         |      |

#### ■ BT8538

Twin Screen VC Bolt-Down Stand for screens up to 86"

| Recommended | Max                 | Max              | 回路線画 |
|-------------|---------------------|------------------|------|
| Max Screen  | Load                | VESA             |      |
| 86" Z20cm   | 100kg<br>per screen | 1000<br>×<br>800 |      |













86



# ■ BT8415 Twin Screen VC Wall Mount for screens up to 46"





#### ■ BT8416


Twin Screen VC Wall Mount for screens up to 65"





| Twin Screen VC Mounts |              |                |                                      |             |                         |                         |                                 |  |                         |  |
|-----------------------|--------------|----------------|--------------------------------------|-------------|-------------------------|-------------------------|---------------------------------|--|-------------------------|--|
| Model<br>Number       | Function     | Screen<br>Size | Max screen<br>Weight<br>(Per Screen) | Max<br>VESA | Lateral<br>Shift        | Includes<br>VC shelf    | Number<br>of poles /<br>columns | Dimensions   | Colour<br>Options       |  |
| BT8521                | Freestanding | 39" - 46"      | 20kg                                 | 400 x 400   | V                       | $\overline{\checkmark}$ | 2                               | <b>W.</b> 1505mm <b>H.</b> 1625mm <b>D.</b> 600mm    | N/A                     |  |
| BT8511                | Mobile       | 39" - 46"      | 20kg                                 | 400 x 400   | $\checkmark$            | $\checkmark$            | 2                               | <b>W.</b> 1504mm <b>H.</b> 1854mm <b>D.</b> 740mm    | N/A                     |  |
| BT8514                | Mobile       | 39" - 46"      | 40kg                                 | 400 x 400   | $\overline{\checkmark}$ | $\checkmark$            | 1                               | <b>W.</b> 1504mm <b>H.</b> 1905mm <b>D.</b> 863mm    | $\checkmark$            |  |
| BT8415                | Wall         | 39" - 46"      | 70kg                                 | 400 x 400   | $\overline{\checkmark}$ | $\checkmark$            | N/A                             | <b>W.</b> 1504mm x <b>D.</b> 290mm                   | N/A                     |  |
| BTF845                | Freestanding | 46" - 55"      | 25kg                                 | 600 x 400   | $\checkmark$            | $\checkmark$            | 1                               | <b>W.</b> 1754mm <b>H.</b> 1841mm<br><b>D.</b> 604mm | $\checkmark$            |  |
| BT8516                | Mobile       | 46" - 65"      | 25kg                                 | 600 x 400   | $\checkmark$            | $\checkmark$            | 2                               | <b>W.</b> 2004mm <b>H.</b> 1905mm <b>D.</b> 991mm    | $\checkmark$            |  |
| BT8416                | Wall         | 46" - 65"      | 70kg                                 | 600 x 400   | $\checkmark$            | $\checkmark$            | N/A                             | <b>W.</b> 2004mm x <b>D.</b> 290mm                   | N/A                     |  |
| BT8527                | Freestanding | 65" - 75"      | 100kg                                | 600 x 800   | $\overline{\checkmark}$ | $\checkmark$            | 2                               | <b>W.</b> 2450mm <b>H.</b> 2126mm <b>D.</b> 950mm    | $\overline{\checkmark}$ |  |
| BT8517                | Mobile       | 65" - 75"      | 100kg                                | 600 x 800   | $\checkmark$            | $\checkmark$            | 2                               | <b>W.</b> 2450mm <b>H.</b> 2220mm <b>D.</b> 950mm    | $\overline{\checkmark}$ |  |
| BT8537                | Bolt-Down    | 65" - 75"      | 100kg                                | 600 x 800   | V                       | $\checkmark$            | 2                               | <b>W.</b> 2450mm <b>H.</b> 1808mm <b>D.</b> 950mm    | $\overline{\checkmark}$ |  |
| BT8528                | Freestanding | 75" - 86"      | 100kg                                | 1000 x 800  | V                       | $\overline{\checkmark}$ | 2                               | <b>W.</b> 3000mm <b>H.</b> 2526mm <b>D.</b> 950mm    |                         |  |
| BT8518                | Mobile       | 75" - 86"      | 100kg                                | 1000 x 800  | V                       | $\overline{\checkmark}$ | 2                               | <b>W.</b> 3000mm <b>H.</b> 2620mm <b>D.</b> 950mm    |                         |  |
| BT8538                | Bolt-Down    | 75" - 86"      | 100kg                                | 1000 x 800  | $\checkmark$            | $\checkmark$            | 2                               | <b>W.</b> 3000mm <b>H.</b> 2408mm <b>D.</b> 240mm    | $\checkmark$            |  |

# **Premium UC / VC Display Stands**





Mode-AL Display Engineering is a range of premium mounting solutions featuring the recognised and highly regarded Mode-AL aluminium profile.

Mode-AL display stands are designed for Unified Communication and Video Conferencing applications in high-end corporate, government and broadcast markets. These stands cater to various mounting needs, including freestanding, bolt-down, floor-to-wall, and floor-toceiling options

All Mode-AL solutions can be enhanced with various VC and media mounting devices and components, which can be ordered individually to suit your installation requirements. Refer to the Mode-AL mounting guide on page 94 for a comprehensive overview of the range.

For detailed product specifications, technical drawings, and colour options, scan the QR code for each product to access the online page.













**Available Separately:** 

Accessorise Stands with AV Storage Trays & VC Shelves

Safety screws help prevent unauthorised screen removal

# **Mode-AL Single Screen UC Display Stands**



■ BT8700 Floor-To-Wall Single Screen UC Stand





BT8701

Floor-To-Wall Single Screen UC Stand





■ BT8702 Floor-To-Ceiling Single Screen UC Stand





BT7863 & BT8390-SA

VC Shelf and Adaptor

available separately

BT8702 pole can be positioned to accommodate a range of ceiling heights



# AVAILABLE...

■ BT7884 Flip-Down AV Storage Tray

An additional BT8390 mounting rail Is required to fit the BT7884 \*Rail size is dependent on size of screen contact B-Tech for details





| ALSO AVAILABLE                                  |                          |
|---|--------------------------|
| BT7884-TRAY<br>AV Storage Tray                  | Max<br>Load<br>O<br>10kg |
|   |                          |
| Storage Trays can be released from the <b>E</b> |                          |

and changed over with preloaded AV equipment easily

90









■ BT8703 **Bolt-Down** Single Screen UC Stand





■ BT8704 **Bolt-Down** Single Screen UC Stand





BT7032 & BT7033 AV Component Shelves can be added to Mode-AL Columns using BT8385-RTC

AVAILABLE...

BTW075-4 **Braked Castors** 



■ BT8705 Freestanding







■ BT8706 Freestanding Single Screen UC Stand



BTW075-4 Braked Castors

for use with Mode-AL freestanding floor bases

BT8385-SCB & BT8385-TCB alternative freestanding floor bases also available





# **Mode-AL Single Screen UC Display Stands**



#### ■ BT8707 Floor-To-Wall Single Screen Twin Column UC Stand





#### ■ BT8708

**Bolt-Down** Single Screen Twin Column UC Stand





Attach **BT7884** Flip Down AV Storage Tray Mounts to **BT8390** Rails



#### ■ BT8709

Freestanding Single Screen Twin Column UC Stand





BTW075-4 Braked Castors are available separately for use with Mode-AL bases

| Recommended<br>Max Screen | Max<br>Load | Max<br>VESA | 回蘇黎回 |
|---------------------------|-------------|-------------|------|
| 100"<br>Z54cm             | 100kg       | 800         |      |

# Mode-AL VC Twin Screen Display Stands



■ BT8710 Floor-To-Wall Twin Screen VC Stand



| Recommended | Max                | Max             |  |
|-------------|--------------------|-----------------|--|
| Max Screen  | Load               | VESA            |  |
| 65"         | 70kg<br>per screen | 600<br>×<br>400 |  |



VC shelves can be fixed above or below screens

#### ■ BT8711 Bolt-Down Twin Screen VC Stand






■ BT8712
Freestanding
Twin Screen VC Stand



| Recommended | Max  | Max      | 回路器回 |
|-------------|------|----------|------|
| Max Screen  | Load | VESA     |      |
| 65"         | 56kg | 600<br>× |      |

| Mode-AL UC / VC Stands |                  |                           |                           |                    |                         |                         |                         |                  |  |                         |
|------------------------|------------------|---------------------------|---------------------------|--------------------|-------------------------|-------------------------|-------------------------|------------------|--|-------------------------|
| Model<br>Number        | Mount            | Recommended<br>Max Screen | Max<br><b>Load</b>        | Max<br><b>VESA</b> | Lateral<br>Shift        | Includes<br>VC Shelf    | Number<br>of<br>Screens | Column<br>Height | Dimensions   | Colour<br>Options       |
| вт8700                 | Floor-To-Wall    | 75"                       | 70kg                      | 600 x 400          | $\checkmark$            | N/A                     | 1                       | 1.3M             | <b>H.</b> 1369mm<br><b>W.</b> 700mm <b>D.</b> 165mm          | $\overline{\checkmark}$ |
| BT8701                 | Floor-To-Wall    | 75"                       | 70kg                      | 600 x 400          | $\checkmark$            | N/A                     | 1                       | 1.9M             | <b>H.</b> 1969mm<br><b>W.</b> 700mm <b>D.</b> 165mm          | $\overline{\checkmark}$ |
| BT8702                 | Floor-To-Ceiling | 75"                       | 70kg                      | 600 x 400          | $\checkmark$            | N/A                     | 1                       | 1.9M             | <b>H.</b> 2050mm - 2700mm<br><b>W.</b> 705mm <b>D.</b> 210mm | $\checkmark$            |
| BT8703                 | Bolt-Down        | 75"                       | 70kg                      | 600 x 400          | $\checkmark$            | N/A                     | 1                       | 1.3M             | <b>H.</b> 1310mm<br><b>W.</b> 700mm <b>D.</b> 210mm          | $\overline{\checkmark}$ |
| BT8704                 | Bolt-Down        | 75"                       | 70kg                      | 600 x 400          | $\overline{\checkmark}$ | N/A                     | 1                       | 1.9M             | <b>H.</b> 1910mm<br><b>W.</b> 700mm <b>D.</b> 210mm          | $\checkmark$            |
| BT8705                 | Freestanding     | 75"                       | 70kg                      | 600 x 400          | $\checkmark$            | N/A                     | 1                       | 1.3M             | <b>H.</b> 1342mm<br><b>W.</b> 890mm <b>D.</b> 753mm          | $\overline{\checkmark}$ |
| BT8706                 | Freestanding     | 75"                       | 70kg                      | 600 x 400          | $\checkmark$            | N/A                     | 1                       | 1.9M             | <b>H.</b> 1942mm<br><b>W.</b> 890mm <b>D.</b> 753mm          | $\overline{\checkmark}$ |
| ВТ8707                 | Floor-To-Wall    | 100"                      | 200kg                     | 900 x 800          | $\checkmark$            | N/A                     | 1                       | 1.9M             | <b>H.</b> 1969mm<br><b>W.</b> 1000mm <b>D.</b> 165mm         | $\checkmark$            |
| BT8708                 | Bolt-Down        | 100"                      | 140kg                     | 900 x 800          | $\checkmark$            | N/A                     | 1                       | 1.9M             | <b>H.</b> 1910mm<br><b>W.</b> 1000mm <b>D:</b> 210mm         | $\overline{\checkmark}$ |
| ВТ8709                 | Freestanding     | 100"                      | 100kg                     | 900 x 800          | $\checkmark$            | N/A                     | 1                       | 1.9M             | <b>H.</b> 1942mm<br><b>W.</b> 1128mm <b>D.</b> 757mm         | $\checkmark$            |
| ВТ8710                 | Floor-To-Wall    | 65"                       | <b>70kg</b><br>Per Screen | 600 x 400          | $\checkmark$            | $\checkmark$            | 2                       | 1.9M             | <b>H.</b> 1969mm<br><b>W.</b> 2000mm <b>D.</b> 165mm         | V                       |
| BT8711                 | Bolt-Down        | 65"                       | <b>70kg</b><br>Per Screen | 600 x 400          | $\checkmark$            | $\overline{\checkmark}$ | 2                       | 1.9M             | <b>H.</b> 1910mm<br><b>W.</b> 2000mm <b>D.</b> 210mm         | V                       |
| BT8712                 | Freestanding     | 65"                       | <b>56kg</b><br>Per Screen | 600 x 400          | $\checkmark$            | $\checkmark$            | 2                       | 1.9M             | <b>H.</b> 1942mm<br><b>W.</b> 2000mm <b>D.</b> 757mm         | <b>V</b>                |













# Create a custom Mode-AL display stand in 3 simple steps

Complete off-the-shelf kits are available, but for greater flexibility and convenience components can be supplied individually and used to create custom installations to suit any application.



# **Media Storage Devices** & Shelves



### Storage trays are an ideal solution for discreet mounting of AV equipment, such as power supplies, media players and video conferencing equipment behind a screen.

Media storage trays are available as a combined screen mount or as separate mounts that can be wall, rail or pole mounted by the side or underneath the screen mount. AV equipment is easily fitted to the removable storage tray using the supplied cable ties for cable management.

B-Tech's range of AV component shelves are a convenient way to mount media equipment onto an installation. The shelves' versatile mounting options mean most can be mounted directly to the wall or onto B-Tech columns or poles (using accessory collars). The shelves can also be mounted above or below the screen using adjustable mounting arms.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.

#### **Key Features - Media Storage**

- Designed to hold and hide AV accessories such as media equipment, power supplies, routers and other video conferencing equipment behind a screen
- Options for slide-out or pull-down trays for easy access to media equipment
- Tool-less operation of tray movement
- All accessories can be accessed, removed or added when in the open position without
- Quick release function of tray so equipment can be easily removed from tray and serviced
- Replacement trays available to order separately
- Compatible with B-Tech's System X and Mode-AL columns and collars for polemounted installations













#### **Media Storage Devices**

Discreetly store and hide media equipment behind a screen using replaceable trays



#### **Key Features - Shelves**

- Ideal for mounting VC cameras, media equipment, laptops, game consoles, etc
- Compatible with B-Tech's columns and pole mounting using B-Tech collars
- Use an adjustable mounting arm to install a shelf above or below a mounted screen
- Shelves also mount directly to walls
- Suitable for use with B-Tech's range of flat-screen trolleys and floor stands
- Can be mounted back-to-back on pole set-ups
- All mounting hardware included Simple installation

#### **AV Component Shelves**

Mount a range of AV equipment onto stands from a variety of component shelves



**B**Tech

# Flat Screen Mounts with AV Media Storage





Storage Trays can be quickly released from the BT7883 and BT7885 and changed over with pre-loaded AV equipment easily



Use to adjustable arm to mount accessories (such as shelves or video bar mounting plates) to the **BT7883** or **BT7885** 

#### ■ BT7883

Flat Screen Wall Mount with Slide-Out AV Storage Tray








#### Also Available...

**BT7883-TRAY AV Storage Tray** 







#### ■ BT7885

Flat Screen Wall Mount with Pull-Down AV Storage Tray







**BT7885-TRAY AV Storage Tray** 



















■ BT7889
Wall Mounted
Fixed AV Storage Tray






10kg

■ BT7888

Wall Mounted Slide-Out
AV Storage Tray







■ BT7780
Digital Signage Cradle





|              | AV Storage Mounts          |                                |                    |                             |                               |      |                        |                        |  |
|--------------|----------------------------|--------------------------------|--------------------|-----------------------------|-------------------------------|------|------------------------|------------------------|--|
| Model Number | Recommended<br>Screen Size | Screen<br>Max<br><b>Weight</b> | Max<br><b>VESA</b> | AV<br>Equipment<br>Max Load | Max Weight On 1 Pole / Column | Tilt | System X<br>Compatible | System 2<br>Compatible | Storage Dimensions                             |
| BT7883       | 46"-75"                    | 70kg                           | 600x400            | 10kg                        | 27kg                          | N/A  | <b>V</b>               | $\checkmark$           | <b>H.</b> 424mm <b>W.</b> 335mm <b>D.</b> 65mm |
| BT7885       | 49"-86"                    | 70kg                           | 600x400            | 8kg                         | 27kg                          | N/A  | $\checkmark$           | $\checkmark$           | <b>H.</b> 361mm <b>W.</b> 575mm <b>D.</b> 60mm |
| BT7889       | N/A                        | N/A                            | N/A                | 10kg                        | N/A                           | N/A  | $\checkmark$           | N/A                    | <b>H.</b> 450mm <b>W.</b> 280mm <b>D.</b> 32mm |
| BT7888       | N/A                        | N/A                            | N/A                | 10kg                        | N/A                           | N/A  | $\checkmark$           | N/A                    | <b>H.</b> 450mm <b>W.</b> 280mm <b>D.</b> 50mm |
| BT7780       | N/A                        | N/A                            | 100x100            | 3kg                         | N/A                           | N/A  | $\checkmark$           | $\checkmark$           | <b>H.</b> 231mm <b>W.</b> 231mm <b>D.</b> 64mm |

# **Specialist Mounts & AV Component Shelves**





Shelves can attach to poles using accessory collars, directly

to columns and to rails or wall

mounts using mounting arms

BT7866 designed to mount directly on top of a screen ideal for webcams

AV shelves are ideal for

mounting VC cameras

**BT7886** Mersive® Solstice Pod **Mounting Cradle** 





#### **BT7781** Chromecast® Mount

Contact B-Tech to confirm which generation of Chromecast when ordering









## **AV Component Shelves**

#### ■ BT7875 **Small Camera Mounting Plate**

Suitable for mounting Yealink UVC40, A20, MeetingEye 400, Poly Studio X30 and Logitech MeetUp VC cameras to a range of B-Tech products







W: 90mm x D: 60mm x H: 63mm

#### ■ BT7878 **Camera Mounting Plate**

Suitable for mounting Yealink A30 or MeetingEye 600 VC cameras to a range of B-Tech products







W: 100mm x D: 103mm x H: 70mm









■ BT7863 **Small AV Accessory Shelf** 235 x 120mm





Fits most VC cameras with a 1/4" thread















#### ■ BT7033 AV Accessory Shelf 300 x 300mm





■ BT7032 Large AV Accessory Shelf 500 x 380mm





■ BT7865 Computer Peripheral Shelf






| AV Component Shelves |  |  |      |                         |                        |  |                   |
|----------------------|--|--|------|-------------------------|------------------------|--|-------------------|
| Model Number         | Single Pole /<br>Column<br><b>Max Load</b> | Twin Pole /<br>Column<br><b>Max Load</b> | Tilt | System X<br>Compatible  | System 2<br>Compatible | Shelf Dimensions   | Colour<br>Options |
| BT7875               | 4kg  | N/A                                      | N/A  | $\overline{\checkmark}$ |                        | <b>W.</b> 90mm x <b>D.</b> 60mm  | N/A               |
| BT7878               | 4kg  | N/A                                      | N/A  | $\checkmark$            |                        | <b>W.</b> 100mm x <b>D.</b> 103mm  | N/A               |
| BT7866               | 1kg  | N/A                                      | +25° | $\overline{\checkmark}$ |                        | <b>W.</b> 122mm x <b>D.</b> 106mm  | N/A               |
| BT7863               | 4kg  | N/A                                      | N/A  | $\checkmark$            | $\checkmark$           | <b>W.</b> 120mm x <b>D.</b> 235mm  | N/A               |
| BT7033               | 15kg                                       | 25kg                                     | N/A  | $\checkmark$            | $\checkmark$           | <b>W.</b> 300mm x <b>D.</b> 300mm  | N/A               |
| BT7032               | 7.5kg                                      | 15kg                                     | N/A  | $\overline{\checkmark}$ |                        | <b>W.</b> 500mm x <b>D.</b> 380mm  | N/A               |
| BT7865               | 4kg  | N/A                                      | N/A  | $\overline{\checkmark}$ | $\checkmark$           | <b>W.</b> 465mm x <b>D.</b> 175mm (keyboard shelf) <b>W.</b> 230mm x <b>D.</b> 255mm (mouse shelf) | N/A               |

**BT7865** Designed to hold a keyboard and mouse

# **AV Accessory Mounting Arms**



Use mounting arms to hook shelves and video bar adaptors above or below a screen







#### ■ BT7031

Adjustable Accessory Mounting Arm Use with compatible B-Tech screen mounts

Adjustable arm mounts a shelf to BT8431 / BT8432 / BT8441 / BT8442 / BT9901 / BT9903 / BT8504 / BT8506 / BT8572 / BT8573 / BT8582 / BT8583 screen mounts



#### ■ BT8390-SA

Adjustable Accessory Mounting Arm Use with System X BT8390 Rails

Adjustable arm mounts a B-Tech shelf to products that use a **BT8390** mounting rail



#### ■ BT7034

Adjustable Accessory Mounting Arm Use with AV Storage Flat Screen Mounts

Adjustable arm mounts a B-Tech shelf to BT7883 / BT7885 AV Storage Mounts

| Max Load<br>Single | Max Load<br>Pair | 回能器回         |
|--------------------|------------------|--------------|
|                    |                  |              |
| 6kg                | 12kg             | [E][34.59688 |

















screen mount above or below the screen





■ BTV914


**Universal Soundbar Mount** 





| Speaker Mounts  |        |  |                    |        |        |                              |                             |               |                        |                   |  |  |
|-----------------|--------|--|--------------------|--------|--------|------------------------------|-----------------------------|---------------|------------------------|-------------------|--|--|
| Model<br>Number | Mount  | Supplied<br>In Pairs<br>(for 2 Speakers) | Max<br><b>Load</b> | Tilt   | Swivel | <b>Lateral</b><br>Adjustment | <b>Height</b><br>Adjustment | Clamp<br>Size | System 2<br>Compatible | Colour<br>Options |  |  |
| BT77            | Wall   | <b>V</b>                                 | 25kg               | +/-10° | 360°   | N/A                          | N/A                         | 135-280mm     | $\checkmark$           | V                 |  |  |
| BTV914          | Screen | N/A                                      | 10kg               | N/A    | N/A    | 112mm                        | 250mm                       | N/A           | N/A                    | N/A               |  |  |

# UC / Video Conferencing Video Bar & Camera Mounts



Off-the-shelf mounts and bespoke adaptors are available for mounting a wide range of UC Equipment, such as Video Bars, Soundbars, Video Conferencing Cameras, etc.

Install video bars on existing B-Tech mounts above or below the screen using Accessory Mounting Arms (BT7031 / BT7034 / BT8390-SA), accessory collars (BT7052 / BT7841) for pole mounting or fix onto columns (BT8380 / BT8381). Solutions are available for most manufacturers.

Solutions available for all major brands, including:



For the most up-to-date brand listings visit B-Tech's website or contact us at technical@btechavmounts.com





Mount directly to B-Tech Columns (BT8380 / BT8381)



Mount onto a BT8390 Rail using a BT8390-SA Mounting Arm



Position above or below a wall mounted screen using BT7031 Mounting Arm



Mount to a Ø50mm Pole using a B-Tech Accessory Collar (BT7052 / BT7841)



**B**Tech

105

# **Video Bar & Camera Mounts**



■ BT7870 **Universal Conferencing Mount** 





■ BT7871 Video Bar Mounting Plate





■ BT7873 Video Bar Mounting Plate





■ BT7874 Video Bar Mounting Plate





■ BT7875 Video Bar Mounting Plate







106









#### ■ BT7876 Video Bar Mounting Plate





#### ■ BT7877 **Video Bar Mounting Plate**





■ BT7878 **Video Bar Mounting Plate** 






■ BT7879 **Video Bar Mounting Plate** 





| Video Bar Mounts |   |                    |                         |                         |                      |  |  |  |  |  |
|------------------|---|--------------------|-------------------------|-------------------------|----------------------|--|--|--|--|--|
| Model<br>Number  | Video Bar / Camera  | Max<br><b>Load</b> | System X<br>Compatible  | System 2<br>Compatible  | Dimensions           |  |  |  |  |  |
| BT7870           | Bose Videobar VB-S / Cisco Webex Room Kit Plus<br>Jabra Panacast 50<br>Logitech Rally Bar / Rally Plus / Huddle / MeetUp<br>Maxhub UC / Neat.Bar / Bar Pro<br>Predia Connect / Poly Studio X30 / X50 / X70<br>Yealink MeetingEye / MspeakerII / UVC30 / UVC40 | 10kg               | N/A                     | N/A                     | 900mm x 480-538mm    |  |  |  |  |  |
| BT7871           | <b>Jabra</b> Panacast 50 / <b>Poly</b> Studio / X50 / X70<br><b>Lenovo</b> ThinkSmart 180   | 3kg                | $\overline{\checkmark}$ | $\overline{\checkmark}$ | 185mm x 75mm         |  |  |  |  |  |
| BT7873           | Logitech Rally Bar / Logitech Rally Bar Mini  | 8kg                | $\overline{\checkmark}$ | $\overline{\checkmark}$ | 440mm x 30mm         |  |  |  |  |  |
| BT7874           | <b>Logitech</b> Rally Plus / <b>Aver</b> VB342PRO <b>Cisco</b> Webex Room Kit Plus  | 5kg                | $\overline{\checkmark}$ |                         | 740mm x 30mm         |  |  |  |  |  |
| BT7875           | <b>Yealink</b> UVC40 / A20 / <b>Yealink</b> MeetingEye 400 <b>Logitech</b> MeetUp / <b>Poly</b> Studio X30  | 4kg                | $\overline{\checkmark}$ | $\overline{\checkmark}$ | 90mm x 63mm x 60mm   |  |  |  |  |  |
| BT7876           | <b>Lenovo</b> Google Series One Medium Room<br><b>Lenovo</b> Google Series One Large Room Kits  | 10kg               | N/A                     | N/A                     | 1506mm - 449mm       |  |  |  |  |  |
| BT7877           | Neat.Bar / Bar Pro<br>Bose Videobar VB1 / VB-S / MspeakerII<br>Logitech Rally Plus Speakers (2 pcs required)  | 3kg                | $\square$               |                         | 250mm x 40mm         |  |  |  |  |  |
| BT7878           | Yealink A30 / MeetingEye 600  | 4kg                | $\overline{\checkmark}$ | $\overline{\checkmark}$ | 100mm x 103mm x 70mm |  |  |  |  |  |
| BT7879           | Biamp Parlé VBC / ABC 2500 / SBC 2<br>Lenovo ThinkSmart One   | 5kg                | $\overline{\checkmark}$ | $\checkmark$            | 565mm x 70mm         |  |  |  |  |  |

# **Projector Ceiling Mounts**



Offering a wide selection of mounts to suit a variety of projector sizes and types, from home projection right up to large scale models used for entertainment venues and projection mapping.

B-Tech projector mounts are designed to fit quickly, be easily installed, and can be ordered for installation directly to the ceiling or with fixed or height-adjustable ceiling drops. Projector ceiling mounts suitable for installation onto angled ceilings are available. A selection of models are compatible with the System 2 range for customising solutions, such as when extra high ceilings require a much more significant ceiling drop The unique 'carousel' mounting plate design featured on several products is for universal compatibility and micro-adjustment features, allowing easy positioning of mounted projectors for a perfectly aligned projected image.

For full specifications, including colour options, scan the product's QR code to visit the online pages.

#### **Key Features**

- Options to mount directly to the ceiling for a flush installation or onto a pole for an extended drop
- Compatible with the B-Tech System 2 Professional Range and 1.5" NPT pipe systems
- Pre-assembled for simple threestep installation
- Micro-adjustment for short throw projectors
- Integrated cable management for a smart installation
- Unique 'carousel' mounting plate for universal compatibility
- Supplied with universal fixings suitable for most projectors using M2.5, M3, M4, M5 and M6 fixings
- All mounting hardware included














### **Ceiling Drop Options**













### Cable Management

Integrated cable management allows cables to pass through the poles and exit via the ceiling plate

### **Mounting Options**

Tilting ceiling plate suitable for angled ceilings supplied with fixed drop mounts

### **Universal Mounting**

Carousel mount design with adjustable extension legs to fit most projectors

### **Projector Ceiling Mounts**

**BT899 Projector Ceiling Mount** with Micro-Adjustment



■ BT899-AD **Adjustable Drop Projector Ceiling Mount** with Micro-Adjustment



■ BT899-FD **Fixed Drop Projector Ceiling Mount** with Micro-Adjustment







■ BT899XL **XL Projector Ceiling Mount** with Micro-Adjustment



**■ BT899XL-AD** Adjustable Drop XL **Projector Ceiling Mount** with Micro-Adjustment



**■ BT899XL-FD Fixed Drop XL Projector Ceiling Mount** with Micro-Adjustment





110









BT893
 Heavy Duty
 Projector Ceiling Mount
 with Micro-Adjustment






# Precision micro-adjustment with thumbwheels

BT893-AD
Adjustable Drop Heavy Duty
Projector Ceiling Mount
with Micro-Adjustment



■ BT893-FD
Fixed Drop Heavy Duty
Projector Ceiling Mount
with Micro-Adjustment







| Projector Ceiling Mounts |                    |                       |       |                      |                      |                                     |                         |   |                             |                        |
|--------------------------|--------------------|-----------------------|-------|----------------------|----------------------|-------------------------------------|-------------------------|---|-----------------------------|------------------------|
| Model Number             | Max<br><b>Load</b> | Max<br><b>Fixings</b> | Roll  | <b>Swivel</b><br>Yaw | <b>Tilt</b><br>Pitch | Micro-<br>Adjustment<br><b>Tilt</b> | Optional Extension Legs | Tool-Less<br>Ceiling Drop<br>Adjustment | Ceiling<br>Drop             | System 2<br>Compatible |
| ВТ899                    | 25kg               | 370mm                 | +/-6° | 360°                 | +/-13°               | N/A                                 | N/A                     | N/A                                     | 122mm                       | V                      |
| BT899-AD                 | 25kg               | 370mm                 | +/-6° | 360°                 | +/-13°               | N/A                                 | N/A                     |   | 743-1143mm                  | N/A                    |
| BT899-FD                 | 25kg               | 370mm                 | +/-6° | 360°                 | +/-13°               | N/A                                 | N/A                     | N/A                                     | 0.5M / 1M<br>1.5M / 2M / 3M | N/A                    |
| BT899XL                  | 25kg               | 493mm                 | +/-6° | 360°                 | +/-13°               | N/A                                 | V                       | N/A                                     | 98.5mm                      | V                      |
| BT899XL-AD               | 25kg               | 493mm                 | +/-6° | 360°                 | +/-13°               | N/A                                 | V                       |   | 728-1128mm                  | N/A                    |
| BT899XL-FD               | 25kg               | 493mm                 | +/-6° | 360°                 | +/-13°               | N/A                                 | V                       | N/A                                     | 0.5M / 1M<br>1.5M / 2M / 3M | N/A                    |
| BT893                    | 70kg               | 873mm                 | +/-5° | 25°                  | +20°/-10°            | +/-5°                               | V                       | N/A                                     | 153mm                       | V                      |
| BT893-AD                 | 70kg               | 873mm                 | +/-5° | 45°                  | +20°/-10°            | +/-5°                               | V                       |   | 766-1186mm                  | N/A                    |
| BT893-FD                 | 70kg               | 873mm                 | +/-5° | 45°                  | +20°/-10°            | +/-5°                               | $\checkmark$            | N/A                                     | 0.5M / 1M<br>1.5M / 2M / 3M | N/A                    |

Small / Medium Large Extra Large

## Audipack Mounting Solutions

GM G

In 2024 Global Mounts Group acquired Audipack, a renowned manufacturer of high-end and tailor-made mounting solutions. For over 40 years Audipack have developed a wide range of specialist AV products such as projector and flat screen mounting accessories, flight cases and electronic lift systems. Catering for indoor or outdoor environments and with a strong focus on the

rental market, the addition of Audipack to the Global Mounts Group expands our product offering even further. On these pages you will find some examples of the types of products that Audipack specialise in. If you are interested in these types of solutions, please do get in touch.





### **Rental Floor Stands for Flat Screens**

Combining style with strength, Audipack floor stands are easy on the eye and easy to install.

Redefining flexibility, quick installation and installer friendliness, Audipack **700**, **800** and **900** series floor stands feature a Lock & Secure quick mounting system, access hatches for cabling and can be fitted into Audipack flight cases to create the ultimate rental floor stand solution.





### **Totems/Kiosks** for Outdoor Screens

**FOD** totems are a rigid kiosks specially designed for installing a full outdoor screen. The all weatherproof outdoor display, safely conceals your signage equipment and keeps it protected against theft and environmental surroundings. Solutions available for single, back-to-back and side-by-side displays.





### **Outdoor Housing for Flat Screens**

A range of indoor kiosks are also available.

**FSMO** outdoor housing for wall mounting screens in open and public areas. Standard and slimline enclosures are available for screens from 32" up to 86" with separate designs for landscape and portrait mounting. The housing is equipped with thermostatically controlled heating and ventilation.





### **Indoor Housing for Flat Screens**

**FSMT** indoor housing for wall mounting screens in public areas. Standard and slim-line enclosures are available for screens from 32" up to 86" with solutions for landscape or portrait mounting. The housing features protective anti-theft security and is supplied with fully removable front and hardened glass to protect the display.













#### Rental solutions for large and heavy screens

These dividable floor stands create a compact system that can be easily transported together with a flat panel, all in one flight case.

The simple to assemble parts create a rigid and pleasing floor stand that lifts the flat panel effortlessly out of the flight case and raises it up to the presentation position – all automatically. Ideal for large and heavy screens, including touchscreens.



### **Custom LFD Solutions**

Audipack fabricates custom pop-up, foldable solutions with electronic height adjustment.

The **LSW-T** series for LED cabinet transportation and presentation for LED walls up to 200". Boasting a minimalistic wheelframe with an integrated motor drive that lifts the LED display to the perfect height, easily adapts to various LED brands and sizes. Optional: Combine stand with a custom flight case





### **Liftomatic®** Rental Systems

Audipack engineers and manufactures custom rental systems for the easy transportation and set up of LED walls.

FLM flightcases have a built-in telescopic lift system that accommodates screens up to 100". With just the push of a button your screen rises to a presentation height of 1800mm (centre of screen). The flightcase also features a large accessory compartment.





### **Stack & Rigging Frames** for Projectors

The Audipack stack frame series is ideal for projectors in rental and staging applications.

The PSF series feature strong, aluminium, lightweight construction with an adjustable bottom frame, allowing the projector to be lined up to the screen with high accuracy. Multiple frames can be easily connected and stacked. The stack-frames are available in standard and custom sizes on request.





### **Ceiling Lift Systems** for Projectors

The Audipack projector lift systems have a reputation as durable systems for lowering a projector from the ceiling.

The PCL ceiling lift systems are the perfect solution for integrating projectors into ceilings, the lift moves precisely to its pre-set position with an extended drop available for servicing, ideal for boardrooms, home cinemas, auditoriums and conference halls etc.



### **Component Ranges for Custom Solutions**

B-Tech Component ranges are modular based systems designed to create custom solutions to suit almost any application. The adaptability of System X, System 2, System V, and our Floor Stand Range allows for an almost endless number of mounting configurations. Our range of components includes freestanding or mobile bases, an extensive selection of wall and ceiling mounts, and various screen interface arms. Flat screen mounts that feature the collar-compatible icon can be fitted to our System 2 poles and System X columns to create floor stands and ceiling mounts. System X can also be used with System 2 poles for specialist ceiling requirements. Enhance installations with additional equipment options, such as AV shelves, media players, or smaller screens.



**Quick Mounting Guides** View the Component guides: starting Pg.122

For installations where customisability is not required, see our Complete Mounting Solutions and Kits starting on page 10.















### **Component Ranges for Custom Solutions**

Component parts are individual off-the-shelf products that fit together like a giant Meccano set. This allows custom mounting solutions to be built in an almost endless number of configurations.



Wall Mounts



Ceiling Mounts



Floor Bases



Poles and Columns




Screen Interfaces



Accessories








**Complete Mounting Kits** Security mounting solutions

to your requirements



# **Component Range**



### The System X range is a premium component based system designed for professional AV installations.

Ideal for multi-screen displays, a comprehensive selection of mounts and components are available for wall, floor and ceiling installations. For greater flexibility and convenience, components are supplied individually to create custom installations to suit almost any application.

The range works on a modular principle using extruded aluminium rails and columns to fix displays to the wall or floor. System X also utilises System 2's pole and collar mounts for ceiling or specialist installations. Rails and columns can be extended using extension kits and a selection of interface arms are available to choose from depending on the type of screen and type of installation. Accessories have been designed to provide a tidy solution for almost any install requirement.


View the guides on the following pages for a complete overview of System X mounting possibilities. For complete product specifications, including technical drawings, scan the QR codes for each product to visit the online page.












**Multi Screen Floor Stands** 



Videowalls



**Custom Solutions** 





### 3x2 Wall Mounted

#### Videowall installation

This quick start guide demonstrates the steps to create a wall-mounted 3x2 video wall installation with an added camera shelf using the System X range. Follow the listed steps to create the ideal bespoke installation for your mounting needs. Start with the basics and add additional devices, such as screens or accessories, as desired.


For more information or to see how the range can be used in alternative installations, please get in touch with us at

technical@btechavmounts.com

#### Created from the following **B-Tech Components**

- x6 BT8390-WFK1 Wall Fixing Kit
- x2 BT8390-200 Horizontal Mounting Rail
- x2 BT8390-070 Horizontal Mounting Rail
- x2 BT8390-EXT Rail Extension Kit
- x6 BT8390-VESA400MAP Interface Arms
- x1 BT8390-SA Adjustable Mounting Arm
- x1 BT7863 Small Component Shelf

### **MULTI-SCREEN WALL INSTALLATIONS**





### Step 1:

Choose a Wall Fixing Kit

| WALL FIXING KITS       |                                     |
|------------------------|-------------------------------------|
| PRODUCT CODE           | DESCRIPTION                         |
| BT8390-WFK1 (pictured) | Rail Fixing Kit                     |
| BT8390-WFK2            | Rail Fixing Kit                     |
| BT8390-WFK3            | Twin Rail Fixing Kit                |
| BT8390-WFK4            | Horizontal Rail Fixing Kit          |
| BT8390-WFK5            | Adj. Depth Rail Fixing Kit          |
| BT8390-WFK6            | Adj. Depth & Height Rail Fixing Kit |

### Step 2:

Choose a Mounting Rail

| MOUNTING RAILS        |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT8390-050            | 0.5m    |
| BT8390-070 (pictured) | 0.7m    |
| BT8390-100            | 1m      |
| BT8390-150            | 1.5m    |
| BT8390-175            | 1.75m   |
| BT8390-200 (pictured) | 2m      |

\*Rail Extension Kits can be used to extend rails, simply select an additional rail to be joined after selecting the joiner below

| JOINER                |                    |
|-----------------------|--------------------|
| PRODUCT CODE          | DESCRIPTION        |
| BT8390-EXT (pictured) | Rail Extension Kit |

### Step 3:

Choose Interface Arms

| SCREEN MOUNTING ARMS         |   |       |
|------------------------------|---|-------|
| PRODUCT CODE                 | DESCRIPTION                                     | VESA* |
| BT8390-VESA200F              | Fixed Interface Arms                            | 200   |
| BT8390-VESA200T              | Interface Arms with Tilt                        | 200   |
| BT8390-VESA400F              | Fixed Interface Arms                            | 400   |
| BT8390-VESA400T              | Interface Arms with Tilt                        | 400   |
| BT8390-VESA400MAF            | Interface Arms<br>with Micro-Adjustment         | 400   |
| BT8390-VESA400MAP (pictured) | Pop-Out Interface Arms<br>with Micro-Adjustment | 400   |
| BT8390-VESA600F              | Fixed Interface Arms                            | 600   |
| BT8390-VESA800F              | XL Fixed Interface Arms                         | 800   |
| BT8390-VESA1200F             | XXL Fixed Interface Arms                        | 1200  |

\*VESA dimensions refer to the vertical fixings. Interface Arms can be horizontally positioned anywhere along the rail

Step 4: (if required)

Add Accessories

| SHELVES AND ADAPTORS   |                             |  |  |
|--|-----------------------------|--|--|
| PRODUCT CODE   | DESCRIPTION                 |  |  |
| BT8390-SA (pictured)   | Adjustable Mounting Arm     |  |  |
| BT7863 (pictured)  | Small AV Shelf              |  |  |
| BT7032   | Medium AV Shelf             |  |  |
| BT7033   | Large AV Shelf              |  |  |
| BT7871 / BT7873 / BT7874<br>BT7875 / BT7877 / BT7878<br>BT7879 | Video Bar<br>Mounting Plate |  |  |
| BT7884   | Flip-Down AV Storage Tray   |  |  |
| BT7888   | Fixed Storage Tray          |  |  |













3x3 Floor-to-Ceiling Videowall installation

This quick start guide demonstrates the steps to create a ceiling-to-floor 3x3 video wall installation using the System X and System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs. Start with the basics and add additional devices, such as screens or accessories, as desired.

For more information or to see how the range can be used in alternative installations, please get in touch with us at technical@btechavmounts.com

### Step 1:

Choose a Ceiling Mount

| WALL FIXING KITS  |                         |  |
|-------------------|-------------------------|--|
| PRODUCT CODE      | DESCRIPTION             |  |
| BT7807            | Twin Pole Ceiling Mount |  |
| BT7808            | Ceiling Mount with Tilt |  |
| BT7822 (pictured) | Ceiling Mount           |  |
| SPECIALIST MOUNTS |                         |  |
| BT7012            | Purlin Mount            |  |
| BT7017            | I-Beam (Girder) Mount   |  |
| BT7825            | Truss Clamp             |  |
| BT7831            | Wall Mounting Bracket   |  |

### Step 2:

Choose a Ø50mm Pole

| POLES                 |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT7850-050            | 0.5m    |
| BT7850-100            | 1m      |
| BT7850-150 (pictured) | 1.5m    |
| BT7850-200 (pictured) | 2m      |
| BT7850-300            | 3m      |

\*To extend poles, choose a joiner listed below and an additional pole to fit to.

| POLE JOINERS      |                      |
|-------------------|----------------------|
| PRODUCT CODE      | DESCRIPTION          |
| BT7823 (pictured) | Internal Pole Joiner |
| BT7824            | External Pole Joiner |

### Step 3:

Choose a Floor Fixing

| FLOOR BASES          |                                      |  |
|----------------------|--------------------------------------|--|
| PRODUCT CODE         | DESCRIPTION                          |  |
| BT7056               | Floor Fixing Kit                     |  |
| BT7807               | Twin Pole Floor / Ceiling Mount      |  |
| BT7822<br>(pictured) | Single Pole Floor / Ceiling<br>Mount |  |
| BT7831               | Wall Mounting Bracket                |  |

### **MULTI-SCREEN FLOOR-TO-CEILING INSTALLATIONS**

### Created from the following **B-Tech Components**

- x4 BT7822 Ceiling Mount
- x2 **BT7850-150** Ø50mm Pole
- x6 BT8390-CFK Collar Mounting Kit
- x3 BT8390-200 Horizontal Mounting Rail
- x12 **BT7052** Ø50mm Accessory Collar
- x9 BT8390-VESA400MAF Interface Arms
- x2 **BT7850-200** Ø50mm Pole
- x2 BT7823 Internal Pole Joiner





### Step 4:

PRODUCT CODE

Choose a Collar Fixing Kits and Collars

| BT8390-CFK        | Collar Fixing Kit           |
|-------------------|-----------------------------|
| COLLARS           |                             |
| BT7051            | Heavy-Duty Accessory Collar |
| BT7052 (pictured) | Accessory Collar            |
| BT7841            | 2-Piece Accessory Collar    |

DESCRIPTION

### Step 5:

Choose a Mounting Rail

| MOUNTING RAILS        |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT8390-050            | 0.5M    |
| BT8390-070            | 0.7m    |
| BT8390-100            | lm      |
| BT8390-150            | 1.5m    |
| BT8390-175            | 1.75m   |
| BT8390-200 (pictured) | 2m      |
|                       |         |

<sup>\*</sup>BT8390-EXT can be used to extend rails

### Step 6:

Choose Interface Arms

| CHOOSE HILEHIACE AITHS       |   |       |
|------------------------------|---|-------|
| SCREEN MOUNTING ARMS         |   |       |
| PRODUCT CODE                 | DESCRIPTION                                     | VESA* |
| BT8390-VESA200F              | Fixed Interface Arms                            | 200   |
| BT8390-VESA200T              | Interface Arms with Tilt                        | 200   |
| BT8390-VESA400F              | Fixed Interface Arms                            | 400   |
| BT8390-VESA400T              | Interface Arms with Tilt                        | 400   |
| BT8390-VESA400MAF (pictured) | Interface Arms<br>with Micro-Adjustment         | 400   |
| BT8390-VESA400MAP            | Pop-Out Interface Arms<br>with Micro-Adjustment | 400   |
| BT8390-VESA600F              | Fixed Interface Arms                            | 600   |
| BT8390-VESA800F              | XL Fixed Interface Arms                         | 800   |
| BT8390-VESA1200F             | XXL Fixed Interface Arms                        | 1200  |

<sup>\*</sup>VESA dimensions refer to the vertical fixings. Interface Arms can be horizontally positioned anywhere along the rail





### x10 Screen Curved Portrait Videowall Floor Stand

quick-start guide This demonstrates creating a freestanding x10 screen curved videowall mounting solution using the System X component range. Follow the listed steps to create a bespoke solution to your requirements. Start with the essentials and add additional devices, such as screens or accessories, as desired.

For more information or to see how the range can be used in alternative installations, please get in touch with us at

technical@btechavmounts.com

#### Created from the following **B-Tech Components**

- x6 BT8380-BASE Freestanding Floor Base
- x6 BT8380 Vertical Column
- x6 BT8390-WFK3 Rail Fixing Kit
- x10 BT8390-100 Horizontal Mounting Rail
- x8 BT8390-AAC Angle Adjustment Connector
- x10 BT8390-VESA800F Interface Arms

### Step 1:

Choose a Floor Base

| FLOOR BASES               | 5                         |
|---------------------------|---------------------------|
| PRODUCT CODE              | DESCRIPTION               |
| BT8380-BASE<br>(pictured) | Freestanding Base*        |
| BT8380-SHB                | Short Freestanding Base   |
| BT8380-FFB                | Freestanding Base         |
| BT8380-FSB                | Freestanding Base         |
| BT8380-AFB                | Adjustable Levelling Base |

\*Use **BT8380-CASTORS** to create a mobile stand

| CASTORS        |                   |
|----------------|-------------------|
| PRODUCT CODE   | DESCRIPTION       |
| BT8380-CASTORS | 4" Braked Castors |

### Step 2:

Choose a Column

| VERTICAL COLUMNS            |                      |  |
|-----------------------------|----------------------|--|
| PRODUCT CODE                | LENGTH*              |  |
| BT8380-180 (pictured)       | 1.8m                 |  |
| BT8380-060                  | 0.6m                 |  |
| COLUMN EXTENSION KIT        |                      |  |
| PRODUCT CODE                | DESCRIPTION          |  |
| BT8380-EXTV                 | Column Extension Kit |  |
| *I Iso Extension Kits creat |                      |  |

Use Extension Kits create taller installations


### Step 3:

Add Rail-to-Column Joiner

| RAIL-TO-COLUMN JOINER     |                                 |
|---------------------------|---------------------------------|
| PRODUCT CODE              | DESCRIPTION                     |
| BT8380-JPK                | Rail-to-Column Joiner           |
| BT8380-JPT                | Rail-to-Column Joiner with Tilt |
| BT8380-WFK3<br>(pictured) | Twin Rail-to-Column Joiner      |

### CONTROL ROOM INSTALLATIONS





### Step 4:

Choose a Mounting Rail

| MOUNTING RAILS        |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT8390-050            | 0.5m    |
| BT8390-070            | 0.7m    |
| BT8390-100 (pictured) | lm      |
| BT8390-150            | 1.5m    |
| BT8390-175            | 1.75m   |
| BT8390-200            | 2m      |
|                       |         |

\*Rail Extension Kits can be used to extend rails, simply select an additional rail to be joined after selecting the joiner below

### Step 5:

Add Rail Connector

| RAIL CONNECTOR           |                               |
|--------------------------|-------------------------------|
| PRODUCT CODE             | DESCRIPTION                   |
| BT8390-EXT               | Rail Extension Kit            |
| BT8390-AAC<br>(pictured) | Angle Adjustment<br>Connector |

### Step 6:

| SCREEN MOUNTING ARMS          |   |       |
|-------------------------------|---|-------|
| PRODUCT CODE                  | DESCRIPTION                                     | VESA* |
| BT8390-VESA200F               | Fixed Interface Arms                            | 200   |
| BT8390-VESA200T               | Interface Arms with Tilt                        | 200   |
| BT8390-VESA400F               | Fixed Interface Arms                            | 400   |
| BT8390-VESA400T               | Interface Arms with Tilt                        | 400   |
| BT8390-VESA400MAF             | Interface Arms<br>with Micro-Adjustment         | 400   |
| BT8390-VESA400MAP             | Pop-Out Interface Arms<br>with Micro-Adjustment | 400   |
| BT8390-VESA600F               | Fixed Interface Arms                            | 600   |
| BT8390-VESA800F<br>(pictured) | XL Fixed Interface Arms                         | 800   |
| BT8390-VESA1200F              | XXL Fixed Interface Arms                        | 1200  |

\*VESA dimensions refer to the vertical fixings. Interface Arms can be horizontally positioned anywhere along the rail













### Multi-Screen Bolt-Down Media Wall Floor Stand with Tilt

This quick start guide demonstrates the steps taken to create multi-screen installations ideal for broadcast rooms where varioussized screens and set-ups are required. Follow the listed steps to create the perfect bespoke installation for your mounting needs. Start with the basics and add additional devices, such as screens or accessories, as desired.

For more information or to see how the range can be used in alternative installations, please get in touch with us at:

technical@btechavmounts.com

### Step 1:

#### Choose a Floor Base

| FLOOR BASES              |                             |
|--------------------------|-----------------------------|
| PRODUCT CODE             | DESCRIPTION                 |
| BT8380-BASE              | Freestanding Base*          |
| BT8380-SHB               | Short Freestanding Base     |
| BT8380-FFB<br>(pictured) | Bolt-Down Floor Base        |
| BT8380-FSB               | Freestanding Base           |
| BT8380-AFB               | Adjustable Levelling Base   |
| *Use BT8380-CASTOR       | RS to create a mobile stand |

| CASTORS        |                   |
|----------------|-------------------|
| PRODUCT CODE   | DESCRIPTION       |
| BT8380-CASTORS | 4" Braked Castors |

### Step 2:

#### Choose a Column

| VERTICAL COLUMNS      |                      |  |
|-----------------------|----------------------|--|
| PRODUCT CODE          | LENGTH*              |  |
| BT8380-180 (pictured) | 1.8m                 |  |
| BT8380-060            | 0.6m                 |  |
| COLUMN EXTENSION KIT  |                      |  |
| PRODUCT CODE          | DESCRIPTION          |  |
| BT8380-EXTV           | Column Extension Kit |  |
|                       |                      |  |

\*Use Extension Kits create taller installations

#### Step 3:

#### Add Rail-to-Column Joiner

| RAIL-TO-COLUMN JOINER    |                                 |  |
|--------------------------|---------------------------------|--|
| PRODUCT CODE             | DESCRIPTION                     |  |
| BT8380-JPK<br>(pictured) | Rail-to-Column Joiner           |  |
| BT8380-JPT (pictured)    | Rail-to-Column Joiner with Tilt |  |
| BT8380-WFK3              | Twin Rail-to-Column Joiner      |  |

#### Step 4:

#### Choose a Mounting Rail

| MOUNTING RAILS        |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT8390-050            | 0.5m    |
| BT8390-070            | 0.7m    |
| BT8390-100 (pictured) | lm      |
| BT8390-150            | 1.5m    |
| BT8390-175            | 1.75m   |
| BT8390-200            | 2m      |


\*Rail Extension Kits can be used to extend rails. simply select an additional rail to be joined after selecting the joiner below

#### **JOINER** BT8390-EXT (pictured) Rail Extension Kit

### **BROADCAST INSTALLATIONS**

#### Created from the following **B-Tech Components**

- x4 BT8380-FFB Bolt-Down Floor Base
- x4 BT8380 Vertical Column
- x4 BT8380-JPK Rail-to-Column Joining Kit
- x4 BT8380-JPT Rail-to-Column Joining Kit with Tilt
- x4 BT8390-175 Mounting Rail
- x2 BT8390-EXT Rail Extender Kit
- x4 BT8390-VESA200T VESA 200 Interface Arms
- x4 BT8390-VESA400T VESA 400 Interface Arms
- x1 BT77 Speaker Mount
- x2 BT7032 AV Component Shelf



### Step 5:

| SCREEN MOUNTING               | SCREEN MOUNTING ARMS                            |       |  |  |  |
|-------------------------------|---|-------|--|--|--|
| PRODUCT CODE                  | DESCRIPTION                                     | VESA* |  |  |  |
| BT8390-VESA200F               | Fixed Interface Arms                            | 200   |  |  |  |
| BT8390-VESA200T (pictured)    | Interface Arms with Tilt                        | 200   |  |  |  |
| BT8390-VESA400F<br>(pictured) | Fixed Interface Arms                            | 400   |  |  |  |
| BT8390-VESA400T               | Interface Arms with Tilt                        | 400   |  |  |  |
| BT8390-VESA400MAF             | Interface Arms<br>with Micro-Adjustment         | 400   |  |  |  |
| BT8390-VESA400MAP             | Pop-Out Interface Arms<br>with Micro-Adjustment | 400   |  |  |  |
| BT8390-VESA600F               | Fixed Interface Arms                            | 600   |  |  |  |
| BT8390-VESA800F               | XL Fixed Interface Arms                         | 800   |  |  |  |
| BT8390-VESA1200F              | XXL Fixed Interface Arms                        | 1200  |  |  |  |

\*VESA dimensions refer to the vertical fixings. Interface Arms can be horizontally positioned anywhere along the rail

### Step 6: (if required)

| 144716663561165  |                             |  |
|--|-----------------------------|--|
| SHELVES AND ADAP   | TORS                        |  |
| PRODUCT CODE   | DESCRIPTION                 |  |
| BT8390-SA  | Adjustable Mounting Arm     |  |
| BT7863 (pictured)  | Small AV Shelf              |  |
| BT7032   | Medium AV Shelf             |  |
| BT7033   | Large AV Shelf              |  |
| BT7871 / BT7873<br>BT7874 /BT7875 / BT7877<br>BT7878 /BT7879 | Video Bar<br>Mounting Plate |  |
| BT7884   | Flip-Down AV Storage Tray   |  |
| BT7888   | Fixed Storage Tray          |  |

### **System X Mounting Guide: Wall/Floor**












### Create a custom System X wall mount or floor stand in 4 simple steps

The System X range offers a versatile, component-based design for multi-screen and digital signage applications. Components can be individually supplied for custom installations, providing flexibility and convenience. Additionally, System X is compatible with System 2 Ø50mm poles for ceiling-mounted set-ups.

See the next page for more information.






























The System X range offers a versatile, component-based design for multi-screen and digital signage applications. Components can be individually supplied for custom installations, providing flexibility and convenience. Additionally, System X is compatible with System 2 Ø50mm poles for ceiling-mounted setups.



### System X: Mounting Rails & Wall Fixing Kits



#### Available in 6 rail lengths\*

| BT8390-050 | 0.5m Rail | BT8390-150 | 1.5m Rail  | ]   |
|------------|-----------|------------|------------|---|
| BT8390-070 | 0.7m Rail | BT8390-175 | 1.75m Rail | *Rails can be cut to length on request or for increased length, rails can be combined |
| BT8390-100 | 1m Rail   | BT8390-200 | 2m Rail    | using the BT8390-EXT  |

### System X: Rail Fixing Kits





### BT8390-WFK2 **Rail Mounting Bracket**



Wall plate with added depth Ideal for use with System X interface arms with tilt

### BT8390-WFK3 **Dual Rail Mounting Bracket**



Mounts x2 BT8390 Rails Ideal for use with BT8390-VESA800F Interface Arms. Can also be used with BT8380 Columns



### BT8390-WFK5 **Adjustable Depth Rail Mounting Bracket**



+/-5mm depth adjustment Ideal for uneven walls

### BT8390-WFK6 Adjustable Height & **Depth Rail Mounting Bracket**



+/-10mm depth adjustment +/-10mm height adjustment Ensures a precise installation

### BT8390-WFK8 **Ultra-Slim Rail Mounting Bracket**



### BT8390-WFK4 Wall-To-Wall Rail **Mounting Brackets**





Ideal for mounting System X Rails between opposing walls










### System X: Support Columns & Mounting Rail Joining Kits

### BT8380 Vertical Column





\*For increased height, columns can be joined together using BT8380-EXTV



Available in 2 column heights\*

| вт8380-060 | 0.6m Column |
|------------|-------------|
| BT8380-180 | 1.8m Column |

### System X: Rail Joining Kits



### BT8380-JPK Joining Plate Kit

Connects BT8390 Rails to BT8380 columns



### BT8380-JPT Joining Plate Tilt Adaptor

Attaches BT8390 rails to BT8380 columns








### BT8380-JPR Column Mounting Plate

For reverse mounting BT8390 rails to BT8380 columns









### ■ BT8380-BASE Floor Base

for Trolleys & Stands







■ BT8380-SHB **Short Floor Base** for Stands







■ BT8380-FSB Freestanding Floor Base







■ BT8380-FFB **Bolt-Down Floor Base** 













Height levelling -Ideal for uneven surfaces



■ BT8380-RFB **Retractable Floor Base** 









| System X: <b>Bases</b> |              |                         |                          |                     |                      |
|------------------------|--------------|-------------------------|--------------------------|---------------------|----------------------|
| Model                  | Mount        | Dimensions              | Max Load<br>(Per Column) | Level<br>Adjustment | Castor<br>Compatible |
| BT8380-BASE            | Freestanding | 950 x 86mm              | 200kg                    | N/A                 | $\checkmark$         |
| BT8380-SHB             | Freestanding | 600 x 86mm              | 50kg                     | N/A                 | N/A                  |
| BT8380-FSB             | Freestanding | 890 x 604mm             | 70kg                     | N/A                 | N/A                  |
| BT8380-FFB             | Bolt-Down    | 240 x 240mm             | 200kg                    | N/A                 | N/A                  |
| BT8380-AFB             | Bolt-Down    | 183 x 213mm             | 200kg                    | +/-13.5mm           | N/A                  |
| BT8380-RFB             | Bolt-Down    | 262 x 88 x<br>406-806mm | 150kg                    | N/A                 | N/A                  |



■ BT8380-CASTORS 4" Non-Marking **Braked Castors** 


Fits onto BT8380-BASE (Supplied in pairs)





128







for Small / Medium Sized Screens







for Small / Medium Sized Screens







for Medium / Large Sized Screens











BT8390-VESA400MAF

| Max<br>Load | Max VESA<br>Vertical | ■は幾回 |
|-------------|----------------------|------|
| 50kg        | 400                  |      |

Interface Arms with Micro-Adjustment for Medium / Large Sized Screens

| Max<br>Load | Max VESA<br>Vertical | <b>国は数数国</b> |
|-------------|----------------------|--------------|
| 0           | • •                  | 57.57        |
| 50kg        | 400                  |              |



| BT8390-VESA400MAP                            |
|--|
| Pop-Out Interface Arms with Micro-Adjustment |
| for Medium / Large Sized Screens             |

| Max<br>Load | Max VESA<br>Vertical |  |
|-------------|----------------------|--|
| 50kg        | 400                  |  |
|             |                      |  |







### BT8390-VESA600F **Interface Arms**

for Large Screens







### ■ BT8390-VESA800F **Interface Arms** for XL Screens



Mounts on 1 or 2 BT8390 Rails






### ■ BT8390-VESA1200F **Interface Arms**

for XXL Screens



Mounts across 2 rails



### BT8390-SA Adjustable Accessory Mounting Arm



Adjustable mounting arm ideal for mounting shelves, VC cameras, video bars above or below the screen see page 104





|                   | System X: Interface Arms  |       |              |                                   |
|-------------------|---------------------------|-------|--------------|-----------------------------------|
| Model Number      | Function                  | VESA* | Max Load     | Micro-<br>Adjustment              |
| BT8390-VESA200F   | Fixed                     | 200   | 70kg         | N/A                               |
| BT8390-VESA200T   | Tilt                      | 200   | 70kg         | N/A                               |
| BT8390-VESA400F   | Fixed                     | 400   | 70kg         | N/A                               |
| BT8390-VESA400T   | Tilt                      | 400   | 70kg         | N/A                               |
| BT8390-VESA400MAF | Fixed, Micro-Adjustment   | 400   | 50kg         | Depth: +/-10mm<br>Height: +/-25mm |
| BT8390-VESA400MAP | Pop-Out, Micro-Adjustment | 400   | 50kg         | Depth: +/-10mm<br>Height: +/-20mm |
| BT8390-VESA600F   | Fixed                     | 600   | 70kg         | N/A                               |
| BT8390-VESA800F   | Fixed                     | 800   | 70kg / 200kg | N/A                               |
| BT8390-VESA1200F  | Fixed                     | 1200  | 200kg        | N/A                               |

\*Refers to vertical VESA fixings only















BT8390-CFK **Collar Mounting Bracket** 

Attaches BT8390 rails to System 2 Ø50mm poles using collars













Rail angle adjustment range: +/- 45°



**BT8380-WTB** Wall Tie-Back

Secures System X stands to adjacent walls





Adjustable arm extension: 214mm -707mm



BT8390-CMC **Cable Management Clips** 




Supplied in packs of 3

BT8380-FFT

**False Floor Trim** 

Split design ideal for retro fitting on installations





**Rear Covers** 

BT8390-RCL

for Landscape Displays











# Ø50mm Pole Mounted **Component Range**



The System 2 Range is a component system that works on a modular principle based around the use of Ø50mm (2") poles, which can easily be cut to length and joined.

With various mounting options, poles can be attached to the wall, ceiling or System X bases and can hold all AV devices by clamping them to the poles using Ø50mm accessory collars. Specialist mounts for joists, purlins, I-beams and internal and external pole joiners make the System 2 Range a truly versatile and flexible modular mounting system that allows AV equipment to be mounted almost anywhere.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.






















Flat Screen Ceiling Mounts

### **Basic Installation**

This quick start guide demonstrates the steps to create a basic flat-screen ceiling installation using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs.

for more information or to see how the range can be used in alternative installations, please get in touch with us at technical@btechavmounts.com



Choose a Ceiling Mount

|                      | •  |  |
|----------------------|--|--|
| WALL FIXING          | C KITS                                     |  |
| PRODUCT CODE         | DESCRIPTION                                |  |
| BT7807               | Heavy Duty Twin Pole Floor / Ceiling Mount |  |
| BT7808               | Ceiling / Wall Mount with Tilt             |  |
| BT7822<br>(pictured) | Heavy Duty Floor / Ceiling Mount           |  |
| BT7851*              | Telescopic Ceiling Mount                   |  |
| SPECIALIST MO        | DUNTS                                      |  |
| BT7012               | Purlin Mount                               |  |
| BT7017               | I-Beam (Girder) Mount                      |  |
| BT7825               | Truss Clamp                                |  |
| BT7831               | Wall Mounting Bracket                      |  |

<sup>\*</sup>BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to Step 3

### Step 2:

Choose a Ø50mm Pole

| POLES                 |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT7850-050            | 0.5m    |
| BT7850-100            | lm      |
| BT7850-150 (pictured) | 1.5m    |
| BT7850-200 (pictured) | 2m      |
| BT7850-300            | 3m      |

<sup>\*</sup>To extend poles, choose a joiner listed below and an additional pole to fit to.

| POLE JOINERS      |                      |
|-------------------|----------------------|
| PRODUCT CODE      | DESCRIPTION          |
| BT7823 (pictured) | Internal Pole Joiner |
| BT7824            | External Pole Joiner |



### Step 3:

STEP 2

Choose a Screen Mount

| FLAT SCREEN       | MOUNTS                   |              |                        |
|-------------------|--------------------------|--------------|------------------------|
| PRODUCT CODE      | DESCRIPTION              | MAX<br>VESA* | COLLARS<br>REQ.        |
| BT7510            | Fixed Mount              | 100          | 1                      |
| BT7511 (pictured) | Mount with Tilt          | 100          | 1                      |
| BT7518            | Mount with Tilt & Swivel | 100          | 2                      |
| BT7551            | Pole Mount               | 100          | 0                      |
| BT7523            | Mount with Tilt          | 200          | 1                      |
| BT8431            | Mount with Tilt          | 400          | 2                      |
| BT8441            | Fixed Mount              | 400          | 2                      |
| BT8432            | Mount with Tilt          | 600<br>400   | 2                      |
| BT9903            | Fixed Mount              | 1000<br>600  | 4<br>(twin poles only) |
| BT9910            | Mount with Tilt          | 1000<br>600  | 4<br>(twin poles only) |

#### Step 4: (if required) Choose a Collar

| COLLARS           |                             |
|-------------------|-----------------------------|
| PRODUCT CODE      | DESCRIPTION                 |
| BT7051            | Heavy-Duty Accessory Collar |
| BT7052            | Accessory Collar            |
| BT7841 (pictured) | 2-Piece Accessory Collar    |

Please note some screen mounts do not require an accessory collar, please see **Step 3** for collar requirements



















### **Projector Mounts**

### **Basic Installation**

This quick start guide demonstrates creating a basic projector ceiling mount using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs.

for more information or to see how the range can be used in alternative installations, please get in touch with us at technical@btechavmounts.com

**Step 1:**Choose a Ceiling Mount

| onoose a cem          |  |  |
|-----------------------|--|--|
| WALL FIXING KITS      |  |  |
| PRODUCT CODE          | DESCRIPTION                                |  |
| BT7807                | Heavy Duty Twin Pole Floor / Ceiling Mount |  |
| BT7808                | Ceiling / Wall Mount with Tilt             |  |
| BT7822                | Heavy Duty Floor / Ceiling Mount           |  |
| BT7851*<br>(pictured) | Telescopic Ceiling Mount                   |  |
| SPECIALIST MOUNTS     |  |  |
| BT7012                | Purlin Mount                               |  |
| BT7017                | I-Beam (Girder) Mount                      |  |
| BT7825                | Truss Clamp                                |  |
| BT7831                | Wall Mounting Bracket                      |  |

\*BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to Step 3

### Step 2:

Choose a Ø50mm Pole

| POLES                 |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT7850-050            | 0.5m    |
| BT7850-100            | lm      |
| BT7850-150 (pictured) | 1.5m    |
| BT7850-200 (pictured) | 2m      |
| BT7850-300            | 3m      |

\*To extend poles, choose a joiner listed below and an additional pole to fit to.

| POLE JOINERS      |                      |
|-------------------|----------------------|
| PRODUCT CODE      | DESCRIPTION          |
| BT7823 (pictured) | Internal Pole Joiner |
| BT7824            | External Pole Joiner |

### Step 3:

Choose a Projector Mount

| COLLARS            |                             |
|--------------------|-----------------------------|
| PRODUCT CODE       | DESCRIPTION                 |
| BT899              | Projector Mount             |
| BT899XL (pictured) | Extra-Large Projector Mount |
| BT893              | Heavy-Duty Projector Mount  |





### SYSTEM 2

### **Quick-Start Guide:**

### Flat Screen Ceiling Mounts Intermediate Installation

This quick start guide demonstrates how to create a CCTV installation using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs. Start with the basics and add additional devices, such as screens or accessories, as desired

for more information or to see how the range can be used in alternative installations, please get in touch with us at technical@btechavmounts.com



Choose a Ceiling Mount

| WALL FIXING KITS   |  |  |
|--|--|--|
| PRODUCT CODE   | DESCRIPTION                                |  |
| BT7807   | Heavy Duty Twin Pole Floor / Ceiling Mount |  |
| BT7808<br>(pictured)   | Ceiling / Wall Mount with Tilt             |  |
| BT7822   | Heavy Duty Floor / Ceiling Mount           |  |
| BT7851*  | Telescopic Ceiling Mount                   |  |
| SPECIALIST MO  | DUNTS                                      |  |
| BT7012   | Purlin Mount                               |  |
| BT7017   | I-Beam (Girder) Mount                      |  |
| BT7825   | Truss Clamp                                |  |
| BT7831   | Wall Mounting Bracket                      |  |
| *BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to Step 3 |  |  |

### Step 2:

Choose a Ø50mm Pole

| POLES                 |         |
|-----------------------|---------|
| PRODUCT CODE          | LENGTH* |
| BT7850-050            | 0.5m    |
| BT7850-100 (pictured) | 1m      |
| BT7850-150            | 1.5m    |
| BT7850-200            | 2m      |
| BT7850-300            | 3m      |

\*To extend poles, choose a joiner listed below and an additional pole to fit to.

| POLE JOINERS      |                      |
|-------------------|----------------------|
| PRODUCT CODE      | DESCRIPTION          |
| BT7823 (pictured) | Internal Pole Joiner |
| BT7824            | External Pole Joiner |

### Step 3:

Choose a CCTV Mount\*

| DOME CAMERA MOUNT |                            |
|-------------------|----------------------------|
| PRODUCT CODE      | DESCRIPTION                |
| BT6010 (pictured) | Security Dome Camera Mount |

\*For more CCTV mounting solutions refer to the System V range on from page 140



Step 4: (optional) Choose a Screen Mount

| FLAT SCREEN MOUNTS   |                               |             |                 |  |  |
|----------------------|-------------------------------|-------------|-----------------|--|--|
| PRODUCT DESCRIPTION  |                               | MAX<br>VESA | COLLARS<br>REQ. |  |  |
| BT7510               | Fixed Mount                   | 100         | 1               |  |  |
| BT7511<br>(pictured) | Mount with Tilt               | 100         | 1               |  |  |
| BT7518               | Mount with<br>Tilt and Swivel | 100         | 2               |  |  |
| BT7532               | Fixed Mount                   | 200         | 1               |  |  |
| BT7523               | Mount with Tilt               | 200         | 1               |  |  |
| BT8431               | Mount with Tilt               | 400         | 2               |  |  |
| BT8441               | Fixed Mount                   | 400         | 2               |  |  |
| BT8432               | Mount with Tilt               | 600×400     | 2               |  |  |
| BT8442               | Fixed Mount                   | 600×400     | 2               |  |  |

### Step 5: (if required)

| COLLARS           |                             |
|-------------------|-----------------------------|
| PRODUCT CODE      | DESCRIPTION                 |
| BT7051            | Heavy-Duty Accessory Collar |
| BT7052            | Accessory Collar            |
| BT7841 (pictured) | 2-Piece Accessory Collar    |











### SYSTEM 2

### **Quick-Start Guide:**

### Floor-to-Ceiling Media Setup **Advanced Installation**

This quick start guide demonstrates the steps to create an advanced floor-to-ceiling installation using the System 2 range. Customise your installation as desired with an almost endless amount of screens and accessories using our diverse range of System 2 compatible mounts.

for more information or to see how the range can be used in alternative installations, please get in touch with us a technical@btechavmounts.com



### Step 1:

Choose a Ceiling Mount

| WALL FIXING KITS     |  |  |  |  |
|----------------------|--|--|--|--|
| PRODUCT CODE         | DESCRIPTION                                |  |  |  |
| BT7807               | Heavy Duty Twin Pole Floor / Ceiling Mount |  |  |  |
| BT7808               | Ceiling / Wall Mount with Tilt             |  |  |  |
| BT7822<br>(pictured) | Heavy Duty Floor / Ceiling Mount           |  |  |  |
| BT7851*              | Telescopic Ceiling Mount                   |  |  |  |
|                      |  |  |  |  |

| SPECIALIST MO | DUNTS                 |
|---------------|-----------------------|
| BT7012        | Purlin Mount          |
| BT7017        | I-Beam (Girder) Mount |
| BT7825        | Truss Clamp           |
| BT7831        | Wall Mounting Bracket |

\*BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to Step 3

### Step 2:

Choose a Ø50mm Pole

| POLES                 |         |  |
|-----------------------|---------|--|
| PRODUCT CODE          | LENGTH* |  |
| BT7850-050            | 0.5m    |  |
| BT7850-100 (pictured) | 1m      |  |
| BT7850-150            | 1.5m    |  |
| BT7850-200            | 2m      |  |
| BT7850-300            | 3m      |  |
| •-                    |         |  |

\*To extend poles, choose a joiner listed below and an additional pole to fit to.

| POLE JOINERS      |                      |
|-------------------|----------------------|
| PRODUCT CODE      | DESCRIPTION          |
| BT7823 (pictured) | Internal Pole Joiner |
| BT7824            | External Pole Joiner |

### Step 3:

Choose a Floor Fixing

| FLOOR FIXINGS |  |  |  |
|---------------|--|--|--|
| PRODUCT CODE  | DESCRIPTION                                  |  |  |
| BT7056        | Floor Fixing Kit                             |  |  |
| BT7807        | Heavy-Duty Twin Pole Floor / Ceiling Mount   |  |  |
| BT7822        | Heavy-Duty Single Pole Floor / Ceiling Mount |  |  |









| FLAT SCREEN MOUNTS   |                               |             |                           |  |  |
|----------------------|-------------------------------|-------------|---------------------------|--|--|
| PRODUCT<br>CODE      | DESCRIPTION                   | MAX<br>VESA | COLLARS<br>REQ.           |  |  |
| BT7510               | Fixed Mount                   | 100         | 1                         |  |  |
| BT7511               | Mount with Tilt               | 100         | 1                         |  |  |
| BT7518               | Mount with<br>Tilt and Swivel | 100         | 2                         |  |  |
| BT7551               | Pole Mount                    | 100         | 0                         |  |  |
| BT7532               | Fixed Mount                   | 200         | 1                         |  |  |
| BT7523<br>(pictured) | Mount with Tilt               | 200         | 1                         |  |  |
| BT8431               | Mount with Tilt               | 400         | 2                         |  |  |
| BT8441               | Fixed Mount                   | 400         | 2                         |  |  |
| BT8432               | Mount with Tilt               | 600<br>400  | 2                         |  |  |
| BT9903               | Fixed Mount                   | 1000<br>600 | 4<br>(twin poles<br>only) |  |  |
| BT9910               | Mount with Tilt               | 1000<br>600 | 4<br>(twin poles<br>only) |  |  |

Step 5: (if required) Choose a Collar

| COLLARS           |                             |
|-------------------|-----------------------------|
| PRODUCT CODE      | DESCRIPTION                 |
| BT7051            | Heavy-Duty Accessory Collar |
| BT7052            | Accessory Collar            |
| BT7841 (pictured) | 2-Piece Accessory Collar    |

Please note some screen mounts do not require an accessory collar, please see **Step 3** for collar requirements

### Step 6: (optional)


Add Accessories

| Add Accessories  |                              |                 |  |  |
|--|------------------------------|-----------------|--|--|
| SHELVES AND ADAPTORS   |                              |                 |  |  |
| PRODUCT CODE   | DESCRIPTION                  | COLLARS<br>REQ. |  |  |
| BT7033   | 300 x 300mm AV Shelf         | 1 or 2*         |  |  |
| BT7032   | 500 x 380mm AV Shelf         | 1 or 2*         |  |  |
| BT7880   | Apple® TV Mount              | 1               |  |  |
| BT7863   | VC Camera Shelf              | 1               |  |  |
| BT7871 / BT7873<br>BT7874 /BT7875 / BT7877<br>BT7878 /BT7879 | Video Bar<br>Mounting Plates | 1               |  |  |
| BT7864   | Twin-Pole VC Camera Shelf    | 2               |  |  |
| BT7865   | Keyboard and Mouse Shelf     | 2*              |  |  |
| RT7032 / RT7033 / RT7865 can be mounted on single            |                              |                 |  |  |

or twin poles



### Step 1



### Specialist Mounts



### Wall Mounts






### Step 2







The System 2 range is a component-based mounting system designed around the use of Ø50mm poles. For flexibility and convenience, components are supplied individually and can be used to create custom installations to suit any applications. System 2 is also compatible with the System X range for ceiling-mounted videowall applications.







BT7850 pole colour options: Black, Chrome or White (0.5m, 1m 1.5m) \*Poles can be joined together using a pole joiner or cut down to size upon request

### System 2: Pole Joiners





BT7823 **Internal Pole Joiner** for Ø50mm Poles





\*Not suitable for use with BT7853 Heavy Duty Poles



**BT7824 External Pole Joiner** for Ø50mm Poles
















bolt-down floor mount for Floor-to-Ceiling





Can also be used as a bolt-down floor mount for Floor-to-Ceiling installations



Up to  $+90^{\circ}$  tilt of pole Ideal for angled ceilings or walls



Tool-less adjustment of ceiling drop In 25mm increments

**BT7822 Heavy Duty Ceiling / Floor Mount** for Ø50mm Poles



**BT7807 Heavy Duty Twin Pole** Ceiling / Floor Mount for Ø50mm Poles



**BT7808** Ceiling / Wall Mount With Tilt for Ø50mm Poles



**BT7851 Adjustable Drop Ceiling Mount** for Ø50mm Poles





### **System 2: Specialist Pole Mounts**



Fits 'C' and 'Z' section purlin with a minimum height of 95mm

### BT7012 **Purlin Mount** for Ø50mm Poles
















Truss compatibility: Ø42mm - Ø50mm











Ideal for floor-to-wall or Ceiling-to-wall installations







|                   | System 2: <b>Ceiling Mounts</b> |                            |                           |                             |                                     |                              |                                     |                             |
|-------------------|---------------------------------|----------------------------|---------------------------|-----------------------------|-------------------------------------|------------------------------|-------------------------------------|-----------------------------|
|                   | BT7822                          | BT7807                     | BT7808                    | BT7851                      | BT7012                              | BT7017                       | BT7825                              | BT7831                      |
| Max load          | 150kg                           | 200kg                      | 140kg                     | 100kg                       | 140kg                               | 140kg                        | 70kg                                | 150kg                       |
| Tilt              | N/A                             | N/A                        | +90°                      | N/A                         | +45°                                | +/-36°                       | N/A                                 | N/A                         |
| Ceiling           | $\overline{\checkmark}$         | $\overline{\checkmark}$    | $\overline{\checkmark}$   |                             | $\checkmark$                        | $\overline{\checkmark}$      | $\overline{\checkmark}$             | N/A                         |
| Floor             | $\overline{\checkmark}$         | $\overline{\checkmark}$    | N/A                       | N/A                         | N/A                                 | N/A                          | N/A                                 | N/A                         |
| Wall              | N/A                             | N/A                        | $\checkmark$              | N/A                         | N/A                                 | N/A                          | N/A                                 | $\overline{\checkmark}$     |
| Specs             | Plate Dims:<br>Ø <b>150mm</b>   | Plate Dims:<br>426 x 150mm | Plate Dims:<br>200 x 71mm | Ceiling Drop:<br>600-1000mm | Fits Purlins:<br>'C' & 'Z' sections | Clamp Width:<br>80mm - 250mm | Truss compatibility:<br>Ø42 - Ø50mm | Distance from Wall<br>145mm |
| Colour<br>options |                                 |                            | $\overline{\checkmark}$   | V                           | N/A                                 | N/A                          | N/A                                 | N/A                         |

142









Fixes onto the back of a B-Tech flat screen mount or AV accessory







**BT7841** Ø50mm 2-Piece Accessory Collar



Ideal for retro-fitting AV Accessories onto System 2 Ø50mm poles



BT7051 Ø50mm Heavy Duty **Accessory Collar** 



Use collars to pole mount System X rails



BT7852 **Swivel Adaptor** for Ø50mm Poles









**BT7056** Floor Fixing Kit for Ø50mm Poles





**BT7055 Ceiling Finishing Ring** for Ø50mm Poles







Suitable for vertical columns with circumferences between 140mm - 750mm No drilling required

**BT7832** Column / Pillar Clamp



Use with a collar compatible screen mount





### System 2: Flat Screen Mount

The following AV mounts attach directly to the bottom of System 2 BT7850 Poles

#### **BT7551**

Flat Screen Ceiling/Desk Mount with Tilt & Swivel for Ø50mm Poles















Attaches to the bottom of BT7850 Poles



Suitable for dome cameras





Suitable for dome cameras with fixings between 63.5mm -103.5mm



Suitable for projectors with fixings up to 370mm



**BT899 Projector Mount**with Micro-Adjustment











Suitable for projectors with fixings up to 493.5mm

# **BT899XL XL Projector Mount**with Micro-Adjustment







Suitable for XL projectors with fixings up to 873mm





# Floor Stand Components



### Provided as individual components, floor stands can be designed and assembled to precisely meet your specific installation needs.

B-Tech floor stands offer versatility with options for either Ø50mm floor poles or stylish aluminium columns designed to accommodate displays up to 75". The slim, low-profile bases are equipped with non-marking rubber feet, convenient grab handles for easy handling, and a cover plate for enhanced aesthetics. Mount your screen at any height along the pole or column, and B-Tech accessories such as AV shelves and video bar mounting plates can be seamlessly attached to the uprights.

To custom-build a floor stand, start by selecting a suitable base based on the screen and installation location. Then, add a pole (available in three heights) or a 1.8m column (offered in three colours). Choose an appropriate screen interface from B-Tech's wide range of flat-screen mounts. Finally, include component shelves or other accessories as needed. A joining plate is also available for those looking to integrate System X mounting rails and interface arms onto the stand.

For complete product specifications, including technical drawings and colour options, scan the QR code for each product to view the online page.

#### **Key Features**

- Low-profile floor bases designed for use with single or twin B-Tech floor stand poles or BT8381 columns
- Screen interface kits and accessories are all available separately
- Compatible with B-Tech's System X and System 2 ranges to create a variety of flat-screen floor stands
- Heavy-duty bases made from 6mm thick steel construction
- Non-marking rubber feet
- Grab handles allow for easy handling
- Cover plate hides grab handles for a tidy finish
- Accessorise stands with AV shelves and video bar mounts
- Integrated cable management for a tidy finish



















Accessorise with AV Components



**Twin Screen Mounting** 



info@btechavmounts.com

BTech 147



148



















#### ■ BT4000

**Small Floor Base** 

for use with a **Ø50mm Floor Stand Pole** 







#### ■ BT4002

**Large Floor Base** for use with BT8381 Columns or a Ø50mm Floor Stand Poles



#### ■ BT8381-FFB **Fixed Floor Base** for use with a BT8381 Column



#### BT4001


**Medium Floor Base** for use with a BT8381 Column or a Ø50mm Floor Stand Pole



#### **Cover Plates**

**35kg** 

for use with BT4000 / BT4001 / BT4002 Bases





- Hides unused fixing holes and handles
- Order according to your preference for poles or columns and whether it is a single or double installation
- BT4002-SPC for use when installing a single pole to a base  $\ensuremath{\mathbf{BT4002\text{-}SCC}}$  for use when installing a single column to a base BT4002-TPC for use when installing twin poles to a base **BT4002-TCC** for use when installing twin columns to a base
- Designed for use with B-Tech's BT4000\*, BT4001 and BT4002 bases
- Supplied with double sided adhesive tape to fix the cover plates

| Choose t        | Choose the cover plate to suit your installation |                  |                  |                 |  |
|-----------------|--|------------------|------------------|-----------------|--|
| Floor Base      | What v   | erticals are yo  | u fitting to the | base?           |  |
| Product<br>Code | Single<br>Pole                                   | Single<br>Column | Twin<br>Poles    | Twin<br>Columns |  |
| BT4000          | BT4002-SPC                                       | ×                | ×                | X               |  |
| BT4001          | BT4002-SPC                                       | BT4002-SCC       | X                | X               |  |
| BT4002          | BT4002-SPC                                       | BT4002-SCC       | BT4002-TPC       | BT4002-TCC      |  |

| Floor Bases     |              |             |                                   |              |                |
|-----------------|--------------|-------------|-----------------------------------|--------------|----------------|
| Model<br>Number | Mounting     | Max<br>Load | Dimensions                        | No.<br>Poles | No.<br>Columns |
| BT4000          | Freestanding | 8kg         | <b>W.</b> 580mm x <b>D.</b> 400mm | 1            | N/A            |
| BT4001          | Freestanding | 35kg        | <b>W.</b> 700mm x <b>D.</b> 515mm | 1            | 1              |
| BT4002          | Freestanding | 70kg        | <b>W.</b> 800mm x <b>D.</b> 600mm | 1 or 2       | 1 or 2         |
| BT8381-FFB      | Bolt-Down    | 50kg        | <b>W.</b> 220mm x <b>D.</b> 160mm | N /A         | 1              |









#### Ø50mm Floor Stand Poles



BT4107 (0.75m)



BT4116 (1.6m)



BT4118 (1.8m)









**BT8381** 






#### **Mounting Accessories**

**BT7052** Ø50mm Accessory Collar



**BT7027 Tilting Adaptor Plate** for **Ø50mm Poles** 





**BT7841** Ø50mm 2-Piece **Accessory Collar** 





Collars attach B-Tech Mounts to Poles (BT4107 / BT4116 / BT4118)

Ideal for low level stands




**BT8381-JPS** Rail-To-Column **Joining Plate** 



Attaches a BT8390 Rail to a BT8381 Column





# SYSTEM® Ø38mm Components & Ceiling Mounts for Security Systems



The System V Range of mounting solutions is a specialist range of products designed to install security cameras and CCTV systems into public spaces such as retail, transportation, corporate, government and leisure environments.

**System V** is a collection of mounting components designed around the use of Ø38mm poles, available in three lengths (that can also be joined together using a pole joiner) to install dome cameras and flat screens from the ceiling. The components encompass ceiling mounts, poles, a collar for affixing screen mounts, camera mounting plates catering to small to large dome cameras, and a 1.5" threaded adaptor compatible with equipment adhering to the NPT standard. Additionally, an adaptor is available to incorporate ceiling mounts from B-Tech's versatile System 2 range, facilitating CCTV installations that necessitate specialised mounts for I-Beams, Purlins, and Truss systems.


For convenience complete mounting solutions are also available to order - See page 158.



















154









# Create a custom pole mounted solution in 4 simple steps The System V range is a component based system based around the use of Ø38mm poles. For greater flexibility and convenience, components are supplied individually and can be used to create custom installations to suit any application.

## Step 3 Choose A Collar Or Mount

# Ø38mm Collar

### **Security Camera Mounts**







**NPT Adaptor** 



## Step 4

Choose Screen Interface Kit


# Flat Screen Mounts





# **Complete Kits**

Off-The-Shelf Kits



## **System V: Poles & Ceiling Mounts**

#### ■ BT5920

**Fixed Ceiling Mount** 

for use with BT5935 Ø38mm Poles







#### BT5921 **Ceiling Mount with Tilt**

Tilt suitable for mounting on angled ceilings or walls









#### ■ BT5922 Girder / Purlin Mount









Adjustable clamp suitable for: **I-beams** (w: 65 - 267mm) C-section, Z section, Sigma-section Purlins (w: 50 - 230.5mm)

#### ■ BT5925 **Adjustable Drop Ceiling Mount**



#### BT5935 Ø38mm Pole



Fits easily to other **System V** Components such as BT5920 Ceiling Mount and BT5910 Camera Mount

#### Available in 3 pole lengths

| BT5935-100 |   | 1m Pole |
|------------|---|---------|
| BT5935-200 | V | 2m Pole |
| BT5935-300 |   | 3m Pole |



## System V: **Pole Joiner**

Join x2 BT5935 Ø38mm Poles to extend the drop of a  ${\bf System}~{\bf V}$  installation

#### **BT5923 Internal Pole Joiner** for use with **BT5935** Ø38mm Poles





| System V: <b>Ceiling Mounts</b> |                            |   |      |                       |  |  |
|---------------------------------|----------------------------|---|------|-----------------------|--|--|
| Model<br>Number                 | Total Max<br><b>Weight</b> | Max Load<br>Mounting On<br>1 Side Of Pole | Tilt | Dimensions            |  |  |
| BT5920                          | 75kg                       | N/A                                       | N/A  | Ø120 x 103mm          |  |  |
| BT5921                          | 75kg                       | 25kg*                                     | 90°  | 150 x 70 x 63.5mm     |  |  |
| BT5922                          | 70kg                       | 40kg*                                     | 90°  | 330 x 151 x 80mm      |  |  |
| BT5925                          | 25kg                       | 25kg*                                     | N/A  | Ø120 x 833-<br>1472mm |  |  |

\*Max load if mounting on only one side of the pole. Max load of ceiling mount increases when mounting on both sides or the bottom of the pole.











■ BT5909

**Small Dome Security Camera Mount** for use with BT5935 Ø38mm Poles







BT5911

**Large Dome Security Camera Mount** for use with BT5935 Ø38mm Poles



#### ■ BT5910

**Dome Security Camera Mount** for use with **BT5935** Ø38mm Poles







| Sys             | System V Camera Mounts |                              |                   |  |  |  |
|-----------------|------------------------|------------------------------|-------------------|--|--|--|
| Model<br>Number | Max Load               | Camera Fixings<br>Dimensions | Plate<br>Diameter |  |  |  |
| BT5909          | 5kg                    | 51mm - 90mm                  | Ø120mm            |  |  |  |
| BT5910          | 5kg                    | 51mm -127.5mm                | Ø144mm            |  |  |  |
| BT5911          | 5kg                    | 51mm - 251.5mm               | Ø268mm            |  |  |  |







## System V: Mounting Accessories

#### BT5952

5kg

#### **Accessory Collar**

for use with BT5935 Ø38mm Poles





Attach a range of **B-Tech Screen Mounts** to a System V Pole

#### BT5951

#### **NPT Adaptor**

for use with **BT5935 Ø38mm Poles** 







Attach an NPT 1.5" (38mm) Security Camera to a System V Pole

#### **BT5950**

#### Ø38mm Pole Adaptor

to allow the use of **System 2** Ø50mm Ceiling Mounts to System V Poles





#### BT5953

#### **Pole Ring**

for use with BT5935 Ø38mm Poles





# Surveillance & Security **Mounting Solutions**



Complete mounting solutions designed to seamlessly install security cameras, flat screens, and CCTV systems in various public spaces, including retail, transportation, corporate, government, and leisure environments.

Constructed using System V components, we have created a range of ready-made ceiling mount kits designed to cover some of our most popular installations. These kits offer options for pole mounting single dome cameras, a small to medium-sized flat screen, or a combination of both camera and screen. Tailored for use with System V's Ø38mm poles, these solutions are available in two lengths, utilising either a one or two-meter pole.

For a more custom approach, individual components within the System V range are available (see page 152). Poles can be joined together for an extended ceiling drop, and an adaptor is offered to enable the use of these components with B-Tech's versatile System 2 range. This flexibility allows CCTV installations onto I-Beams, Purlins, and Truss systems.

For complete product specifications, including technical drawings and colour options, scan each product's QR code to view the online page.

#### **Key Features**

- Complete mounting kits to mount a dome security camera, a screen or both from the ceiling
- Available in a choice of two different drop lengths
- Multiple grub screws allow microadjustment of the pole to ensure a perfectly angled drop
- Safety bolts ensure pole and camera mount are securely joined for a safe installation
- Includes cover plates for a smart installation
- Integrated cable management allows cables to pass through the centre of the pole
- Components are also available to order individually











# **SYSTEM** • M










## **Camera & Screen Ceiling Mounts**



#### Flat Screen & Dome Camera Ceiling Mounting Kit
















|              | Survei          | illance                     | & Security       | Mount                       | ing S                 | olution                    | S                     |              |
|--------------|-----------------|-----------------------------|------------------|-----------------------------|-----------------------|----------------------------|-----------------------|--------------|
| Model Number | Mount           | Max Camera<br><b>Weight</b> | Camera Fixings   | Max Screen<br><b>Weight</b> | Screen<br><b>VESA</b> | Recommended<br>Screen Size | Screen<br><b>Tilt</b> | Ceiling Drop |
| BT5960-FD    | Camera          | 5kg                         | 51.5mm - 127.5mm | N/A                         | N/A                   | N/A                        | N/A                   | 1m / 2m      |
| BT5960-AD    | Camera          | 5kg                         | 51.5mm - 127.5mm | N/A                         | N/A                   | N/A                        | N/A                   | 833-1472mm   |
| BT5961-FD    | Camera          | 5kg                         | 51.5mm -251.5mm  | N/A                         | N/A                   | N/A                        | N/A                   | 1m / 2m      |
| BT5961-AD    | Camera          | 5kg                         | 51.5mm -251.5mm  | N/A                         | N/A                   | N/A                        | N/A                   | 833-1472mm   |
| BT5962-FD    | Camera & Screen | 5kg                         | 51.5mm - 127.5mm | 20kg                        | 100                   | 10"-28"                    | N/A                   | 1m / 2m      |
| BT5962-AD    | Camera & Screen | 5kg                         | 51.5mm - 127.5mm | 20kg                        | 100                   | 10"-28"                    | N/A                   | 833-1472mm   |
| BT5963-FD    | Camera & Screen | 5kg                         | 51.5mm - 127.5mm | 20kg                        | 100                   | 10"-28"                    | +17%-10°              | 1m / 2m      |
| BT5963-AD    | Camera & Screen | 5kg                         | 51.5mm - 127.5mm | 20kg                        | 100                   | 10"-28"                    | +17%-10°              | 833-1472mm   |
| BT5964-FD    | Camera & Screen | 5kg                         | 51.5mm - 127.5mm | 25kg                        | 200                   | 22"-47"                    | +/-40°                | 1m / 2m      |
| BT5964-AD    | Camera & Screen | 5kg                         | 51.5mm - 127.5mm | 25kg                        | 200                   | 22"-47"                    | +/-40°                | 833-1472mm   |
| BT5965-FD    | Camera          | 25kg                        | NPT (1.5")       | N/A                         | N/A                   | N/A                        | N/A                   | 1m/2m        |
| BT5965-AD    | Camera          | 25kg                        | NPT (1.5")       | N/A                         | N/A                   | N/A                        | N/A                   | 833-1472mm   |
| BT5970-FD    | Screen          | N/A                         | N/A              | 20kg                        | 100                   | 10"-28"                    | N/A                   | 1m/2m        |
| BT5970-AD    | Screen          | N/A                         | N/A              | 20kg                        | 100                   | 10"-28"                    | N/A                   | 833-1472mm   |
| BT5971-FD    | Screen          | N/A                         | N/A              | 20kg                        | 100                   | 10"-28"                    | +17%-10°              | 1m / 2m      |
| BT5971-AD    | Screen          | N/A                         | N/A              | 20kg                        | 100                   | 10"-28"                    | +17%-10°              | 833-1472mm   |
| BT5972-FD    | Screen          | N/A                         | N/A              | 25kg                        | 200                   | 22"-47"                    | +/-40°                | 1m / 2m      |
| BT5972-AD    | Screen          | N/A                         | N/A              | 25kg                        | 200                   | 22"-47"                    | +/-40°                | 833-1472mm   |

|   | Product<br>Code | Page<br>Number |
|---|-----------------|----------------|
| • | BT4000          | 150            |
| • | BT4001          | 150            |
| • | BT4002          | 150            |
| • | BT4002-SCC      | 150            |
| • | BT4002-SPC      | 150            |
| • | BT4002-TCC      | 150            |
| • | BT4002-TPC      | 150            |
| • | BT4107          | 151            |
| • | BT4116          | 151            |
| • | BT4118          | 151            |
| • | BT5226          | 61             |
| • | BT5227          | 63             |
| • | BT5431          | 60             |
| • | BT5432          | 62             |
| • | BT5441          | 60             |
| • | BT5442          | 62             |
| • | BT5909          | 157            |
| • | BT5910          | 157            |
| • | BT5911          | 157            |
| • | BT5920          | 156            |
| • | BT5921          | 156            |
| • | BT5922          | 156            |
| • | BT5923          | 156            |
| • | BT5925          | 156            |
| • | BT5935          | 156            |
| • | BT5950          | 157            |
| • | BT5951          | 157            |
| • | BT5952          | 157            |
| • | BT5953          | 157            |
| • | BT5960-AD       | 160            |
| • | BT5960-FD       | 160            |
| • | BT5961-AD       | 160            |
| • | BT5961-FD       | 160            |
| • | BT5962-AD       | 160            |
| • | BT5962-FD       | 160            |
| • | BT5963-AD       | 160            |
| • | BT5963-FD       | 160            |
| • | BT5964-AD       | 160            |
| • | BT5964-FD       | 160            |
| • | BT5965-AD       | 160            |
| • | BT5965-FD       | 160            |
| • | BT5970-AD       | 161            |

|   | Product<br>Code | Page<br>Number |
|---|-----------------|----------------|
| • | BT5970-FD       | 161            |
| • | BT5971-AD       | 161            |
| • | BT5971-FD       | 161            |
| • | BT5972-AD       | 161            |
| • | BT5972-FD       | 161            |
| • | BT6010          | 145            |
| • | BT7000          | 50             |
| • | BT7001          | 50             |
| • | BT7002          | 50             |
| • | BT7003          | 52             |
| • | BT7004          | 52             |
| • | BT7012          | 142            |
| • | BT7017          | 142            |
| • | BT7027          | 151            |
| • | BT7031          | 102            |
| • | BT7032          | 101            |
| • | BT7033          | 101            |
| • | BT7034          | 102            |
| • | BT7051          | 143            |
| • | BT7052          | 143, 151       |
| • | BT7055          | 144            |
| • | BT7056          | 144            |
| • | BT7104          | 52             |
| • | BT7351          | 71             |
| • | BT7352          | 71             |
| • | BT7353          | 71             |
| • | BT7355          | 73             |
| • | BT7356          | 73             |
| • | BT7371          | 72             |
| • | BT7372          | 72             |
| • | BT7373          | 72             |
| • | BT7374          | 72             |
| • | BT7383          | 72             |
| • | BT7399          | 72             |
| • | BT7502          | 65             |
| • | BT7504          | 77             |
| • | BT7510          | 56             |
| • | BT7511          | 56             |
| • | BT7512          | 56             |
| • | BT7513          | 56             |
| • | BT7514          | 59             |
| • | BT7515          | 59             |

|   | Duraturat       | l Danie        |
|---|-----------------|----------------|
|   | Product<br>Code | Page<br>Number |
| • | BT7518          | 56             |
| • | BT7523          | 58             |
| • | BT7532          | 58             |
| • | BT7540          | 65             |
| • | BT7542          | 65             |
| • | BT7550          | 49             |
| • | BT7550-SF2      | 76             |
| • | BT7551          | 144            |
| • | BT7553          | 67, 71         |
| • | BT7564          | 65             |
| • | BT7565          | 65             |
| • | BT7592          | 57             |
| • | BT7593          | 57             |
| • | BT7594          | 57             |
| • | BT77            | 103            |
| • | BT7780          | 99             |
| • | BT7781          | 100            |
| • | BT7807          | 141            |
| • | BT7808          | 141            |
| • | BT7822          | 141            |
| • | BT7823          | 140            |
| • | BT7824          | 140            |
| • | BT7825          | 142            |
| • | BT7831          | 142            |
| • | BT7832          | 144            |
| • | BT7841          | 143, 151       |
| • | BT7850          | 140            |
| • | BT7851          | 141            |
| • | BT7852          | 143            |
| • | BT7853          | 140            |
| • | BT7863          | 100            |
| • | BT7865          | 101            |
| • | BT7866          | 100            |
| • | BT7870          | 106            |
| • | BT7871          | 106            |
| • | BT7873          | 106            |
| • | BT7874          | 106            |
| • | BT7875          | 100, 106       |
| • | BT7876          | 107            |
| • | BT7877          | 107            |
| • | BT7878          | 100, 107       |
| • | BT7879          | 107            |
| • | BT7883          | 98             |
|   |                 |                |

|   | Product               | Page   |
|---|-----------------------|--------|
| • | BT7883-TRAY           | Number |
|   |                       | 98     |
|   | BT7884                | 90     |
|   | BT7884-TRAY           | 90     |
|   | BT7885<br>BT7885-TRAY | 98     |
|   |                       | 98     |
|   | BT7886                | 100    |
|   | BT7888                | 99     |
| • | BT7889                | 99     |
|   | BT7901                | 52     |
| • | BT8200                | 58     |
| • | BT8226                | 61     |
| • | BT8227                | 63     |
| • | BT8228                | 64     |
| • | BT8229                | 61     |
| • | BT8301                | 45     |
| • | BT8309                | 45     |
| • | BT8310XL              | 45     |
| • | BT8312                | 44     |
| • | BT8322                | 49     |
| • | BT8325                | 51     |
| • | BT8326                | 51     |
| • | BT8327                | 51     |
| • | BT8330                | 36     |
| • | BT8331                | 36     |
| • | BT8332                | 36     |
| • | BT8333                | 36     |
| • | BT8340                | 37     |
| • | BT8341                | 37     |
| • | BT8342                | 37     |
| • | BT8343                | 37     |
| • | BT8370                | 38     |
| • | BT8371                | 38     |
| • | BT8372                | 38     |
| • | BT8373                | 39     |
| • | BT8374                | 39     |
| • | BT8375                | 39     |
| • | BT8376                | 39     |
| • | BT8377                | 38     |
| • | BT8380                | 127    |
| • | BT8380-AFB            | 128    |
| • | BT8380-BASE           | 128    |
| • | BT8380-CASTORS        | 128    |
|   | BT8380-EXTV           | 127    |











|   |                   | age<br>umber |
|---|-------------------|--------------|
| • | BT8380-FFB        | 128          |
| • | BT8380-FFT        | 131          |
| • | BT8380-FSB        | 128          |
| • | BT8380-JPK        | 127          |
| • | BT8380-JPR        | 127          |
| • | BT8380-JPT        | 127          |
| • | BT8380-RFB        | 128          |
| • | BT8380-SHB        | 128          |
| • | BT8380-WTB        | 131          |
| • | BT8381            | 151          |
| • | BT8381-FFB        | 150          |
| • | BT8381-JPS        | 151          |
| • | BT8390            | 126          |
| • | BT8390-AAC        | 131          |
| • | BT8390-CFK        | 131          |
| • | BT8390-CMC        | 131          |
| • | BT8390-EXT        | 126          |
| • | BT8390-RCL        | 131          |
| • | BT8390-RCP        | 131          |
| • | BT8390-SA         | 102, 130     |
| • | BT8390-VESA1200F  | 130          |
| • | BT8390-VESA200F   | 129          |
| • | BT8390-VESA200T   | 129          |
| • | BT8390-VESA400F   | 129          |
| • | BT8390-VESA400MAF | 129          |
| • | BT8390-VESA400MAP | 129          |
| • | BT8390-VESA400T   | 129          |
| • | BT8390-VESA600F   | 130          |
| • | BT8390-VESA800F   | 130          |
| • | BT8390-WFK1       | 126          |
| • | BT8390-WFK2       | 126          |
| • | BT8390-WFK3       | 126          |
| • | BT8390-WFK4       | 126          |
| • | BT8390-WFK5       | 126          |
| • | BT8390-WFK6       | 126          |
| • | BT8390-WFK8       | 126          |
| • | BT83LAEC015-B     | 33           |
| • | BT83LAEC015-M     | 33           |
| • | BT83LAEC015-S     | 33           |
| • | BT83LG163-B       | 33           |
| • | BT83LC163-M       | 33           |
| • | BT83LG163-S       | 33           |
|   |                   |              |

|   | Product     | Dago           |
|---|-------------|----------------|
|   | Code        | Page<br>Number |
| • | BT83LG171-B | 33             |
| • | BT83LG171-M | 33             |
| • | BT83LG171-S | 33             |
| • | BT8415      | 87             |
| • | BT8416      | 87             |
| • | BT8420      | 67             |
| • | BT8424      | 67             |
| • | BT8426      | 68             |
| • | BT8427      | 68             |
| • | BT8428      | 68             |
| • | BT8431      | 60             |
| • | BT8432      | 62             |
| • | BT8441      | 60             |
| • | BT8442      | 62             |
| • | BT8443      | 63             |
| • | BT8448      | 69             |
| • | BT8449      | 69             |
| • | BT8503      | 77             |
| • | BT8504      | 77             |
| • | BT8506      | 77             |
| • | BT8511      | 85             |
| • | BT8514      | 85             |
| • | BT8516      | 85             |
| • | BT8517      | 86             |
| • | BT8518      | 86             |
| • | BT8521      | 84             |
| • | BT8527      | 86             |
| • | BT8528      | 86             |
| • | BT8537      | 86             |
| • | BT8538      | 86             |
| • | BT8540      | 79             |
| • | BT8541      | 79             |
| • | BT8545      | 78             |
| • | BT8546      | 78             |
| • | BT8558      | 80             |
| • | BT8559      | 80             |
| • | BT8562      | 76             |
| • | BT8564      | 76             |
| • | BT8566      | 76             |
| • | BT8568      | 80             |
| • | BT8569      | 81             |
| • | BT856-FEET  | 76             |

|   | Product    | Page     |
|---|------------|----------|
|   | Code       | Number   |
| • | BT8570     | 82       |
| • | BT8571     | 82       |
| • | BT8572     | 82       |
| • | BT8573     | 82       |
| • | BT8577     | 53       |
| • | BT8581     | 82       |
| • | BT8582     | 82       |
| • | BT8583     | 82       |
| • | BT8587     | 53       |
| • | BT8590     | 79       |
| • | BT8700     | 90       |
| • | BT8701     | 90       |
| • | BT8702     | 90       |
| • | BT8703     | 91       |
| • | BT8704     | 91       |
| • | BT8705     | 91       |
| • | BT8706     | 91       |
| • | BT8707     | 92       |
| • | BT8708     | 92       |
| • | BT8709     | 92       |
| • | BT8710     | 92       |
| • | BT8711     | 93       |
| • | BT8712     | 93       |
| • | BT893      | 111, 145 |
| • | BT893-AD   | 111      |
| • | BT893-FD   | 111      |
| • | BT899      | 110, 145 |
| • | BT899-AD   | 110      |
| • | BT899-FD   | 110      |
| • | BT899XL    | 110, 145 |
| • | BT899XL-AD | 110      |
| • | BT899XL-FD | 110      |
| • | BT9240     | 30       |
| • | BT9242     | 31       |
| • | BT9244     | 31       |
| • | BT9270     | 30       |
| • | BT9271     | 30       |
| • | BT9272     | 31       |
| • | BT9340     | 22       |
| • | BT9342     | 22       |
| • | BT9343     | 24       |
| • | BT9344     | 22       |
|   |            |          |

|   | Product       | Page   |
|---|---------------|--------|
|   | Code          | Number |
| • | BT9350        | 25     |
| • | BT9351        | 25     |
| • | BT9352        | 25     |
| • | BT9370        | 23     |
| • | BT9370-SAM110 | 32     |
| • | BT9370-SAM130 | 32     |
| • | BT9370-SAM146 | 32     |
| • | BT9371        | 23     |
| • | BT9372        | 23     |
| • | BT9372-SAM110 | 32     |
| • | BT9372-SAM130 | 32     |
| • | BT9372-SAM146 | 32     |
| • | BT9373        | 24     |
| • | BT9375        | 24     |
| • | BT9376        | 25     |
| • | BT9377        | 23     |
| • | BT9378        | 25     |
| • | BT9901        | 64     |
| • | BT9903        | 64     |
| • | BT9910        | 64     |
| • | BT9920        | 48     |
| • | BT9921        | 48     |
| • | BT9922        | 48     |
| • | BT9923        | 49     |
| • | BT9925        | 48     |
| • | BT9926        | 48     |
| • | BTF840        | 83     |
| • | BTF841        | 84     |
| • | BTF842        | 84     |
| • | BTF843        | 83     |
| • | BTF845        | 84     |
| • | BTV500        | 58     |
| • | BTV502        | 58     |
| • | BTV503        | 59     |
| • | BTV504        | 59     |
| • | BTV510        | 60     |
| • | BTV513        | 60     |
| • | BTV520        | 62     |
| • | BTV914        | 103    |
| • | BTW075-4      | 91     |
| • | BTXPS27-B     | 29     |
| • | BTXPS27-M     | 29     |
| • | BTXPS27-S     | 28     |
| • | BTXPS27-W     | 28     |



## Full Range **Product Catalogue**

2025 / 2026

**United Kingdom** +44 (0)1327 300 787 uk@btechavmounts.com

Europe +32 (0)2 720 9271 europe@btechavmounts.com dach@btechavmounts.com

Germany +49 (0)2162-5483032

Spain +34 93 640 24 79 iberia@btechavmounts.com **Americas** +1 888 792 8188 americas@btechavmounts.com

+971 4 3574855 meai@btechavmounts.com apac@btechavmounts.com

+65 3159 1604

(+86) 574 8810 3861 china@btechavmounts.com

South Korea +82 (0) 2 862 3165 korea@btechavmounts.com

+84 (0)24 3201 3418 vietnam@btechavmounts.com

For full details of all B-Tech offices, please visit www.btechavmounts.com/contact-us or scan here:



#### © 2024 December B-Tech AV Mounts Corporation Ltd., All rights reserved.

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. System X, System Xpert, System Xpress, System 2 & System V are trademarks of B-Tech AV Mounts Corporation Ltd., B-Tech AV Mounts, the B-Tech logo, Ventry & Mode-AL are all registered trademarks. All B-Tech images & symbols are exclusive property of B-Tech AV Mounts Corporation Ltd. All other brands & products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures. E&OE.

#### Disclaimer

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech distributors & B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available & all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

B-Tech AV Mounts is part of the



www.globalmountsgroup.com

CA-2024-V1-131224-ENG

